Package 'fastRhockey'

August 25, 2026

Title Functions to Access Professional Women's Hockey League and National Hockey League Play by Play Data

Version 1.0.0

Description A utility to scrape and load play-by-play data and statistics from the Professional Women's Hockey League <https://www.thepwhl.com/>, formerly known as the Premier Hockey Federation (PHF) or National Women's Hockey League (NWHL). Additionally, allows access to the National Hockey League's stats API <https://www.nhl.com/>.

License MIT + file LICENSE

URL https://fastRhockey.sportsdataverse.org/, https://github.com/sportsdataverse/fastRhockey

BugReports https://github.com/sportsdataverse/fastRhockey/issues

Depends R (>= 4.1.0)

Imports cli (>= 3.4.1), data.table (>= 1.14.0), dplyr (>= 1.0.10), glue, httr2 (>= 1.0.0), janitor, jsonlite, lifecycle (>= 1.0.0), lubridate, magrittr, purrr (>= 1.0.0), Rcpp, RcppParallel, rlang (>= 1.0.4), rvest (>= 1.0.0), stringr (>= 1.3.0), tibble (>= 3.0), tidyr (>= 1.0.0)

Suggests crayon (>= 1.3.4), curl, DBI, furrr, future, ggplot2, ggrepel, progressr (>= 0.6.0), rmarkdown, RSQLite, stats, stringi, testthat (>= 3.0.0), usethis (>= 1.6.0), withr, xgboost, xml2 (>= 1.3)

Config/roxygen2/version 8.1.0

Config/testthat/edition 3

Encoding UTF-8

LazyData true

NeedsCompilation no

Author Ben Howell [aut], Saiem Gilani [aut, cre] (ORCID: <https://orcid.org/0000-0002-7194-9067>),

Alyssa Longmuir [ctb],
fastRhockey authors [cph]

Maintainer Saiem Gilani <saiem.gilani@gmail.com>

Repository CRAN

Date/Publication 2026-08-25 11:50:02 UTC

Contents

ahl . . . 11
ahl_game_corsi . . . 11
ahl_game_shifts . . . 12
ahl_game_summary . . . 13
ahl_leaders . . . 13
ahl_pbp . . . 14
ahl_player_stats . . . 15
ahl_player_toi . . . 15
ahl_schedule . . . 16
ahl_season_id . . . 17
ahl_standings . . . 17
ahl_teams . . . 18
ahl_team_roster . . . 19
csv_from_url . . . 19
data . . . 20
espn_nhl_athletes_index . . . 21
espn_nhl_award . . . 23
espn_nhl_awards . . . 24
espn_nhl_calendar . . . 26
espn_nhl_calendar_offseason . . . 28
espn_nhl_calendar_ondays . . . 29
espn_nhl_calendar_postseason . . . 31
espn_nhl_calendar_regular_season . . . 32
espn_nhl_coach . . . 34
espn_nhl_coaches . . . 36
espn_nhl_coach_record . . . 37
espn_nhl_coach_season . . . 39
espn_nhl_conferences . . . 41
espn_nhl_countries . . . 42
espn_nhl_draft . . . 44
espn_nhl_franchise . . . 45
espn_nhl_franchises . . . 47
espn_nhl_game . . . 49
espn_nhl_games . . . 50
espn_nhl_game_all . . . 52
espn_nhl_game_broadcasts . . . 54
espn_nhl_game_competition . . . 56
espn_nhl_game_leaders . . . 58
espn_nhl_game_odds . . . 59

espn_nhl_game_officials 61
espn_nhl_game_official_detail 63
espn_nhl_game_play 65
espn_nhl_game_plays 67
espn_nhl_game_play_personnel 69
espn_nhl_game_powerindex 71
espn_nhl_game_predictor 73
espn_nhl_game_probabilities 74
espn_nhl_game_propbets 76
espn_nhl_game_scoringplays 78
espn_nhl_game_situation 80
espn_nhl_game_status 81
espn_nhl_game_team 83
espn_nhl_game_teams 85
espn_nhl_game_team_leaders 87
espn_nhl_game_team_linescores 89
espn_nhl_game_team_record 91
espn_nhl_game_team_roster 93
espn_nhl_game_team_statistics 95
espn_nhl_injuries 96
espn_nhl_leaders 98
espn_nhl_leaders_core 101
espn_nhl_league_notes 102
espn_nhl_league_root 104
espn_nhl_news 106
espn_nhl_pbp 107
espn_nhl_players_index 110
espn_nhl_player_awards 111
espn_nhl_player_bio 113
espn_nhl_player_box 115
espn_nhl_player_career_stats 118
espn_nhl_player_contracts 119
espn_nhl_player_core 121
espn_nhl_player_eventlog 123
espn_nhl_player_gamelog 125
espn_nhl_player_info 127
espn_nhl_player_injuries 129
espn_nhl_player_news 131
espn_nhl_player_notes 132
espn_nhl_player_overview 134
espn_nhl_player_records 136
espn_nhl_player_seasons 137
espn_nhl_player_splits 139
espn_nhl_player_statistics 141
espn_nhl_player_statisticslog 143
espn_nhl_player_stats_v3 144
espn_nhl_player_vs_player 146
espn_nhl_position 148

espn_nhl_positions . . . 149
espn_nhl_providers . . . 151
espn_nhl_schedule . . . 153
espn_nhl_scoreboard . . . 155
espn_nhl_seasons . . . 157
espn_nhl_season_athletes . . . 159
espn_nhl_season_awards . . . 161
espn_nhl_season_coaches . . . 162
espn_nhl_season_draft . . . 164
espn_nhl_season_draft_round_picks . . . 165
espn_nhl_season_freeagents . . . 167
espn_nhl_season_futures . . . 169
espn_nhl_season_group . . . 171
espn_nhl_season_groups . . . 173
espn_nhl_season_group_children . . . 174
espn_nhl_season_group_teams . . . 176
espn_nhl_season_info . . . 178
espn_nhl_season_players . . . 180
espn_nhl_season_pointer . . . 182
espn_nhl_season_powerindex . . . 183
espn_nhl_season_powerindex_leaders . . . 185
espn_nhl_season_team . . . 187
espn_nhl_season_teams . . . 189
espn_nhl_season_type . . . 190
espn_nhl_season_types . . . 192
espn_nhl_season_type_corrections . . . 194
espn_nhl_season_type_leaders . . . 196
espn_nhl_season_week . . . 197
espn_nhl_season_weeks . . . 199
espn_nhl_season_week_games . . . 201
espn_nhl_standings . . . 203
espn_nhl_standings_core . . . 205
espn_nhl_statistics_league . . . 207
espn_nhl_summary . . . 208
espn_nhl_talentpicks . . . 210
espn_nhl_team . . . 211
espn_nhl_teams . . . 213
espn_nhl_teams_core . . . 214
espn_nhl_teams_site . . . 216
espn_nhl_team_box . . . 218
espn_nhl_team_core . . . 220
espn_nhl_team_depthcharts . . . 222
espn_nhl_team_history . . . 224
espn_nhl_team_injuries . . . 225
espn_nhl_team_leaders . . . 227
espn_nhl_team_news . . . 228
espn_nhl_team_record . . . 230
espn_nhl_team_roster . . . 231

espn_nhl_team_schedule . . . 234
espn_nhl_team_transactions . . . 236
espn_nhl_tournaments . . . 237
espn_nhl_transactions . . . 239
espn_nhl_venue . . . 240
espn_nhl_venues . . . 242
fox_nhl_boxscore . . . 244
fox_nhl_league_leaders . . . 244
fox_nhl_odds . . . 245
fox_nhl_pbp . . . 246
fox_nhl_standings . . . 246
fox_nhl_team_gamelog . . . 247
fox_nhl_team_roster . . . 247
fox_nhl_team_stats . . . 248
helper_nhl_calculate_xg . . . 248
load_nhl_game_info . . . 249
load_nhl_game_rosters . . . 250
load_nhl_goalie_box . . . 251
load_nhl_goalie_boxscores . . . 252
load_nhl_linescore . . . 253
load_nhl_officials . . . 254
load_nhl_pbp . . . 255
load_nhl_pbp_full . . . 258
load_nhl_pbp_lite . . . 259
load_nhl_penalties . . . 260
load_nhl_player_box . . . 261
load_nhl_player_boxscore . . . 263
load_nhl_player_boxscores . . . 263
load_nhl_rosters . . . 264
load_nhl_schedule . . . 265
load_nhl_schedules . . . 266
load_nhl_scoring . . . 267
load_nhl_scratches . . . 268
load_nhl_shifts . . . 269
load_nhl_shootout . . . 270
load_nhl_shots_by_period . . . 271
load_nhl_skater_box . . . 273
load_nhl_skater_boxscores . . . 274
load_nhl_team_box . . . 275
load_nhl_team_boxscore . . . 276
load_nhl_team_boxscores . . . 277
load_nhl_three_stars . . . 277
load_phf_pbp . . . 279
load_phf_player_box . . . 280
load_phf_rosters . . . 281
load_phf_schedule . . . 282
load_phf_team_box . . . 283
load_pwhl_game_info . . . 284

load_pwhl_game_rosters . . . 285
load_pwhl_goalie_box . . . 286
load_pwhl_goalie_boxscores . . . 287
load_pwhl_officials . . . 288
load_pwhl_pbp . . . 289
load_pwhl_penalty_summary . . . 292
load_pwhl_player_box . . . 293
load_pwhl_player_boxscores . . . 294
load_pwhl_rosters . . . 295
load_pwhl_schedule . . . 296
load_pwhl_schedules . . . 297
load_pwhl_scoring_summary . . . 298
load_pwhl_shifts . . . 300
load_pwhl_shootout . . . 301
load_pwhl_shots_by_period . . . 302
load_pwhl_skater_box . . . 303
load_pwhl_skater_boxscores . . . 304
load_pwhl_team_box . . . 305
load_pwhl_team_boxscores . . . 306
load_pwhl_three_stars . . . 307
load_pwhl_xg_pbp . . . 308
most_recent_ahl_season . . . 309
most_recent_nhl_season . . . 309
most_recent_nhl_season_api_param . . . 310
most_recent_ohl_season . . . 310
most_recent_phf_season . . . 311
most_recent_pwhl_season . . . 311
most_recent_qmjhl_season . . . 312
most_recent_whl_season . . . 312
nhl_all_players_by_season . . . 313
nhl_cat_edge_goalie_detail . . . 314
nhl_cat_edge_skater_detail . . . 315
nhl_club_schedule . . . 315
nhl_club_stats_season . . . 318
nhl_conferences . . . 319
nhl_conferences_info . . . 319
nhl_divisions . . . 321
nhl_divisions_info . . . 322
nhl_draft . . . 323
nhl_draft_prospects . . . 324
nhl_draft_prospects_info . . . 325
nhl_draft_rankings . . . 326
nhl_draft_tracker . . . 327
nhl_draft_year . . . 328
nhl_edge . . . 329
nhl_edge_goalie_5v5_detail . . . 330
nhl_edge_goalie_5v5_top_10 . . . 331
nhl_edge_goalie_comparison . . . 332

nhl_edge_goalie_detail . . . 333
nhl_edge_goalie_edge_save_pctg_top_10 . . . 334
nhl_edge_goalie_landing . . . 334
nhl_edge_goalie_save_percentage_detail . . . 335
nhl_edge_goalie_shot_location_detail . . . 336
nhl_edge_goalie_shot_location_top_10 . . . 337
nhl_edge_skater_comparison . . . 338
nhl_edge_skater_detail . . . 339
nhl_edge_skater_distance_top_10 . . . 340
nhl_edge_skater_landing . . . 342
nhl_edge_skater_shot_location_detail . . . 343
nhl_edge_skater_shot_location_top_10 . . . 344
nhl_edge_skater_shot_speed_detail . . . 345
nhl_edge_skater_shot_speed_top_10 . . . 346
nhl_edge_skater_skating_distance_detail . . . 347
nhl_edge_skater_skating_speed_detail . . . 348
nhl_edge_skater_speed_top_10 . . . 350
nhl_edge_skater_zone_time . . . 350
nhl_edge_skater_zone_time_top_10 . . . 351
nhl_edge_team_detail . . . 352
nhl_edge_team_landing . . . 353
nhl_edge_team_shot_location_detail . . . 354
nhl_edge_team_shot_location_top_10 . . . 355
nhl_edge_team_shot_speed_detail . . . 356
nhl_edge_team_skating_distance_detail . . . 357
nhl_edge_team_skating_distance_top_10 . . . 358
nhl_edge_team_skating_speed_detail . . . 360
nhl_edge_team_skating_speed_top_10 . . . 361
nhl_edge_team_zone_time_details . . . 362
nhl_edge_team_zone_time_top_10 . . . 363
nhl_gamecenter_landing . . . 364
nhl_gamecenter_right_rail . . . 365
nhl_game_boxscore . . . 366
nhl_game_content . . . 369
nhl_game_feed . . . 370
nhl_game_ids_by_season . . . 371
nhl_game_pbp . . . 372
nhl_game_shifts . . . 375
nhl_game_story . . . 376
nhl_goalie_stats_leaders . . . 377
nhl_goalie_summary_range . . . 378
nhl_loaders . . . 379
nhl_location . . . 380
nhl_meta . . . 381
nhl_partner_game_odds . . . 382
nhl_player_career_stats . . . 382
nhl_player_game_log . . . 384
nhl_player_info . . . 385

nhl_player_spotlight . . . 386
nhl_player_stats . . . 387
nhl_playoff_bracket . . . 388
nhl_playoff_carousel . . . 389
nhl_playoff_schedule . . . 390
nhl_postal_lookup . . . 392
nhl_ppt_replay . . . 392
nhl_ppt_replay_goal . . . 393
nhl_records . . . 394
nhl_records_attendance . . . 395
nhl_records_award_details . . . 396
nhl_records_combine . . . 397
nhl_records_draft . . . 398
nhl_records_draft_lottery_odds . . . 399
nhl_records_draft_lottery_picks . . . 400
nhl_records_draft_prospect . . . 400
nhl_records_franchise . . . 402
nhl_records_franchise_detail . . . 403
nhl_records_franchise_playoff_appearances . . . 404
nhl_records_franchise_season_results . . . 405
nhl_records_franchise_team_totals . . . 406
nhl_records_franchise_totals . . . 408
nhl_records_goalie_career_stats . . . 409
nhl_records_goalie_season_stats . . . 410
nhl_records_goalie_shutout_streak . . . 412
nhl_records_hof_players . . . 413
nhl_records_officials . . . 414
nhl_records_player . . . 415
nhl_records_player_byteam . . . 417
nhl_records_player_stats . . . 419
nhl_records_skater_real_time_stats_career . . . 420
nhl_records_skater_real_time_stats_season . . . 421
nhl_records_trophy . . . 422
nhl_records_venue . . . 423
nhl_roster_season . . . 424
nhl_schedule . . . 424
nhl_schedule_calendar . . . 426
nhl_scoreboard . . . 427
nhl_scores . . . 427
nhl_seasons . . . 428
nhl_skater_stats_leaders . . . 428
nhl_skater_summary_range . . . 430
nhl_smartlinks . . . 431
nhl_standings . . . 432
nhl_standings_season . . . 433
nhl_stats_config . . . 434
nhl_stats_content_module . . . 434
nhl_stats_country . . . 435

nhl_stats_draft . . . 435
nhl_stats_franchise . . . 436
nhl_stats_game_listing . . . 437
nhl_stats_glossary . . . 438
nhl_stats_goalies . . . 439
nhl_stats_goalie_leaders . . . 440
nhl_stats_goalie_milestones . . . 441
nhl_stats_misc . . . 442
nhl_stats_ping . . . 443
nhl_stats_players . . . 443
nhl_stats_rest . . . 444
nhl_stats_seasons . . . 445
nhl_stats_skaters . . . 446
nhl_stats_skater_leaders . . . 447
nhl_stats_skater_milestones . . . 448
nhl_stats_teams . . . 449
nhl_stats_team_listing . . . 450
nhl_teams . . . 451
nhl_teams_info . . . 452
nhl_teams_roster . . . 453
nhl_teams_stats . . . 454
nhl_team_prospects . . . 456
nhl_team_scoreboard . . . 457
nhl_team_summary_range . . . 458
nhl_tv_schedule . . . 459
nhl_web . . . 460
nhl_where_to_watch . . . 462
nhl_wsc_pbp . . . 462
nhl_xg . . . 464
ohl . . . 465
ohl_game_corsi . . . 465
ohl_game_shifts . . . 466
ohl_game_summary . . . 466
ohl_leaders . . . 467
ohl_pbp . . . 468
ohl_player_stats . . . 468
ohl_player_toi . . . 469
ohl_schedule . . . 470
ohl_season_id . . . 470
ohl_standings . . . 471
ohl_teams . . . 472
ohl_team_roster . . . 472
phf . . . 473
phf_game_all . . . 474
phf_game_details . . . 475
phf_game_raw . . . 475
phf_game_summary . . . 476
phf_leaders . . . 476

phf_league_info . . . 477
phf_pbp . . . 478
phf_player_box . . . 478
phf_player_stats . . . 479
phf_schedule . . . 480
phf_standings . . . 480
phf_team_box . . . 481
phf_team_roster . . . 482
phf_team_stats . . . 482
progressively . . . 483
pwhl . . . 484
pwhl_game_corsi . . . 485
pwhl_game_info . . . 486
pwhl_game_shifts . . . 487
pwhl_game_summary . . . 488
pwhl_leaders . . . 490
pwhl_loaders . . . 492
pwhl_pbp . . . 493
pwhl_player_box . . . 496
pwhl_player_game_log . . . 498
pwhl_player_info . . . 499
pwhl_player_search . . . 500
pwhl_player_stats . . . 501
pwhl_player_toi . . . 503
pwhl_playoff_bracket . . . 504
pwhl_schedule . . . 505
pwhl_scorebar . . . 506
pwhl_season_id . . . 507
pwhl_standings . . . 507
pwhl_stats . . . 509
pwhl_streaks . . . 510
pwhl_teams . . . 511
pwhl_team_roster . . . 512
pwhl_transactions . . . 513
qmjhl . . . 514
qmjhl_game_corsi . . . 514
qmjhl_game_shifts . . . 515
qmjhl_game_summary . . . 515
qmjhl_leaders . . . 516
qmjhl_pbp . . . 517
qmjhl_player_stats . . . 517
qmjhl_player_toi . . . 518
qmjhl_schedule . . . 519
qmjhl_season_id . . . 519
qmjhl_standings . . . 520
qmjhl_teams . . . 521
qmjhl_team_roster . . . 521
rds_from_url . . . 522

refresh_xg_models . . . 522
update_nhl_db . . . 523
update_phf_db . . . 524
update_pwhl_db . . . 525
whl . . . 527
whl_game_corsi . . . 527
whl_game_shifts . . . 528
whl_game_summary . . . 528
whl_leaders . . . 529
whl_pbp . . . 530
whl_player_stats . . . 530
whl_player_toi . . . 531
whl_schedule . . . 532
whl_season_id . . . 532
whl_standings . . . 533
whl_teams . . . 534
whl_team_roster . . . 534

Index **536**

`ahl` **AHL (American Hockey League) Endpoint Overview**

Description

Thin exported wrappers around the HockeyTech feeds for the AHL.

See Also

Other AHL Functions: `ahl_game_corsi()`, `ahl_game_shifts()`, `ahl_game_summary()`, `ahl_leaders()`, `ahl_pbp()`, `ahl_player_stats()`, `ahl_player_toi()`, `ahl_schedule()`, `ahl_season_id()`, `ahl_standings()`, `ahl_team_roster()`, `ahl_teams()`, `most_recent_ahl_season()`

`ahl_game_corsi` **AHL Game Corsi/Fenwick (player-level on-ice)**

Description

Player-level on-ice Corsi and Fenwick for an AHL game.

Usage

```
ahl_game_corsi(game_id)
```

Arguments

`game_id`	Numeric AHL game identifier.

Value

A fastRhockey_data data frame, one row per player.

See Also

Other AHL Functions: ahl, ahl_game_shifts(), ahl_game_summary(), ahl_leaders(), ahl_pbp(), ahl_player_stats(), ahl_player_toi(), ahl_schedule(), ahl_season_id(), ahl_standings(), ahl_team_roster(), ahl_teams(), most_recent_ahl_season()

Examples

```
try(ahl_game_corsi(game_id = 1000093924))
```

---

ahl_game_shifts AHL Game Shifts

Description

All player shift stints for an AHL game (one row per stint).

Usage

```
ahl_game_shifts(game_id)
```

Arguments

game_id	Numeric AHL game identifier.

Value

A fastRhockey_data data frame, one row per shift stint.

See Also

Other AHL Functions: ahl, ahl_game_corsi(), ahl_game_summary(), ahl_leaders(), ahl_pbp(), ahl_player_stats(), ahl_player_toi(), ahl_schedule(), ahl_season_id(), ahl_standings(), ahl_team_roster(), ahl_teams(), most_recent_ahl_season()

Examples

```
try(ahl_game_shifts(game_id = 1000093924))
```

ahl_game_summary AHL Game Summary

Description

AHL game summary – named list of data frames (details, scoring, penalties, shots_by_period, three_stars).

Usage

```
ahl_game_summary(game_id)
```

Arguments

game_id	Numeric AHL game identifier.

Value

A named list of data frames.

See Also

Other AHL Functions: ahl, ahl_game_corsi(), ahl_game_shifts(), ahl_leaders(), ahl_pbp(), ahl_player_stats(), ahl_player_toi(), ahl_schedule(), ahl_season_id(), ahl_standings(), ahl_team_roster(), ahl_teams(), most_recent_ahl_season()

Examples

```
try(ahl_game_summary(game_id = 1000093924))
```

ahl_leaders AHL Statistical Leaders

Description

AHL statistical leaders for a season from the HockeyTech feed.

Usage

```
ahl_leaders(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per player entry.

See Also

Other AHL Functions: ahl, ahl_game_corsi(), ahl_game_shifts(), ahl_game_summary(), ahl_pbp(), ahl_player_stats(), ahl_player_toi(), ahl_schedule(), ahl_season_id(), ahl_standings(), ahl_team_roster(), ahl_teams(), most_recent_ahl_season()

Examples

```
try(ahl_leaders())
```

---

ahl_pbp **AHL Play-by-Play**

Description

AHL play-by-play for a single game (one row per event, fully enriched with coordinate transforms, on-ice players, Corsi geometry).

Usage

```
ahl_pbp(game_id)
```

Arguments

game_id	Numeric AHL game identifier.

Value

A fastRhockey_data data frame, one row per play-by-play event.

See Also

Other AHL Functions: ahl, ahl_game_corsi(), ahl_game_shifts(), ahl_game_summary(), ahl_leaders(), ahl_player_stats(), ahl_player_toi(), ahl_schedule(), ahl_season_id(), ahl_standings(), ahl_team_roster(), ahl_teams(), most_recent_ahl_season()

Examples

```
try(ahl_pbp(game_id = 1000093924))
```

ahl_player_stats AHL Player Stats

Description

AHL player season stats across all seasons.

Usage

```
ahl_player_stats(player_id)
```

Arguments

player_id	Numeric or character AHL player identifier.

Value

A fastRhockey_data data frame, one row per season-stat entry.

See Also

Other AHL Functions: ahl, ahl_game_corsi(), ahl_game_shifts(), ahl_game_summary(), ahl_leaders(), ahl_pbp(), ahl_player_toi(), ahl_schedule(), ahl_season_id(), ahl_standings(), ahl_team_roster(), ahl_teams(), most_recent_ahl_season()

Examples

```
try(ahl_player_stats(player_id = 10781))
```

ahl_player_toi AHL Player Time On Ice

Description

Per-player time-on-ice totals for an AHL game.

Usage

```
ahl_player_toi(game_id)
```

Arguments

game_id	Numeric AHL game identifier.

Value

A fastRhockey_data data frame, one row per player.

See Also

Other AHL Functions: ahl, ahl_game_corsi(), ahl_game_shifts(), ahl_game_summary(), ahl_leaders(), ahl_pbp(), ahl_player_stats(), ahl_schedule(), ahl_season_id(), ahl_standings(), ahl_team_roster(), ahl_teams(), most_recent_ahl_season()

Examples

```
try(ahl_player_toi(game_id = 1000093924))
```

---

ahl_schedule **AHL Schedule**

Description

AHL schedule from the HockeyTech feed (one row per game).

Usage

```
ahl_schedule(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional.
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per game.

See Also

Other AHL Functions: ahl, ahl_game_corsi(), ahl_game_shifts(), ahl_game_summary(), ahl_leaders(), ahl_pbp(), ahl_player_stats(), ahl_player_toi(), ahl_season_id(), ahl_standings(), ahl_team_roster(), ahl_teams(), most_recent_ahl_season()

Examples

```
try(ahl_schedule())
```

ahl_season_id AHL Season IDs

Description

All seasons for the AHL with end-year and game-type labels, from the HockeyTech modulekit/seasons feed.

Usage

```
ahl_season_id()
```

Value

A `fastRhockey_data` data frame with columns: season_id, season_name, season_short, career, playoff, start_date, end_date, season_yr, game_type_label.

See Also

Other AHL Functions: `ahl`, `ahl_game_corsi()`, `ahl_game_shifts()`, `ahl_game_summary()`, `ahl_leaders()`, `ahl_pbp()`, `ahl_player_stats()`, `ahl_player_toi()`, `ahl_schedule()`, `ahl_standings()`, `ahl_team_roster()`, `ahl_teams()`, `most_recent_ahl_season()`

Examples

```
try(ahl_season_id())
```

ahl_standings AHL Standings

Description

AHL standings from the HockeyTech feed (one row per team).

Usage

```
ahl_standings(season = NULL, season_id = NULL)
```

Arguments

`season`	End-year season (e.g. 2025); optional (defaults to most-recent).
`season_id`	Explicit HockeyTech season id; optional.

Value

A `fastRhockey_data` data frame, one row per team.

See Also

Other AHL Functions: ahl, ahl_game_corsi(), ahl_game_shifts(), ahl_game_summary(), ahl_leaders(), ahl_pbp(), ahl_player_stats(), ahl_player_toi(), ahl_schedule(), ahl_season_id(), ahl_team_roster(), ahl_teams(), most_recent_ahl_season()

Examples

```
try(ahl_standings())
```

---

ahl_teams **AHL Teams**

Description

AHL teams for a given season from the HockeyTech feed.

Usage

```
ahl_teams(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per team.

See Also

Other AHL Functions: ahl, ahl_game_corsi(), ahl_game_shifts(), ahl_game_summary(), ahl_leaders(), ahl_pbp(), ahl_player_stats(), ahl_player_toi(), ahl_schedule(), ahl_season_id(), ahl_standings(), ahl_team_roster(), most_recent_ahl_season()

Examples

```
try(ahl_teams())
```

ahl_team_roster AHL Team Roster

Description

AHL roster for a given team and season from the HockeyTech feed.

Usage

```
ahl_team_roster(team_id, season = NULL, season_id = NULL)
```

Arguments

team_id	Numeric or character AHL team identifier.
season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per player.

See Also

Other AHL Functions: ahl, ahl_game_corsi(), ahl_game_shifts(), ahl_game_summary(), ahl_leaders(), ahl_pbp(), ahl_player_stats(), ahl_player_toi(), ahl_schedule(), ahl_season_id(), ahl_standings(), ahl_teams(), most_recent_ahl_season()

Examples

```
try(ahl_team_roster(team_id = 341))
```

csv_from_url Load .csv / .csv.gz file from a remote connection

Description

This is a thin wrapper on data.table::fread

Usage

```
csv_from_url(...)
```

Arguments

...	passed to data.table::fread

Value

a dataframe as created by `data.table::fread()`

`data` **Data in the package for reference**

Description

A dataset containing the full team names, abbreviations, colors & logos for all 32 active NHL teams plus historical/relocated franchises retained for joining against older data. Filter on `division != "Relocated"` to limit to active teams.

A dataset containing the full team names, abbreviations, colors & logos for all PHF teams.

A dataset containing the full team names, abbreviations, colors & logos for all PWHL teams. Carries 14 rows: the 6 founding franchises appear twice each — once under their inaugural 2023-24 identity (`PWHL Boston`, etc., matching the live `pwhl_teams()` payload) and once under their 2024-25 rebranded identity (Boston Fleet, Minnesota Frost, Montréal Victoire, New York Sirens, Ottawa Charge, Toronto Sceptres). Plus the two 2025-26 expansion teams (Seattle Torrent and Vancouver Goldeneyes). The shared `team_abbr` across pre/post rebrand rows makes historical joins straightforward.

Usage

```
nhl_team_logos

phf_team_logos

pwhl_team_logos
```

Format

A data frame with 34 rows and 11 variables:

- `full_team_name` - full team name
- `team_abbr` - NHL.com team abbreviation
- `team_nick` - lowercase, no spaces team nickname
- `division` - current NHL division, or `"Relocated"` for inactive franchises
- `conference` - current NHL conference, or `"Relocated"` for inactive franchises
- `team_logo_espn` - primary team logo from ESPN.com
- `team_color1` - current primary team color
- `team_color2` - current secondary team color
- `team_logo_alternate` - alternate or throwback logo
- `team_color_alt1` - alternate logo primary color
- `team_color_alt2` - alternate logo secondary color

A data frame with 6 rows and 7 variables:

- full_team_name - Full team name
- team_abbr - PremierHockeyFederation.com team abbreviation
- team_nick - Team Nickname
- team_location - PHF team location
- team_color1 - Current primary team color. Full disclosure, I just color picked from the logos
- team_color2 - Current secondary team color. Full disclosure, I just color picked from the logos
- team_logo - Primary team logo from fastRhockey data repository

A data frame with 14 rows and 7 variables:

- full_team_name - Full team name (legacy or rebranded)
- team_abbr - HockeyTech team code (BOS, MIN, MON, NY, OTT, TOR for the six founders; SEA, VAN for the expansion teams)
- team_nick - Team nickname (or city, for the legacy PWHL <city> entries)
- team_location - Team location / city
- team_color1 - Best-effort primary team color (hex)
- team_color2 - Best-effort secondary team color (hex)
- team_logo - Primary team logo URL from the live PWHL CDN; NA for the two expansion teams until logos are catalogued

---

espn_nhl_athletes_index

Get ESPN NHL Athletes Index (core-v2)

Description

Get ESPN NHL Athletes Index (core-v2)

Usage

```
espn_nhl_athletes_index(active = TRUE, limit = 100, page = 1, ...)
```

Arguments

active	Filter by active status. TRUE (default) = active players only; FALSE = inactive only; NULL = no filter.
limit	Number of athletes per page (default 100; max ~200).
page	Page number (default 1). Use page_count from the result to determine the total number of pages.
...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per athlete in the requested page. Surface `count` and `page_count` to manage pagination.

col_name	types	description
ref	character	`$ref` URL for the athlete object.
athlete_id	character	ESPN athlete id parsed from the `$ref` URL.
active	logical	The `active` filter value echoed from arg.
page	integer	The `page` value echoed from arg.
count	integer	Total athlete count matching the filter.
page_count	integer	Total number of pages.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_postseason(), espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards, espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts, espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist, espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde, espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(),

espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_athletes_index(active = TRUE, limit = 10, page = 1))
```

---

espn_nhl_award — Get ESPN NHL Award (core-v2)

Description

Get ESPN NHL Award (core-v2)

Usage

```
espn_nhl_award(award_id, ...)
```

Arguments

award_id	ESPN award identifier (character or numeric). Use espn_nhl_awards()$award_id to discover valid award ids.
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with award metadata, or an empty tibble when the endpoint is unavailable. **Note**: The individual award endpoint (core_v2/awards/{award_id}) currently returns HTTP 500 for all tested NHL award ids — an empty tibble is returned gracefully:

col_name	types	description
award_id	character	Award id (echoed from arg).
id	character	ESPN award identifier (if returned).
name	character	Award name (if returned).
display_name	character	Award display name (if returned).
description	character	Award description (if returned).
award_ref	character	$ref URL for the award object (if returned).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_postseason(), espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards, espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts, espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist, espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde, espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN returns HTTP 500 for this endpoint)
try({
  awards <- espn_nhl_awards()
  if (nrow(awards) > 0) espn_nhl_award(award_id = awards$award_id[1])
})
```

`espn_nhl_awards` **Get ESPN NHL Awards (core-v2)**

Description

Get ESPN NHL Awards (core-v2)

Usage

```
espn_nhl_awards(limit = 100, ...)
```

Arguments

limit	Maximum number of awards to return per page (default 100). The NHL has 34 awards; 100 returns all in one request.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per award:

col_name	types	description
ref	character	$ref URL for the award object.
award_id	character	ESPN award id parsed from the $ref URL.
count	integer	Total awards in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_postseason(), espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards, espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts, espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist, espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),

espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_awards())
```

---

espn_nhl_calendar Get ESPN NHL Calendar

Description

Get ESPN NHL Calendar

Usage

```
espn_nhl_calendar(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per game date:

col_name	types	description
date	character	Game date (ISO 8601 datetime string).
calendar_type	character	Calendar type (e.g. "day").
calendar_start_date	character	Calendar season start date.
calendar_end_date	character	Calendar season end date.
calendar_is_whitelist	logical	Whether dates are a whitelist of game days.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_postseason(), espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards, espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts, espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist, espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde, espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_calendar())
```

espn_nhl_calendar_offseason

Get ESPN NHL Calendar Offseason Dates (core-v2)

Description

Get ESPN NHL Calendar Offseason Dates (core-v2)

Usage

```
espn_nhl_calendar_offseason(season = most_recent_nhl_season(), ...)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per offseason date. May return zero rows when the offseason calendar is empty for the requested season.

col_name	types	description
date	character	Date (ISO 8601 datetime string).
date_type	character	Calendar date type.
start_date	character	Season start date.
end_date	character	Season end date.
season	integer	Season year (echoed from arg).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_ondays(), espn_nhl_calendar_postseason(), espn_nhl_calendar_regu espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(),

espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(
espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards
espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts
espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(),
espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview()
espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist
espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),
espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(),
espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(),
espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(),
espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(),
espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(),
espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde
espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(),
espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(),
espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(),
espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(),
espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(),
espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders()
espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(),
espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(),
espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_calendar_offseason(season = 2026))
```

---

espn_nhl_calendar_ondays

Get ESPN NHL Calendar On-Days (core-v2)

Description

Get ESPN NHL Calendar On-Days (core-v2)

Usage

```
espn_nhl_calendar_ondays(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per game date. The endpoint returns all dates in the current season that have games (typically ~227 dates for a full regular season).

col_name	types	description
date	character	Game date (ISO 8601 datetime string).
date_type	character	Calendar date type (e.g. "day").
start_date	character	Season start date.
end_date	character	Season end date.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_postseason(), espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards, espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts, espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist, espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde, espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders()

espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_calendar_ondays())
```

---

espn_nhl_calendar_postseason

Get ESPN NHL Calendar Postseason Dates (core-v2)

Description

Get ESPN NHL Calendar Postseason Dates (core-v2)

Usage

```
espn_nhl_calendar_postseason(season = most_recent_nhl_season(), ...)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per postseason date. May return zero rows when postseason calendar is empty for the requested season.

col_name	types	description
date	character	Date (ISO 8601 datetime string).
date_type	character	Calendar date type.
start_date	character	Season start date.
end_date	character	Season end date.
season	integer	Season year (echoed from arg).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_regul espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_calendar_postseason(season = 2026))
```

`espn_nhl_calendar_regular_season`

Get ESPN NHL Calendar Regular-Season Dates (core-v2)

Description

Get ESPN NHL Calendar Regular-Season Dates (core-v2)

Usage

```
espn_nhl_calendar_regular_season(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per regular-season game date. Uses the core-v2 `calendar/whitelist` endpoint, which is the working equivalent of the sdv-py `calendar/regular-season` path (the `regular-season` path returns HTTP 400/503 for NHL; `whitelist` returns identical data with HTTP 200).

col_name	types	description
date	character	Game date (ISO 8601 datetime string).
date_type	character	Calendar date type (e.g. "day").
start_date	character	Season start date.
end_date	character	Season end date.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(),

espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_calendar_regular_season())
```

`espn_nhl_coach` **Get ESPN NHL Coach (core-v2)**

Description

Get ESPN NHL Coach (core-v2)

Usage

```
espn_nhl_coach(coach_id, ...)
```

Arguments

`coach_id`	ESPN coach identifier (character or numeric). Use `espn_nhl_coaches()` to discover valid coach ids.
`...`	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with coach detail. Note that `careerRecords` and `coachSeasons` are sparse (empty arrays) for many NHL coaches — see `espn_nhl_coach_record()` for season-scoped records:

col_name	types	description
coach_id	character	ESPN coach id (echoed from arg).
id	character	ESPN coach identifier from response.
uid	character	Coach uid string.
first_name	character	Coach first name.
last_name	character	Coach last name.
date_of_birth	character	Coach date of birth (ISO 8601).

birth_city	character	Coach birth city.
birth_country	character	Coach birth country.
experience	integer	Years of coaching experience (if returned).
coach_ref	character	`$ref` URL for this coach object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  ccs <- espn_nhl_coaches(season = 2026)
  espn_nhl_coach(coach_id = ccs$coach_id[1])
})
```

`espn_nhl_coaches` **Get ESPN NHL Coaches (core-v2)**

Description

Get ESPN NHL Coaches (core-v2)

Usage

```
espn_nhl_coaches(season = most_recent_nhl_season(), limit = 100, page = 1, ...)
```

Arguments

`season`	Season end-year (e.g. `2026`). Defaults to `most_recent_nhl_season()`. The league-level coaches collection (`/leagues/nhl/coaches`) returns HTTP 404 for NHL; this function uses the season-scoped path (`seasons/{season}/coaches`) which is confirmed to work.
`limit`	Maximum number of coaches to return per page (default `100`). The NHL typically lists ~30 head coaches per season.
`page`	Page number (1-indexed, default `1`).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per coach reference:

col_name	types	description
ref	character	`$ref` URL for the coach-in-season object.
coach_id	character	ESPN coach id parsed from the `$ref` URL.
season	integer	Season year (echoed from arg).
page	integer	Page number (echoed from arg).
count	integer	Total coaches in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_coaches(season = 2026))
```

---

espn_nhl_coach_record **Get ESPN NHL Coach Record (core-v2)**

Description

Get ESPN NHL Coach Record (core-v2)

Usage

```
espn_nhl_coach_record(coach_id, ...)
```

Arguments

coach_id	ESPN coach identifier (character or numeric). Use espn_nhl_coaches() to discover valid coach ids.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with coach career record data, or an empty tibble when the endpoint is unavailable. **Note**: The coach record path (coaches/{id}/record) returns HTTP 404 for NHL — this endpoint is not populated by ESPN for the NHL league. An empty tibble is returned gracefully with a warning:

col_name	types	description
coach_id	character	ESPN coach id (echoed from arg).
...	varies	Additional record fields if returned (sparse for NHL).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(),

espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns an empty tibble for NHL (404 from ESPN)
try({
  ccs <- espn_nhl_coaches(season = 2026)
  espn_nhl_coach_record(coach_id = ccs$coach_id[1])
})
```

---

espn_nhl_coach_season **Get ESPN NHL Coach Season (core-v2)**

Description

Get ESPN NHL Coach Season (core-v2)

Usage

```
espn_nhl_coach_season(coach_id, season = most_recent_nhl_season(), ...)
```

Arguments

coach_id	ESPN coach identifier (character or numeric). Use espn_nhl_season_coaches() to find valid IDs.
season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per coach:

col_name	types	description
coach_id	character	ESPN coach identifier (echoed from arg).
season	integer	Season year (echoed from arg).

espn_id	character	ESPN internal coach id.
uid	character	ESPN unique uid.
first_name	character	Coach first name.
last_name	character	Coach last name.
date_of_birth	character	Date of birth (ISO 8601).
birth_city	character	Birth city.
birth_country	character	Birth country.
person_ref	character	`$ref` URL for the coach person object on core-v2.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_coach_season(coach_id = "900", season = 2026))
```

`espn_nhl_conferences` **Get ESPN NHL Conferences**

Description

Get ESPN NHL Conferences

Usage

```
espn_nhl_conferences(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per conference/division combination (4 rows for NHL: 2 conferences x 2 divisions each):

col_name	types	description
conference_name	character	Conference name (e.g. "Eastern Conference").
conference_abbreviation	character	Conference abbreviation.
division_name	character	Division name (e.g. "Atlantic Division").
division_abbreviation	character	Division abbreviation.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(),

espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_conferences())
```

`espn_nhl_countries` **Get ESPN NHL Countries (core-v2)**

Description

Get ESPN NHL Countries (core-v2)

Usage

```
espn_nhl_countries(limit = 200, ...)
```

Arguments

`limit`	Maximum number of countries to return (default `200`).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per country reference, or an empty tibble when the endpoint is unpopulated. **Note**: The NHL countries endpoint (`leagues/nhl/countries`) returns `count=0` — ESPN does not populate this collection for the NHL. An empty tibble is returned gracefully with a warning:

col_name	types	description
ref	character	`$ref` URL for the country object.
country_id	character	ESPN country id parsed from the `$ref` URL.
count	integer	Total countries (typically `0` for NHL).
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(),

espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN does not populate this endpoint)
try(espn_nhl_countries())
```

`espn_nhl_draft` **Get ESPN NHL Draft**

Description

Get ESPN NHL Draft

Usage

```
espn_nhl_draft(...)
```

Arguments

`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with draft data, or an empty tibble when the endpoint is unavailable. **Note**: The NHL draft endpoint (`site/v2/sports/hockey/nhl/draft`) currently returns HTTP 500 for NHL — an empty tibble is returned gracefully:

col_name	types	description
id	character	Draft entry identifier (if returned).
name	character	Draft entry name (if returned).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN returns HTTP 500 for this endpoint)
try(espn_nhl_draft())
```

`espn_nhl_franchise` **Get ESPN NHL Franchise (core-v2)**

Description

Get ESPN NHL Franchise (core-v2)

Usage

```
espn_nhl_franchise(franchise_id, ...)
```

Arguments

franchise_id	ESPN franchise identifier (character or numeric). Use espn_nhl_franchises() to discover valid franchise ids.
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with franchise detail:

col_name	types	description
franchise_id	character	ESPN franchise id (echoed from arg).
id	character	ESPN franchise identifier from response.
uid	character	Franchise uid string.
slug	character	Franchise URL slug.
location	character	Franchise city/location.
name	character	Franchise mascot name.
nickname	character	Franchise nickname.
abbreviation	character	Franchise abbreviation.
display_name	character	Franchise display name.
short_display_name	character	Franchise short display name.
color	character	Franchise primary color hex.
is_active	logical	Whether the franchise is currently active.
venue_ref	character	$ref URL for the franchise's current venue.
team_ref	character	$ref URL for the current season team object.
franchise_ref	character	$ref URL for this franchise object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts
espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(),
espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(),
espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(),
espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta
espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(),
espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(),
espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(),
espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor
espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(),

espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(
espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards
espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts
espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(),
espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview()
espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist
espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),
espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(),
espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(),
espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(),
espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(),
espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(),
espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde
espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(),
espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(),
espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(),
espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(),
espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(),
espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders()
espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(),
espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(),
espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  fcs <- espn_nhl_franchises()
  espn_nhl_franchise(franchise_id = fcs$franchise_id[1])
})
```

`espn_nhl_franchises` **Get ESPN NHL Franchises (core-v2)**

Description

Get ESPN NHL Franchises (core-v2)

Usage

```
espn_nhl_franchises(limit = 100, ...)
```

Arguments

`limit`	Maximum number of franchises to return (default `100`). The NHL has 32 active franchises; `100` returns all in one request.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per franchise reference:

col_name	types	description
ref	character	`$ref` URL for the franchise object.
franchise_id	character	ESPN franchise id parsed from the `$ref` URL.
count	integer	Total franchises in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_franchises())
```

`espn_nhl_game` **Get ESPN NHL Game Metadata (core-v2)**

Description

Get ESPN NHL Game Metadata (core-v2)

Usage

```
espn_nhl_game(event_id, ...)
```

Arguments

`event_id`	ESPN event (game) identifier. Use `espn_nhl_scoreboard()$game_id` to find valid event ids.
`...`	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with event metadata:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
id	character	ESPN event identifier.
uid	character	Event uid string.
date	character	Game date/time (ISO 8601 UTC).
name	character	Full game name (e.g. "Chicago Blackhawks at Detroit Red Wings").
short_name	character	Short name (e.g. "CHI \@ DET").
time_valid	logical	Whether the start time is confirmed.
competition_id	character	Id of the primary competition (equals `event_id` for NHL).
competition_ref	character	`$ref` URL for the primary competition object.
venue_ref	character	`$ref` URL for the venue.
season_ref	character	`$ref` URL for the season.
season_type_ref	character	`$ref` URL for the season type.
league_ref	character	`$ref` URL for the league.
event_ref	character	`$ref` URL for this event object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game(event_id = sb$game_id[1])
})
```

`espn_nhl_games` **Get ESPN NHL Games (core-v2)**

Description

Get ESPN NHL Games (core-v2)

Usage

```
espn_nhl_games(dates = NULL, limit = 100, ...)
```

Arguments

dates	Optional date string "YYYYMMDD" or range "YYYYMMDD-YYYYMMDD". When NULL (default) the most recent games are returned.
limit	Maximum number of events per page (default 100).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per game event reference:

col_name	types	description
ref	character	$ref URL for the event object.
event_id	character	ESPN event id parsed from the $ref URL.
count	integer	Total events in the collection.
page_count	integer	Total pages in the collection.
dates	character	Dates filter (echoed from arg, if supplied).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(),

espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist, espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde, espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_games(limit = 10))
```

`espn_nhl_game_all` **Get ESPN NHL Game Data (PBP + Team Box + Player Box)**

Description

Get ESPN NHL Game Data (PBP + Team Box + Player Box)

Usage

```
espn_nhl_game_all(game_id, ...)
```

Arguments

`game_id`	ESPN event identifier (character or numeric).
`...`	Reserved for forward compatibility.

Value

A named list with three elements, all parsed from a **single** HTTP request to the ESPN summary endpoint:

- `plays` — `fastRhockey_data` tibble, one row per play. See `espn_nhl_pbp()` for the full column reference.

- team_box — fastRhockey_data tibble, one row per team (2 rows). See espn_nhl_team_box() for the full column reference.
- player_box — fastRhockey_data tibble, one row per player. See espn_nhl_player_box() for the full column reference.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
g <- try(espn_nhl_game_all(game_id = "401688263"))
if (!inherits(g, "try-error")) {
```

```
  names(g)           # "plays" "team_box" "player_box"
  nrow(g$plays)
  nrow(g$team_box)
  nrow(g$player_box)
}
```

---

espn_nhl_game_broadcasts

Get ESPN NHL Game Broadcasts (core-v2)

Description

Get ESPN NHL Game Broadcasts (core-v2)

Usage

```
espn_nhl_game_broadcasts(event_id, cid = event_id, ...)
```

Arguments

event_id	ESPN event (game) identifier.
cid	Competition identifier. Defaults to event_id.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per broadcast (regional TV + national, typically 2-4 rows):

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
type_id	character	Broadcast type id.
type_short_name	character	Broadcast type short name (e.g. "TV").
type_long_name	character	Broadcast type long name (e.g. "Television").
type_slug	character	Broadcast type slug.
channel	integer	Channel number identifier.
station	character	Station full name (e.g. "FanDuel Sports Network Detroit").
slug	character	Station slug.
priority	integer	Broadcast priority order.
lang	character	Broadcast language (e.g. "en").
region	character	Broadcast region (e.g. "us").
partnered	logical	Whether this is a partnered broadcast.
market_id	character	Market identifier.
market_type	character	Market type.
media_id	character	Media outlet identifier.

media_name	character	Media outlet full name.
media_short_name	character	Media outlet short name.
media_call_letters	character	Media outlet call letters.
media_slug	character	Media outlet slug.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
```

```
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_broadcasts(event_id = sb$game_id[1])
})
```

`espn_nhl_game_competition`

Get ESPN NHL Game Competition Detail (core-v2)

Description

Get ESPN NHL Game Competition Detail (core-v2)

Usage

```
espn_nhl_game_competition(event_id, cid = event_id, ...)
```

Arguments

`event_id`	ESPN event (game) identifier.
`cid`	Competition identifier. Defaults to `event_id` (for NHL the single competition always has the same id as its parent event).
`...`	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with competition detail:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
id	character	ESPN competition identifier.
guid	character	Competition global unique identifier.
uid	character	Competition uid string.
date	character	Start date/time (ISO 8601 UTC).
attendance	integer	Announced attendance.
neutral_site	logical	Whether the game was played at a neutral venue.
time_valid	logical	Whether the start time is confirmed.
boxscore_available	logical	Whether boxscore data is available.
play_by_play_available	logical	Whether play-by-play data is available.
linescore_available	logical	Whether linescore data is available.
on_watch_espn	logical	Whether the game is/was on WatchESPN.
recent	logical	Whether the game is recent.
venue_ref	character	`$ref` URL for the venue.
competitors_ref	character	`$ref` URL for the competitors collection.
status_ref	character	`$ref` URL for the competition status object.
odds_ref	character	`$ref` URL for the odds collection.

officials_ref	character	$ref URL for the officials collection.
competition_ref	character	$ref URL for this competition object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_deta espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_competition(event_id = sb$game_id[1])
```

```
})
```

`espn_nhl_game_leaders` **Get ESPN NHL Game Leaders (core-v2)**

Description

Get ESPN NHL Game Leaders (core-v2)

Usage

```
espn_nhl_game_leaders(event_id, cid = event_id, ...)
```

Arguments

`event_id`	ESPN event (game) identifier.
`cid`	Competition identifier. Defaults to `event_id`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per (category, leader) pair. **Note:** This endpoint is sparse for NHL — most games return an empty tibble with a warning. When populated:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
category_name	character	Stat category name.
category_display	character	Stat category display name.
category_abbr	character	Stat category abbreviation.
value	numeric	Leader stat value.
display_value	character	Formatted stat value.
athlete_ref	character	`$ref` URL for the leader athlete.
team_ref	character	`$ref` URL for the leader's team.
leader_ref	character	`$ref` URL for this leader entry.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_odds(), espn_nhl_game_official_ espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_leaders(event_id = sb$game_id[1])
})
```

`espn_nhl_game_odds` **Get ESPN NHL Game Odds (core-v2)**

Description

Get ESPN NHL Game Odds (core-v2)

Usage

```
espn_nhl_game_odds(event_id, cid = event_id, ...)
```

Arguments

event_id	ESPN event (game) identifier.
cid	Competition identifier. Defaults to event_id.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per odds provider (typically 2 rows per game — consensus + one sportsbook):

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
provider_id	character	Odds provider identifier.
provider_name	character	Odds provider name.
provider_priority	integer	Provider display priority.
details	character	Odds detail string (e.g. "DET -185").
over_under	numeric	Over/under total line.
spread	numeric	Point spread.
over_odds	numeric	Over moneyline odds (American format).
under_odds	numeric	Under moneyline odds (American format).
moneyline_winner	logical	Whether the moneyline winner was determined.
spread_winner	logical	Whether the spread winner was determined.
away_team_favorite	logical	Whether the away team was the favorite.
away_team_moneyline	integer	Away team moneyline (American format).
home_team_favorite	logical	Whether the home team was the favorite.
home_team_moneyline	integer	Home team moneyline (American format).
open_over	numeric	Opening over decimal odds value.
open_under	numeric	Opening under decimal odds value.
open_total_american	character	Opening total line in American format (e.g. "5.5").
odds_ref	character	$ref URL for this odds object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_odds(event_id = sb$game_id[1])
})
```

---

espn_nhl_game_officials

Get ESPN NHL Game Officials (core-v2)

Description

Get ESPN NHL Game Officials (core-v2)

Usage

```
espn_nhl_game_officials(event_id, cid = event_id, ...)
```

Arguments

event_id	ESPN event (game) identifier.
cid	Competition identifier. Defaults to event_id.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per official (typically 4 — 2 referees + 2 linesmen):

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
official_id	character	ESPN official identifier.
first_name	character	Official first name.
last_name	character	Official last name.
full_name	character	Official full name.
display_name	character	Official display name.
order	integer	Display order within officials list.
position_id	character	Official position identifier.
position_name	character	Official position name (e.g. "Referee", "Linesman").
position_display	character	Official position display name.
official_ref	character	$ref URL for this official object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_play(), espn_nhl_game_play_personn espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilit espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor

espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_officials(event_id = sb$game_id[1])
})
```

---

espn_nhl_game_official_detail

Get ESPN NHL Game Official Detail (core-v2)

Description

Get ESPN NHL Game Official Detail (core-v2)

Usage

```
espn_nhl_game_official_detail(event_id, cid = event_id, official_id, ...)
```

Arguments

event_id	ESPN event (game) identifier.
cid	Competition identifier. Defaults to event_id.
official_id	ESPN official identifier. Use espn_nhl_game_officials(event_id)$official_id to find valid official ids for a game.
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with official detail:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
official_id	character	ESPN official id (echoed from arg).
id	character	ESPN official identifier.
first_name	character	Official first name.
last_name	character	Official last name.
full_name	character	Official full name.
display_name	character	Official display name.
order	integer	Display order within officials list.
position_id	character	Official position identifier.
position_name	character	Official position name (e.g. "Linesman", "Referee").
position_display	character	Official position display name.
official_ref	character	$ref URL for this official object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts
espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(),
espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(),
espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(),
espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(),
espn_nhl_game_odds(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(),
espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilit
espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(),
espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescor
espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(),
espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(
espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards
espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts
espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(),

espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview()
espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist
espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),
espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(),
espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(),
espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(),
espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(),
espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(),
espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde
espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(),
espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(),
espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(),
espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(),
espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(),
espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders()
espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(),
espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(),
espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb   <- espn_nhl_scoreboard(dates = "20250110")
  eid  <- sb$game_id[1]
  offs <- espn_nhl_game_officials(event_id = eid)
  espn_nhl_game_official_detail(event_id = eid, official_id = offs$official_id[1])
})
```

`espn_nhl_game_play` **Get ESPN NHL Game Play Detail (core-v2)**

Description

Get ESPN NHL Game Play Detail (core-v2)

Usage

```
espn_nhl_game_play(event_id, cid = event_id, play_id, ...)
```

Arguments

`event_id`	ESPN event (game) identifier. Use `espn_nhl_scoreboard()$game_id` to find valid event ids.
`cid`	Competition identifier. Defaults to `event_id` (for NHL the single competition always has the same id as its parent event).
`play_id`	ESPN play identifier. Use `espn_nhl_game_plays(event_id)$id` to find valid play ids for a game.
`...`	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with play detail:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
play_id	character	ESPN play id (echoed from arg).
id	character	ESPN play identifier.
sequence_number	integer	Play sequence number within the game.
type_id	character	Play type id.
type_text	character	Play type label (e.g. "Goal", "Shot").
type_abbreviation	character	Play type abbreviation.
text	character	Full play description text.
short_text	character	Short play description text.
away_score	integer	Away team score after this play.
home_score	integer	Home team score after this play.
period_number	integer	Period number (1-3 regulation, 4+ OT).
period_display	character	Period display string (e.g. "1st").
clock_value	numeric	Clock value in seconds.
clock_display	character	Clock display string (e.g. "19:34").
scoring_play	logical	Whether this play resulted in a goal.
score_value	integer	Point value of the scoring play.
priority	logical	Whether this is a priority play for display.
shooting_play	logical	Whether this is a shot on goal.
is_penalty	logical	Whether this is a penalty play.
wallclock	character	Wall-clock UTC timestamp of the play.
play_ref	character	`$ref` URL for this play object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(),

espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards
espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts
espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(),
espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview()
espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist
espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),
espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(),
espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(),
espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(),
espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(),
espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(),
espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde
espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(),
espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(),
espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(),
espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(),
espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(),
espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders()
espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(),
espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(),
espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb  <- espn_nhl_scoreboard(dates = "20250110")
  eid <- sb$game_id[1]
  pls <- espn_nhl_game_plays(event_id = eid)
  espn_nhl_game_play(event_id = eid, play_id = pls$id[1])
})
```

---

espn_nhl_game_plays **Get ESPN NHL Game Plays (core-v2 Play-by-Play)**

Description

Get ESPN NHL Game Plays (core-v2 Play-by-Play)

Usage

```
espn_nhl_game_plays(event_id, cid = event_id, limit = 300, ...)
```

Arguments

event_id	ESPN event (game) identifier. Use espn_nhl_scoreboard()$game_id to find valid event ids.

`cid`	Competition identifier. Defaults to `event_id` (for NHL the single competition always has the same id as its parent event).
`limit`	Maximum number of plays to return. Defaults to `300`. A typical NHL game has 200-260 plays.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per play:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
id	character	ESPN play identifier.
sequence_number	integer	Play sequence number within the game.
type_id	character	Play type id.
type_text	character	Play type label (e.g. "Goal", "Shot", "Face Off").
type_abbreviation	character	Play type abbreviation.
text	character	Full play description text.
short_text	character	Short play description text.
period_number	integer	Period number (1-3 regulation, 4+ OT).
period_display	character	Period display string (e.g. "1st").
clock_value	numeric	Clock value in seconds.
clock_display	character	Clock display string (e.g. "19:34").
away_score	integer	Away team score after this play.
home_score	integer	Home team score after this play.
scoring_play	logical	Whether this play resulted in a goal.
score_value	integer	Point value of the scoring play (1 for a goal).
priority	logical	Whether this is a priority play for display.
shooting_play	logical	Whether this is a shot on goal.
is_penalty	logical	Whether this is a penalty play.
wallclock	character	Wall-clock UTC timestamp of the play.
coordinate_x	numeric	X coordinate on the ice surface.
coordinate_y	numeric	Y coordinate on the ice surface.
strength_id	character	Strength situation id (e.g. even strength, PP, SH).
strength_text	character	Strength situation description.
team_ref	character	`$ref` URL for the team associated with the play.
play_ref	character	`$ref` URL for this play object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: `espn_nhl_athletes_index()`, `espn_nhl_award()`, `espn_nhl_awards()`, `espn_nhl_calendar()`, `espn_nhl_calendar_offseason()`, `espn_nhl_calendar_ondays()`, `espn_nhl_calendar_posts`
`espn_nhl_calendar_regular_season()`, `espn_nhl_coach()`, `espn_nhl_coach_record()`, `espn_nhl_coach_season()`,

espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_plays(event_id = sb$game_id[1])
})
```

`espn_nhl_game_play_personnel`

Get ESPN NHL Game Play Personnel (core-v2)

Description

Get ESPN NHL Game Play Personnel (core-v2)

Usage

```
espn_nhl_game_play_personnel(event_id, cid = event_id, play_id, ...)
```

Arguments

event_id	ESPN event (game) identifier.
cid	Competition identifier. Defaults to event_id.
play_id	ESPN play identifier.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per (competitor, athlete) pair on the play. For NHL this endpoint is typically sparse: the competitor block is present but the entries array is empty, yielding one row per team with NA athlete fields. Returns an empty data.frame() if the endpoint is not available.

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
play_id	character	ESPN play id (echoed from arg).
competitor_id	character	ESPN team/competitor id for this personnel block.
competitor_ref	character	$ref URL for the competitor object.
athlete_ref	character	$ref URL for the athlete (NA if entries are empty).
athlete_id	character	Athlete id parsed from the $ref (NA if entries empty).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts
espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(),

espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries
espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(),
espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(),
espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),
espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(),
espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(),
espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(),
espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(),
espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(),
espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde
espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(),
espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(),
espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(),
espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(),
espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(),
espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders()
espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(),
espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(),
espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb  <- espn_nhl_scoreboard(dates = "20250110")
  eid <- sb$game_id[1]
  pls <- espn_nhl_game_plays(event_id = eid)
  espn_nhl_game_play_personnel(event_id = eid, play_id = pls$id[1])
})
```

`espn_nhl_game_powerindex`

Get ESPN NHL Game Power Index (core-v2)

Description

Get ESPN NHL Game Power Index (core-v2)

Usage

```
espn_nhl_game_powerindex(event_id, cid = event_id, ...)
```

Arguments

`event_id`	ESPN event (game) identifier.
`cid`	Competition identifier. Defaults to `event_id`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with ESPN Power Index data. **Note:** This endpoint is sparse for NHL — most games return an empty tibble with a warning. When populated, columns contain power-index values alongside `event_id` and `cid`.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
```

```
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_powerindex(event_id = sb$game_id[1])
})
```

`espn_nhl_game_predictor`

Get ESPN NHL Game Predictor (core-v2)

Description

Get ESPN NHL Game Predictor (core-v2)

Usage

```
espn_nhl_game_predictor(event_id, cid = event_id, ...)
```

Arguments

`event_id`	ESPN event (game) identifier.
`cid`	Competition identifier. Defaults to `event_id`.
`...`	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with ESPN Predictor data. **Note:** This endpoint is sparse for NHL — most games return an empty tibble with a warning. When populated, scalar fields from the predictor object are returned as character columns alongside `event_id` and `cid`.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(),

espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde
espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(
espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_predictor(event_id = sb$game_id[1])
})
```

`espn_nhl_game_probabilities`

Get ESPN NHL Game Win Probabilities (core-v2)

Description

Get ESPN NHL Game Win Probabilities (core-v2)

Usage

```
espn_nhl_game_probabilities(event_id, cid = event_id, limit = 300, ...)
```

Arguments

`event_id`	ESPN event (game) identifier.
`cid`	Competition identifier. Defaults to `event_id`.
`limit`	Maximum number of probability entries to return. Defaults to `300`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per play probability entry. **Note:** This endpoint is sparse for NHL — most games return an empty tibble with a warning. When populated, columns include:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
sequence_number	integer	Play sequence number this probability is tied to.
home_win_percentage	numeric	Home team win probability (0-1).
away_win_percentage	numeric	Away team win probability (0-1).
tie_percentage	numeric	Tie probability (0-1; typically 0 for NHL).
home_toss_up_change	numeric	Change in home team win probability.
away_toss_up_change	numeric	Change in away team win probability.
play_ref	character	`$ref` URL for the associated play object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(),

espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_probabilities(event_id = sb$game_id[1])
})
```

`espn_nhl_game_propbets`

Get ESPN NHL Game Prop Bets (core-v2)

Description

Get ESPN NHL Game Prop Bets (core-v2)

Usage

```
espn_nhl_game_propbets(event_id, cid = event_id, ...)
```

Arguments

`event_id`	ESPN event (game) identifier. Use `espn_nhl_scoreboard()$game_id` to find valid event ids.
`cid`	Competition identifier. Defaults to `event_id`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per prop bet. **Note:** this endpoint returns 404 for most NHL games; an empty `data.frame()` is returned in that case. When data is available (e.g. playoff games):

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
id	character	Prop bet identifier.
name	character	Prop bet name.

description	character	Prop bet description.
display_value	character	Prop bet display value.
value	numeric	Prop bet numeric value.
propbet_ref	character	`$ref` URL for this prop bet item.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_propbets(event_id = sb$game_id[1])
})
```

`espn_nhl_game_scoringplays`

Get ESPN NHL Game Scoring Plays (core-v2)

Description

Get ESPN NHL Game Scoring Plays (core-v2)

Usage

```
espn_nhl_game_scoringplays(event_id, cid = event_id, limit = 300, ...)
```

Arguments

`event_id`	ESPN event (game) identifier.
`cid`	Competition identifier. Defaults to `event_id`.
`limit`	Maximum number of plays to fetch for filtering. Defaults to `300`. Only used when the dedicated `scoringplays` endpoint is unavailable and the function falls back to filtering `game_plays()`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per scoring play (goal). **Implementation note:** The dedicated `/scoringplays` core-v2 endpoint returns 404 for NHL; this function falls back to fetching all plays via `espn_nhl_game_plays()` and filtering to rows where `scoring_play == TRUE`. Columns are the same as `espn_nhl_game_plays()`:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
id	character	ESPN play identifier.
sequence_number	integer	Play sequence number within the game.
type_id	character	Play type id.
type_text	character	Play type label (always "Goal" for scoring plays).
text	character	Full play description text.
period_number	integer	Period number of the goal.
clock_display	character	Clock time of the goal.
away_score	integer	Away team score after the goal.

home_score	integer	Home team score after the goal.
scoring_play	logical	Always TRUE.
score_value	integer	Always 1 for NHL goals.
coordinate_x	numeric	X coordinate of the shot.
coordinate_y	numeric	Y coordinate of the shot.
strength_text	character	Strength situation (e.g. "Even Strength", "Power Play").
team_ref	character	$ref URL for the scoring team.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_scoringplays(event_id = sb$game_id[1])
})
```

---

espn_nhl_game_situation

Get ESPN NHL Game Situation (core-v2)

Description

Get ESPN NHL Game Situation (core-v2)

Usage

```
espn_nhl_game_situation(event_id, cid = event_id, ...)
```

Arguments

event_id	ESPN event (game) identifier.
cid	Competition identifier. Defaults to event_id.
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with the game state at the moment of the last tracked play:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
power_play	logical	Whether a power play was in effect.
empty_net	logical	Whether the net was empty.
last_play_ref	character	$ref URL for the last tracked play object.
situation_ref	character	$ref URL for this situation object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_situation(event_id = sb$game_id[1])
})
```

`espn_nhl_game_status` **Get ESPN NHL Game Status (core-v2)**

Description

Get ESPN NHL Game Status (core-v2)

Usage

```
espn_nhl_game_status(event_id, cid = event_id, ...)
```

Arguments

event_id	ESPN event (game) identifier. Use espn_nhl_scoreboard()$game_id to find valid event ids.
cid	Competition identifier. Defaults to event_id.
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with game status detail:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
clock	numeric	Game clock value in seconds.
display_clock	character	Game clock display string (e.g. "0:00").
period	integer	Current or final period number.
type_id	character	Status type identifier.
type_name	character	Status type name (e.g. "STATUS_FINAL").
type_state	character	Status state (e.g. "pre", "in", "post").
type_completed	logical	Whether the game is complete.
type_description	character	Status description (e.g. "Final").
type_detail	character	Status detail string.
type_short_detail	character	Short status detail string.
status_ref	character	$ref URL for this status object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts
espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(),
espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(),
espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(),
espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(),
espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(),
espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex()

espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_team(), espn_nhl_game_team_leade espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_status(event_id = sb$game_id[1])
})
```

`espn_nhl_game_team` **Get ESPN NHL Game Team (Competitor Detail, core-v2)**

Description

Get ESPN NHL Game Team (Competitor Detail, core-v2)

Usage

```
espn_nhl_game_team(event_id, cid = event_id, team_id, ...)
```

Arguments

event_id	ESPN event (game) identifier.
cid	Competition identifier. Defaults to event_id.
team_id	ESPN team/competitor identifier. Use espn_nhl_game_teams() to discover valid team ids for a game.
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with competitor detail:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
team_id	character	ESPN team id (echoed from arg).
id	character	ESPN competitor identifier.
uid	character	Competitor uid string.
type	character	Competitor type (e.g. "team").
order	integer	Competitor display order.
home_away	character	"home" or "away".
winner	logical	Whether this competitor won the game.
team_ref	character	$ref URL for the team-in-season object.
score_ref	character	$ref URL for the score object.
linescores_ref	character	$ref URL for the per-period linescores.
roster_ref	character	$ref URL for the game roster.
statistics_ref	character	$ref URL for the team game statistics.
leaders_ref	character	$ref URL for the team game leaders.
record_ref	character	$ref URL for the team record at the time of the game.
competitor_ref	character	$ref URL for this competitor object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team_lea espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(),

espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb  <- espn_nhl_scoreboard(dates = "20250110")
  eid <- sb$game_id[1]
  tms <- espn_nhl_game_teams(event_id = eid)
  espn_nhl_game_team(event_id = eid, team_id = tms$team_id[1])
})
```

---

espn_nhl_game_teams **Get ESPN NHL Game Teams (Competitors Collection, core-v2)**

Description

Get ESPN NHL Game Teams (Competitors Collection, core-v2)

Usage

```
espn_nhl_game_teams(event_id, cid = event_id, ...)
```

Arguments

event_id	ESPN event (game) identifier.
cid	Competition identifier. Defaults to event_id.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per competitor (2 rows for a regular NHL game):

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
team_id	character	ESPN competitor/team id.
uid	character	Competitor uid string.
type	character	Competitor type (e.g. "team").
order	integer	Competitor display order.
home_away	character	"home" or "away".
winner	logical	Whether this competitor won the game.
team_ref	character	$ref URL for the team-in-season object.
score_ref	character	$ref URL for the score object.
linescores_ref	character	$ref URL for the per-period linescores.
roster_ref	character	$ref URL for the game roster.
statistics_ref	character	$ref URL for the team game statistics.
leaders_ref	character	$ref URL for the team game leaders.
record_ref	character	$ref URL for the team record at the time of the game.
competitor_ref	character	$ref URL for this competitor object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(),

espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb <- espn_nhl_scoreboard(dates = "20250110")
  espn_nhl_game_teams(event_id = sb$game_id[1])
})
```

`espn_nhl_game_team_leaders`

Get ESPN NHL Game Team Leaders (core-v2)

Description

Get ESPN NHL Game Team Leaders (core-v2)

Usage

```
espn_nhl_game_team_leaders(event_id, cid = event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event (game) identifier.
`cid`	Competition identifier. Defaults to `event_id`.
`team_id`	ESPN team/competitor identifier. Use `espn_nhl_game_teams(event_id)$team_id` to find valid team ids for a game.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per (category, leader). For a typical completed NHL game there are 6 stat categories (goals, assists, points, plusMinus, penaltyMinutes, saves) with one leader each, yielding ~6 rows per team:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
team_id	character	ESPN team id (echoed from arg).
category_name	character	Stat category name (e.g. "goals").
category_display	character	Stat category display name.
category_short	character	Stat category short display name.
category_abbr	character	Stat category abbreviation.
display_value	character	Leader stat display value (e.g. "2").
value	numeric	Leader stat numeric value.
athlete_ref	character	`$ref` URL for the leading athlete.
athlete_id	character	Athlete id parsed from the `$ref`.
team_ref	character	`$ref` URL for the athlete's team.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(),

espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb  <- espn_nhl_scoreboard(dates = "20250110")
  eid <- sb$game_id[1]
  tms <- espn_nhl_game_teams(event_id = eid)
  espn_nhl_game_team_leaders(event_id = eid, team_id = tms$team_id[1])
})
```

`espn_nhl_game_team_linescores`

Get ESPN NHL Game Team Linescores (core-v2)

Description

Get ESPN NHL Game Team Linescores (core-v2)

Usage

```
espn_nhl_game_team_linescores(event_id, cid = event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event (game) identifier.
`cid`	Competition identifier. Defaults to `event_id`.
`team_id`	ESPN team/competitor identifier.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per period (3 rows for a regulation game, up to 4+ in overtime):

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
team_id	character	ESPN team id (echoed from arg).
period	integer	Period number (1 = 1st, 2 = 2nd, 3 = 3rd, 4+ = OT).
value	numeric	Goals scored in this period.
display_value	character	Display string for goals scored.
source_id	character	Data source identifier.
source_desc	character	Data source description (e.g. "feed").
linescore_ref	character	`$ref` URL for this period linescore object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(

espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb  <- espn_nhl_scoreboard(dates = "20250110")
  eid <- sb$game_id[1]
  tms <- espn_nhl_game_teams(event_id = eid)
  espn_nhl_game_team_linescores(event_id = eid, team_id = tms$team_id[1])
})
```

`espn_nhl_game_team_record`

Get ESPN NHL Game Team Record (core-v2)

Description

Get ESPN NHL Game Team Record (core-v2)

Usage

```
espn_nhl_game_team_record(event_id, cid = event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event (game) identifier.
`cid`	Competition identifier. Defaults to `event_id`.
`team_id`	ESPN team/competitor identifier.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per record type (e.g. overall, home, road). **Note:** this endpoint returns 404 for most NHL games tested; an empty `data.frame()` is returned in that case.

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
team_id	character	ESPN team id (echoed from arg).
name	character	Record type name (e.g. "overall", "home", "road").
abbreviation	character	Record type abbreviation.
type	character	Record type slug.
summary	character	Record summary string (e.g. "25-15-10").
display_value	character	Record display value.

value	numeric	Record numeric value (e.g. win percentage).
record_ref	character	$ref URL for this record item.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb  <- espn_nhl_scoreboard(dates = "20250110")
```

```
  eid <- sb$game_id[1]
  tms <- espn_nhl_game_teams(event_id = eid)
  espn_nhl_game_team_record(event_id = eid, team_id = tms$team_id[1])
})
```

`espn_nhl_game_team_roster`

Get ESPN NHL Game Team Roster (core-v2)

Description

Get ESPN NHL Game Team Roster (core-v2)

Usage

```
espn_nhl_game_team_roster(event_id, cid = event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event (game) identifier.
`cid`	Competition identifier. Defaults to `event_id`.
`team_id`	ESPN team/competitor identifier.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per rostered player (typically ~23 skaters + goalies per team):

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
team_id	character	ESPN team id (echoed from arg).
player_id	character	ESPN player/athlete identifier.
jersey	character	Player jersey number.
display_name	character	Player display name.
scratched	logical	Whether the player was a healthy scratch.
scratch_reason	character	Reason for scratch (if applicable).
athlete_id	character	Athlete id parsed from the `$ref` URL.
athlete_ref	character	`$ref` URL for the athlete-in-season object.
position_id	character	Position id parsed from the `$ref` URL.
position_ref	character	`$ref` URL for the player's position.
statistics_ref	character	`$ref` URL for the player's game statistics.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb  <- espn_nhl_scoreboard(dates = "20250110")
  eid <- sb$game_id[1]
  tms <- espn_nhl_game_teams(event_id = eid)
  espn_nhl_game_team_roster(event_id = eid, team_id = tms$team_id[1])
})
```

espn_nhl_game_team_statistics

Get ESPN NHL Game Team Statistics (core-v2)

Description

Get ESPN NHL Game Team Statistics (core-v2)

Usage

```
espn_nhl_game_team_statistics(event_id, cid = event_id, team_id, ...)
```

Arguments

event_id	ESPN event (game) identifier.
cid	Competition identifier. Defaults to event_id.
team_id	ESPN team/competitor identifier.
...	Reserved for forward compatibility.

Value

A wide one-row fastRhockey_data tibble. The first three columns are always present; the remaining stat columns are named <category>_<stat> (display value) and <category>_<stat>_value (numeric value) for each stat in each category. For a typical completed NHL game there are 5 stat categories (defensive, general, offensive, specialTeams, goalie) producing ~30 column pairs:

col_name	types	description
event_id	character	ESPN event id (echoed from arg).
cid	character	Competition id (echoed from arg).
team_id	character	ESPN team id (echoed from arg).
category_stat	character	Display value for a stat within a category (e.g. offensive_goals).
category_stat_value	numeric	Numeric value for a stat within a category (e.g. offensive_goals_value).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts
espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(),
espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(),
espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(),
espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(),
espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(),

espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries, espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde, espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  sb  <- espn_nhl_scoreboard(dates = "20250110")
  eid <- sb$game_id[1]
  tms <- espn_nhl_game_teams(event_id = eid)
  espn_nhl_game_team_statistics(event_id = eid, team_id = tms$team_id[1])
})
```

`espn_nhl_injuries` **Get ESPN NHL Injuries**

Description

Get ESPN NHL Injuries

Usage

```
espn_nhl_injuries(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per injured player:

col_name	types	description
team_id	character	ESPN team identifier.
team_display_name	character	Team display name.
player_id	character	ESPN player identifier.
player_display_name	character	Player display name.
player_short_name	character	Player short name.
player_position	character	Player position abbreviation.
injury_id	character	ESPN injury identifier.
injury_status	character	Injury status (e.g. "Questionable", "Out").
injury_date	character	Injury date (ISO 8601).
injury_short_comment	character	Short injury comment.
injury_long_comment	character	Long injury comment.
injury_type	character	Injury type name.
injury_abbreviation	character	Injury type abbreviation.
detail_side	character	Injured side (e.g. "Left", "Right").
detail_fantasy_status	character	Fantasy relevance status.
detail_return_date	character	Projected return date.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview()

espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist
espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),
espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(),
espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(),
espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(),
espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(),
espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(),
espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde
espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(),
espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(),
espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(),
espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(),
espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(),
espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders()
espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(),
espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(),
espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_injuries())
```

---

espn_nhl_leaders Get ESPN NHL League Leaders

Description

Get ESPN NHL League Leaders

Usage

```
espn_nhl_leaders(
  category = "offensive",
  season = most_recent_nhl_season(),
  season_type = 2L,
  limit = 50L,
  page = 1L,
  ...
)
```

Arguments

category	Stat category to display. For NHL one of "offensive", "defensive", "general", "penalties", or NULL for all categories. Defaults to "offensive".

season	Season end-year (e.g. 2025). Defaults to most_recent_nhl_season(). **ESPN's NHL** statistics/byathlete **endpoint currently ignores this parameter and always returns the current/most-recent season.** The argument is accepted for forward-compatibility but does not filter upstream. The returned season and season_type columns reflect the season ESPN actually served, not this value.
season_type	Season type code (1 = pre, 2 = regular, 3 = post). Defaults to 2. **ESPN's NHL** statistics/byathlete **endpoint currently ignores this parameter.** The returned season_type column reflects the type ESPN actually served.
limit	Athletes per page (default 50).
page	Page number (default 1).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per athlete:

col_name	types	description
season	integer	Season end-year ESPN actually served (from currentSeason$year).
season_type	integer	Season type id ESPN actually served (from currentSeason$type$id).
requested_season_year	integer	Season year from requestedSeason (mirrors season).
page	integer	Current page.
pagination_count	integer	Total athlete count.
pagination_limit	integer	Athletes per page.
pagination_pages	integer	Total page count.
league_id	character	ESPN league identifier.
league_name	character	League name.
league_abbreviation	character	League abbreviation.
athlete_id	character	ESPN athlete identifier.
athlete_display_name	character	Player display name.
athlete_short_name	character	Player short name.
athlete_slug	character	Player URL slug.
athlete_position	character	Position abbreviation.
athlete_jersey	character	Jersey number.
athlete_team_id	character	ESPN team identifier.
athlete_team_name	character	Team name.
athlete_team_short_name	character	Team short name.
athlete_team_logo	character	Team logo URL.
headshot_href	character	Player headshot URL.
debut_year	integer	Debut year.
age	integer	Player age.
offensive_goals	character	Goals (offensive category).
offensive_assists	character	Assists.
offensive_points	character	Points.
offensive_power_play_goals	character	Power-play goals.
offensive_shots_total	character	Shots on goal.
offensive_shooting_pct	character	Shooting percentage.
offensive_game_winning_goals	character	Game-winning goals.

offensive_rank_points	character	Rank by points.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_leaders(category = "offensive", limit = 25))
```

`espn_nhl_leaders_core` **Get ESPN NHL League Leaders (core-v2)**

Description

Get ESPN NHL League Leaders (core-v2)

Usage

```
espn_nhl_leaders_core(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per (category, leader) combination. For a typical NHL season there are 7 stat categories with 25 leaders each (175 rows). For season-specific / season-type leaders use `espn_nhl_season_type_leaders()`.

col_name	types	description
category_name	character	Stat category type (e.g. "offensive").
category_display_name	character	Category display name (e.g. "Goals").
category_short_display_name	character	Category short display name.
category_abbreviation	character	Category abbreviation.
display_value	character	Leader stat display value.
value	numeric	Leader stat numeric value.
rel	character	Relation type (e.g. "athlete").
athlete_ref	character	`$ref` URL for the athlete on core-v2.
statistics_ref	character	`$ref` URL for the athlete statistics.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: `espn_nhl_athletes_index()`, `espn_nhl_award()`, `espn_nhl_awards()`, `espn_nhl_calendar()`, `espn_nhl_calendar_offseason()`, `espn_nhl_calendar_ondays()`, `espn_nhl_calendar_posts`
`espn_nhl_calendar_regular_season()`, `espn_nhl_coach()`, `espn_nhl_coach_record()`, `espn_nhl_coach_season()`, `espn_nhl_coaches()`, `espn_nhl_conferences()`, `espn_nhl_countries()`, `espn_nhl_draft()`, `espn_nhl_franchise()`, `espn_nhl_franchises()`, `espn_nhl_game()`, `espn_nhl_game_all()`, `espn_nhl_game_broadcasts()`, `espn_nhl_game_competition()`, `espn_nhl_game_leaders()`, `espn_nhl_game_odds()`, `espn_nhl_game_official_detail()`, `espn_nhl_game_officials()`, `espn_nhl_game_play()`, `espn_nhl_game_play_personnel()`, `espn_nhl_game_plays()`, `espn_nhl_game_powerindex()`

espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts, espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist, espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde, espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_leaders_core())
```

`espn_nhl_league_notes` **Get ESPN NHL League Notes (core-v2)**

Description

Get ESPN NHL League Notes (core-v2)

Usage

```
espn_nhl_league_notes(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per league note reference, or an empty tibble when the endpoint is unavailable. **Note**: The NHL league notes endpoint (`core_v2/notes`) currently returns `count=0` — an empty tibble is returned gracefully:

col_name	types	description
ref	character	`$ref` URL for the note object.
note_id	character	ESPN note id parsed from the `$ref` URL.
count	integer	Total notes in the collection (typically 0).
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(),

espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN does not populate this endpoint)
try(espn_nhl_league_notes())
```

`espn_nhl_league_root` **Get ESPN NHL League Root (core-v2)**

Description

Get ESPN NHL League Root (core-v2)

Usage

```
espn_nhl_league_root(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with league metadata:

col_name	types	description
id	character	ESPN league identifier (e.g. "90" for NHL).
guid	character	League global unique identifier.
uid	character	League uid string.
name	character	Full league name.
display_name	character	League display name.
abbreviation	character	League abbreviation (e.g. "NHL").
short_name	character	League short name.
slug	character	League slug (e.g. "nhl").
is_tournament	logical	Whether the league is a tournament.
gender	character	League gender designation.
season_ref	character	`$ref` URL for the current season object.
seasons_ref	character	`$ref` URL for the seasons collection.
groups_ref	character	`$ref` URL for the groups collection.
franchises_ref	character	`$ref` URL for the franchises collection.
teams_ref	character	`$ref` URL for the teams collection.
events_ref	character	`$ref` URL for the events collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_league_root())
```

`espn_nhl_news` **Get ESPN NHL News**

Description

Get ESPN NHL News

Usage

```
espn_nhl_news(limit = 50, ...)
```

Arguments

`limit`	Maximum number of articles to return (default `50`).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per article:

col_name	types	description
article_id	character	ESPN article identifier.
now_id	character	ESPN Now identifier.
content_key	character	Content management key.
type	character	Article type (e.g. "Story", "Media").
headline	character	Article headline.
description	character	Article description/excerpt.
last_modified	character	ISO 8601 last-modified datetime.
published	character	ISO 8601 published datetime.
byline	character	Author byline.
premium	logical	Whether the article is premium content.
image_href	character	URL of the lead image.
web_href	character	URL of the article on ESPN.com.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: `espn_nhl_athletes_index()`, `espn_nhl_award()`, `espn_nhl_awards()`, `espn_nhl_calendar()`, `espn_nhl_calendar_offseason()`, `espn_nhl_calendar_ondays()`, `espn_nhl_calendar_posts`
`espn_nhl_calendar_regular_season()`, `espn_nhl_coach()`, `espn_nhl_coach_record()`, `espn_nhl_coach_season()`, `espn_nhl_coaches()`, `espn_nhl_conferences()`, `espn_nhl_countries()`, `espn_nhl_draft()`, `espn_nhl_franchise()`, `espn_nhl_franchises()`, `espn_nhl_game()`, `espn_nhl_game_all()`, `espn_nhl_game_broadcasts()`, `espn_nhl_game_competition()`, `espn_nhl_game_leaders()`,

espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts, espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist, espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde, espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_news(limit = 10))
```

---

espn_nhl_pbp **Get ESPN NHL Play-by-Play**

Description

Get ESPN NHL Play-by-Play

Usage

```
espn_nhl_pbp(game_id, ...)
```

Arguments

game_id	ESPN event identifier (character or numeric).
...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per play:

col_name	types	description
id	character	ESPN play identifier.
sequence_number	character	Play sequence number.
type_id	character	Play type identifier.
type_text	character	Play type display text.
text	character	Play description text.
away_score	integer	Away team score at time of play.
home_score	integer	Home team score at time of play.
scoring_play	logical	Whether the play resulted in a goal.
score_value	integer	Goal value (1 for regulation/OT goals).
shooting_play	logical	Whether the play was a shot attempt.
wallclock	character	Wall-clock timestamp (ISO 8601).
period_number	integer	Period number (1-3 regulation, 4+ OT/SO).
period_display_value	character	Period display label (e.g. "1st Period").
clock_display_value	character	Game clock display string (e.g. "14:32").
team_id	character	ESPN team identifier for the acting team.
coordinate_x	numeric	X coordinate of play location.
coordinate_y	numeric	Y coordinate of play location.
strength_id	character	Strength situation identifier.
strength_text	character	Strength situation text (e.g. "Even Strength").
shot_info_id	character	Shot type identifier.
shot_info_text	character	Shot type text (e.g. "Wrist Shot").
athlete_id_1	character	Primary participant athlete identifier.
athlete_id_2	character	Secondary participant athlete identifier.
athlete_id_3	character	Tertiary participant athlete identifier.
home_team_id	character	Home team ESPN identifier.
home_team_name	character	Home team name.
home_team_location	character	Home team city/location.
home_team_abbrev	character	Home team abbreviation.
home_team_display_name	character	Home team display name.
home_team_color	character	Home team primary color hex.
home_team_alternate_color	character	Home team alternate color hex.
home_team_logo	character	Home team logo URL.
home_team_score	character	Home team final score.
home_team_winner	logical	Whether the home team won.
away_team_id	character	Away team ESPN identifier.
away_team_name	character	Away team name.
away_team_location	character	Away team city/location.
away_team_abbrev	character	Away team abbreviation.
away_team_display_name	character	Away team display name.
away_team_color	character	Away team primary color hex.
away_team_alternate_color	character	Away team alternate color hex.
away_team_logo	character	Away team logo URL.
away_team_score	character	Away team final score.
away_team_winner	logical	Whether the away team won.

game_id	character	ESPN event identifier (echoed from arg).
season	integer	Season end-year.
season_type	integer	Season type code.
game_date	character	Game date-time (ISO 8601).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_pbp(game_id = "401688263"))
```

---

espn_nhl_players_index

Get ESPN NHL Players Index

Description

Returns a paginated index of NHL athletes from ESPN. This is a site_v2-named parity alias for espn_nhl_athletes_index(); both wrap the same core_v2 /athletes backing endpoint. Prefer espn_nhl_athletes_index() for the established function with the same interface.

Usage

```
espn_nhl_players_index(active = TRUE, limit = 100, page = 1, ...)
```

Arguments

active	Filter by active status. TRUE (default) = active players only; FALSE = inactive only; NULL = no filter.
limit	Number of athletes per page (default 100; max ~200).
page	Page number (default 1). Use the page_count column in the result to determine the total number of pages.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per athlete in the requested page:

col_name	types	description
ref	character	$ref URL for the athlete object.
athlete_id	character	ESPN athlete id parsed from the $ref URL.
active	logical	The active filter value echoed from arg.
page	integer	The page value echoed from arg.
count	integer	Total athlete count matching the filter.
page_count	integer	Total number of pages.

Author(s)

Saiem Gilani

See Also

espn_nhl_athletes_index() for the established alias.

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_players_index(active = TRUE, limit = 10, page = 1))
```

---

espn_nhl_player_awards

Get ESPN NHL Player Awards (core-v2)

Description

Get ESPN NHL Player Awards (core-v2)

Usage

```
espn_nhl_player_awards(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per award, or an empty data frame if the athlete has no award entries. Each $ref follows to a season-award object (e.g. Hart Trophy, Conn Smythe, etc.).

col_name	types	description
ref	character	$ref URL for the award object.
award_id	character	Award id parsed from the $ref URL.
athlete_id	character	ESPN athlete id (echoed from arg).
count	integer	Total award count.
page_count	integer	Total page count.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist

espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_awards(athlete_id = "3114"))
```

`espn_nhl_player_bio` **Get ESPN NHL Player Bio**

Description

Get ESPN NHL Player Bio

Usage

```
espn_nhl_player_bio(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric, e.g. `"5149125"`). Obtain via `espn_nhl_team_roster()`.
`...`	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with athlete bio fields, or an empty `data.frame()` when ESPN returns HTTP 404. As of 2026-06-08, ESPN's `site_v2` NHL `athletes/{id}/bio` endpoint returns 404; use `espn_nhl_player_core()` for athlete metadata in the meantime.

col_name	types	description
athlete_id	character	ESPN athlete identifier (echoed from arg).

athlete_espn_id	character	ESPN athlete id from payload.
display_name	character	Player display name.
short_name	character	Player short name.
full_name	character	Player full name.
first_name	character	First name.
last_name	character	Last name.
jersey	character	Jersey number.
position	character	Position abbreviation.
age	integer	Current age.
date_of_birth	character	Date of birth (ISO 8601).
birth_city	character	Birth city.
birth_state	character	Birth state/province.
birth_country	character	Birth country.
weight	character	Formatted weight string.
height	character	Formatted height string.
team_id	character	ESPN team identifier.
team_display_name	character	Team display name.
team_abbreviation	character	Team abbreviation.
slug	character	Player URL slug.
debut_year	integer	Year of NHL debut.
active	logical	Whether athlete is currently active.
description	character	Biographical description, if available.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),

espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_bio(athlete_id = "5149125"))
```

`espn_nhl_player_box` **Get ESPN NHL Player Box Score**

Description

Get ESPN NHL Player Box Score

Usage

```
espn_nhl_player_box(game_id, ...)
```

Arguments

`game_id`	ESPN event identifier (character or numeric).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per player appearance. Skater and goalie rows are combined via `dplyr::bind_rows`; columns not applicable to a position group are `NA`. Key columns:

col_name	types	description
athlete_id	character	ESPN athlete identifier.
athlete_display_name	character	Athlete full display name.
athlete_short_name	character	Athlete short name.
athlete_last_name	character	Athlete last name.

athlete_jersey	character	Jersey number.
athlete_headshot_href	character	Headshot image URL.
athlete_position_name	character	Position name.
athlete_position_abbreviation	character	Position abbreviation.
athlete_active	logical	Whether the athlete was active.
athlete_scratched	logical	Whether the athlete was scratched.
stat_group	character	Stat group name ("forwards","defenses","goalies").
team_id	character	ESPN team identifier.
team_abbreviation	character	Team abbreviation.
team_display_name	character	Team display name.
home_away	character	"home" or "away".
team_score	character	Team final score.
team_winner	logical	Whether the team won.
opponent_team_id	character	Opponent team identifier.
opponent_team_abbreviation	character	Opponent team abbreviation.
game_id	character	ESPN event identifier (echoed from arg).
season	integer	Season end-year.
season_type	integer	Season type code.
game_date	character	Game date-time (ISO 8601).
bs	character	Blocked shots (skaters).
ht	character	Hits (skaters).
tk	character	Takeaways (skaters).
plus_minus	integer	Plus/minus rating (skaters).
toi	character	Time on ice (skaters, MM:SS).
pptoi	character	Power play time on ice (skaters, MM:SS).
shtoi	character	Short-handed time on ice (skaters, MM:SS).
estoi	character	Even-strength time on ice (skaters, MM:SS).
shft	character	Total shifts (skaters).
g	character	Goals (skaters).
ytdg	character	Year-to-date goals (skaters/goalies).
a	character	Assists (skaters).
s	character	Shots (skaters).
sm	character	Missed shots (skaters).
sog	character	Shots on goal (skaters).
fw	character	Faceoffs won (skaters).
fl	character	Faceoffs lost (skaters).
fo_percent	character	Faceoff percentage (skaters).
gv	character	Giveaways (skaters).
pn	character	Penalties taken (skaters).
pim	character	Penalty minutes (skaters/goalies).
ga	character	Goals against (goalies).
sa	character	Shots against (goalies).
sos	character	Shootout saves (goalies).
sosa	character	Shootout shots against (goalies).
sv	character	Saves (goalies).
sv_percent	character	Save percentage (goalies).
essv	character	Even-strength saves (goalies).
ppsv	character	Power play saves (goalies).

shsv	character	Short-handed saves (goalies).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_box(game_id = "401688263"))
```

`espn_nhl_player_career_stats`

Get ESPN NHL Player Career Stats (core-v2)

Description

Get ESPN NHL Player Career Stats (core-v2)

Usage

```
espn_nhl_player_career_stats(athlete_id, stat_type = NULL, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric, e.g. `"5149125"`). Obtain via `espn_nhl_team_roster()`.
`stat_type`	Optional integer stat-type path segment (default `NULL`, which uses the base `/statistics` path). ESPN redirects the base path to `/statistics/0` (All Splits). Pass `0` explicitly for identical behaviour.
`...`	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with career aggregate statistics flattened wide across all stat categories. Columns vary by player type (skater vs goalie). Core columns include:

col_name	types	description
athlete_id	character	ESPN athlete identifier (echoed from arg).
split_id	character	Split identifier (e.g. "0" = All Splits).
split_name	character	Split name (e.g. "All Splits").
split_type	character	Split type (e.g. "total").
split_abbr	character	Split abbreviation (e.g. "TOTAL").
offensive_goals	numeric	Career goals.
offensive_assists	numeric	Career assists.
offensive_points	numeric	Career points.
general_games	numeric	Career games played.
penalties_penalty_minutes	numeric	Career penalty minutes.
...	numeric	Additional stat columns per category.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_career_stats(athlete_id = "5149125"))
```

---

espn_nhl_player_contracts

Get ESPN NHL Player Contracts (core-v2)

Description

Get ESPN NHL Player Contracts (core-v2)

Usage

```
espn_nhl_player_contracts(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per contract, or an empty data frame if no contract data is served. As of 2026-06-08, ESPN core-v2 returns count=0 for all queried NHL players (DONE_WITH_CONCERNS: endpoint exists but data is not populated).

col_name	types	description
ref	character	$ref URL for the contract object.
contract_id	character	Contract id parsed from the $ref URL.
athlete_id	character	ESPN athlete id (echoed from arg).
count	integer	Total contract count (0 in practice for NHL).
page_count	integer	Total page count.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(),

espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_contracts(athlete_id = "4024820"))
```

`espn_nhl_player_core` **Get ESPN NHL Player Core (core-v2)**

Description

Get ESPN NHL Player Core (core-v2)

Usage

```
espn_nhl_player_core(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with athlete metadata:

col_name	types	description
athlete_id	character	ESPN athlete id (echoed from arg).
uid	character	Athlete uid string.
guid	character	Athlete global unique identifier.

type	character	Sport type (e.g. "hockey").
first_name	character	First name.
last_name	character	Last name.
full_name	character	Full display name.
display_name	character	Display name.
short_name	character	Short name (e.g. "P. Laine").
weight	numeric	Weight in pounds.
display_weight	character	Formatted weight string.
height	numeric	Height in inches.
display_height	character	Formatted height string.
age	integer	Current age.
date_of_birth	character	Date of birth (ISO 8601).
debut_year	integer	Year of NHL debut.
birth_city	character	Birth city.
birth_country	character	Birth country abbreviation.
slug	character	URL slug.
jersey	character	Jersey number.
hand	character	Handedness (e.g. "L" or "R").
active	logical	Whether athlete is currently active.
position_ref	character	`$ref` URL for the position object.
team_ref	character	`$ref` URL for the current team object.
statistics_ref	character	`$ref` URL for career statistics.
contracts_ref	character	`$ref` URL for contracts.
statisticslog_ref	character	`$ref` URL for the statistics log.
athlete_ref	character	`$ref` URL for this athlete object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts
espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(),
espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(),
espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(),
espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(),
espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(),
espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex()
espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(),
espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(),
espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(),
espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(),
espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(),
espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards
espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts
espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries

espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_core(athlete_id = "4024820"))
```

`espn_nhl_player_eventlog`

Get ESPN NHL Player Event Log (core-v2)

Description

Get ESPN NHL Player Event Log (core-v2)

Usage

```
espn_nhl_player_eventlog(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per event (game) in the current season. Use `statistics_ref` to retrieve per-game statistics.

col_name	types	description

athlete_id	character	ESPN athlete id (echoed from arg).
event_id	character	ESPN event (game) id.
team_id	character	Team id the athlete played for in this event.
played	logical	Whether the athlete played in the event.
event_ref	character	`$ref` URL for the event object.
competition_ref	character	`$ref` URL for the competition object.
statistics_ref	character	`$ref` URL for per-game athlete statistics.
count	integer	Total event count for this athlete.
page_count	integer	Total page count for this endpoint.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(),

espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_eventlog(athlete_id = "4024820"))
```

---

espn_nhl_player_gamelog

Get ESPN NHL Player Gamelog

Description

Get ESPN NHL Player Gamelog

Usage

```
espn_nhl_player_gamelog(athlete_id, season = NULL, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric, e.g. "5149125"). Obtain via espn_nhl_team_roster().
season	Season end-year (e.g. 2025). When NULL ESPN returns the current season. Defaults to NULL.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per game, or an empty data.frame() when no data is available (e.g. if the endpoint returns HTTP 404 in a future ESPN schema change). If the endpoint becomes unavailable, use espn_nhl_player_statisticslog() from the core-v2 host as a reliable substitute.

col_name	types	description
athlete_id	character	ESPN athlete identifier (echoed from arg).
event_id	character	ESPN event identifier.
season_type_display	character	Season type label (e.g. "2025-26 Regular Season").
category_display	character	Stat category display name.
category_type	character	Stat category type.
category_split_type	character	Stat category split type.
game_date	character	Game date-time (ISO 8601).
at_vs	character	"at" or "vs" home/away indicator.
score	character	Final score string.
home_team_id	character	ESPN home team identifier.
away_team_id	character	ESPN away team identifier.

home_team_score	character	Home team final score.
away_team_score	character	Away team final score.
game_result	character	Game result for the player's team (W/L/OT).
opponent_id	character	ESPN opponent team identifier.
opponent_name	character	Opponent team display name.
opponent_abbr	character	Opponent team abbreviation.
team_id	character	Player's team ESPN identifier.
team_abbr	character	Player's team abbreviation.
league_name	character	League name.
league_abbreviation	character	League abbreviation.
goals	character	Goals scored.
assists	character	Assists.
points	character	Points (G+A).
plus_minus	character	Plus/minus.
penalty_minutes	character	Penalty minutes.
shots_total	character	Shots on goal.
shooting_pct	character	Shooting percentage.
power_play_goals	character	Power-play goals.
power_play_assists	character	Power-play assists.
short_handed_goals	character	Short-handed goals.
short_handed_assists	character	Short-handed assists.
game_winning_goals	character	Game-winning goals.
time_on_ice_per_game	character	Average time on ice.
production	character	Production metric.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(),

espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_gamelog(athlete_id = "5149125"))
```

---

espn_nhl_player_info **Get ESPN NHL Player Info**

Description

Get ESPN NHL Player Info

Usage

```
espn_nhl_player_info(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric, e.g. "5149125"). Obtain via espn_nhl_team_roster().
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with athlete metadata from the site_v2 athletes endpoint, or an empty data.frame() when ESPN returns HTTP 404. As of 2026-06-08, ESPN's site_v2 NHL athletes/{id} endpoint returns 404; use espn_nhl_player_core() for athlete metadata instead.

col_name	types	description

athlete_id	character	ESPN athlete identifier (echoed from arg).
athlete_espn_id	character	ESPN athlete id from payload.
uid	character	Athlete uid string.
guid	character	Athlete global unique identifier.
display_name	character	Player display name.
short_name	character	Player short name.
full_name	character	Player full name.
first_name	character	First name.
last_name	character	Last name.
jersey	character	Jersey number.
slug	character	URL slug.
position	character	Position abbreviation.
position_name	character	Position full name.
age	integer	Current age.
date_of_birth	character	Date of birth (ISO 8601).
debut_year	integer	Year of NHL debut.
weight	character	Formatted weight string.
height	character	Formatted height string.
team_id	character	ESPN team identifier.
team_display_name	character	Team display name.
team_abbreviation	character	Team abbreviation.
headshot_href	character	Player headshot image URL.
active	logical	Whether athlete is currently active.
status	character	Athlete status description.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_injuries espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(),

espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_info(athlete_id = "5149125"))
```

`espn_nhl_player_injuries`

Get ESPN NHL Player Injuries (core-v2)

Description

Get ESPN NHL Player Injuries (core-v2)

Usage

```
espn_nhl_player_injuries(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Reserved for forward compatibility.

Value

An empty `data.frame()`. As of 2026-06-08, ESPN core-v2 `athletes/{{id}}/injuries` returns HTTP 404 for all queried NHL players (DONE_WITH_CONCERNS: endpoint not served for NHL). Use `espn_nhl_injuries()` (site-v2) for league-level injury data.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_injuries(athlete_id = "4024820"))
```

`espn_nhl_player_news` **Get ESPN NHL Player News**

Description

Get ESPN NHL Player News

Usage

```
espn_nhl_player_news(athlete_id, limit = 50, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric, e.g. `"5149125"`). Obtain via `espn_nhl_team_roster()`.
`limit`	Maximum number of articles to return (default `50`).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per news article, or an empty `data.frame()` when no articles are available:

col_name	types	description
athlete_id	character	ESPN athlete identifier (echoed from arg).
article_id	character	Article identifier.
type	character	Article type (e.g. "HeadlineNews").
headline	character	Article headline.
description	character	Article description / lede.
published	character	Publication datetime (ISO 8601).
last_modified	character	Last-modified datetime (ISO 8601).
premium	logical	Whether article is premium/paywalled.
source	character	News source.
byline	character	Author byline.
article_url	character	Web URL for the full article.
image_url	character	Lead image URL.
category_league	character	League category label from article metadata.
category_team	character	Team category label from article metadata.
category_athlete	character	Athlete category label from article metadata.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_recor espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_news(athlete_id = "5149125", limit = 10))
```

`espn_nhl_player_notes` **Get ESPN NHL Player Notes (core-v2)**

Description

Get ESPN NHL Player Notes (core-v2)

Usage

```
espn_nhl_player_notes(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
...	Reserved for forward compatibility.

Value

An empty data.frame(). As of 2026-06-08, ESPN core-v2 athletes/{{id}}/notes returns HTTP 404 for all queried NHL players (DONE_WITH_CONCERNS: endpoint not served for NHL).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_overview(), espn_nhl_player_records espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(),

espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_notes(athlete_id = "4024820"))
```

`espn_nhl_player_overview`

Get ESPN NHL Player Overview

Description

Get ESPN NHL Player Overview

Usage

```
espn_nhl_player_overview(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric, e.g. `"5149125"`). Obtain via `espn_nhl_team_roster()`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per stats split (Regular Season / Career):

col_name	types	description
athlete_id	character	ESPN athlete identifier (echoed from arg).
athlete_espn_id	character	ESPN athlete identifier (from payload).
athlete_display_name	character	Player display name.
athlete_short_name	character	Player short name.
athlete_jersey	character	Jersey number.
athlete_position	character	Position abbreviation.
athlete_team_id	character	ESPN team identifier.
athlete_team_abbreviation	character	Team abbreviation.
split_display_name	character	Split label (e.g. Regular Season, Career).
games	character	Games played.
goals	character	Goals.
assists	character	Assists.

points	character	Points.
plus_minus	character	Plus/minus.
penalty_minutes	character	Penalty minutes.
shots_total	character	Shots on goal.
power_play_goals	character	Power-play goals.
power_play_assists	character	Power-play assists.
short_handed_goals	character	Short-handed goals.
short_handed_assists	character	Short-handed assists.
game_winning_goals	character	Game-winning goals.
time_on_ice_per_game	character	Average time on ice per game.
production	character	Production metric.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(),

espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_overview(athlete_id = "5149125"))
```

`espn_nhl_player_records`

Get ESPN NHL Player Records (core-v2)

Description

Get ESPN NHL Player Records (core-v2)

Usage

```
espn_nhl_player_records(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per record, or an empty data frame if no records are served. As of 2026-06-08, ESPN core-v2 returns `count=0` for all queried NHL players (DONE_WITH_CONCERNS: endpoint exists but data is not populated).

col_name	types	description
ref	character	`$ref` URL for the record object.
record_id	character	Record id parsed from the `$ref` URL.
athlete_id	character	ESPN athlete id (echoed from arg).
count	integer	Total record count (0 in practice for NHL).
page_count	integer	Total page count.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_records(athlete_id = "4024820"))
```

---

espn_nhl_player_seasons

Get ESPN NHL Player Seasons (core-v2)

Description

Get ESPN NHL Player Seasons (core-v2)

Usage

```
espn_nhl_player_seasons(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
...	Reserved for forward compatibility.

Value

An empty data.frame(). As of 2026-06-08, ESPN core-v2 athletes/{{id}}/seasons returns HTTP 404 for all queried NHL players (DONE_WITH_CONCERNS: endpoint is not served for the NHL). For season-level data use espn_nhl_player_statisticslog().

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde

espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_seasons(athlete_id = "4024820"))
```

`espn_nhl_player_splits`

Get ESPN NHL Player Splits

Description

Get ESPN NHL Player Splits

Usage

```
espn_nhl_player_splits(athlete_id, season = most_recent_nhl_season(), ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric, e.g. `"5149125"`). Obtain via `espn_nhl_team_roster()`.
`season`	Season end-year (e.g. `2025`). Defaults to `most_recent_nhl_season()`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per situational split:

col_name	types	description
athlete_id	character	ESPN athlete identifier (echoed from arg).
season	integer	Season end-year (echoed from arg).
split_category	character	Split category name (e.g. split, location).
split_category_display	character	Split category display name.
split_display_name	character	Individual split label (e.g. All Splits).
split_abbreviation	character	Split abbreviation.
games	character	Games played.
goals	character	Goals.

assists	character	Assists.
points	character	Points.
plus_minus	character	Plus/minus.
penalty_minutes	character	Penalty minutes.
shots_total	character	Shots on goal.
faceoff_percent	character	Faceoff percentage.
power_play_goals	character	Power-play goals.
power_play_assists	character	Power-play assists.
short_handed_goals	character	Short-handed goals.
short_handed_assists	character	Short-handed assists.
game_winning_goals	character	Game-winning goals.
time_on_ice_per_game	character	Average time on ice per game.
production	character	Production metric.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(),

espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_splits(athlete_id = "5149125", season = 2025))
```

`espn_nhl_player_statistics`

Get ESPN NHL Player Statistics (core-v2)

Description

Get ESPN NHL Player Statistics (core-v2)

Usage

```
espn_nhl_player_statistics(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with career aggregate statistics. Columns vary by player type (skater vs goalie). Core columns include:

col_name	types	description
athlete_id	character	ESPN athlete id (echoed from arg).
split_id	character	Split identifier (e.g. "0" for all splits).
split_name	character	Split name (e.g. "All Splits").
split_type	character	Split type (e.g. "total").
split_abbr	character	Split abbreviation (e.g. "TOTAL").
goals	numeric	Career goals (skaters) or goals-against (goalies).
assists	numeric	Career assists (skaters).
points	numeric	Career points.
games_played	numeric	Career games played.
...	numeric	Additional stat columns flattened from all categories.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_statistics(athlete_id = "4024820"))
```

`espn_nhl_player_statisticslog`

Get ESPN NHL Player Statistics Log (core-v2)

Description

Get ESPN NHL Player Statistics Log (core-v2)

Usage

```
espn_nhl_player_statisticslog(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per season-entry. This endpoint is the NHL game-log substitute (web-v3 gamelog 404s for NHL). Each row carries `$ref` URLs to follow for per-season totals and team splits.

col_name	types	description
athlete_id	character	ESPN athlete id (echoed from arg).
season	integer	Season year parsed from the season `$ref`.
season_ref	character	`$ref` URL for the season object.
total_stats_ref	character	`$ref` URL for season totals statistics.
team_stats_ref	character	`$ref` URL for team-level statistics.
team_ref	character	`$ref` URL for the team object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: `espn_nhl_athletes_index()`, `espn_nhl_award()`, `espn_nhl_awards()`, `espn_nhl_calendar()`, `espn_nhl_calendar_offseason()`, `espn_nhl_calendar_ondays()`, `espn_nhl_calendar_posts`
`espn_nhl_calendar_regular_season()`, `espn_nhl_coach()`, `espn_nhl_coach_record()`, `espn_nhl_coach_season()`,
`espn_nhl_coaches()`, `espn_nhl_conferences()`, `espn_nhl_countries()`, `espn_nhl_draft()`,
`espn_nhl_franchise()`, `espn_nhl_franchises()`, `espn_nhl_game()`, `espn_nhl_game_all()`,
`espn_nhl_game_broadcasts()`, `espn_nhl_game_competition()`, `espn_nhl_game_leaders()`,
`espn_nhl_game_odds()`, `espn_nhl_game_official_detail()`, `espn_nhl_game_officials()`,
`espn_nhl_game_play()`, `espn_nhl_game_play_personnel()`, `espn_nhl_game_plays()`, `espn_nhl_game_powerindex()`
`espn_nhl_game_predictor()`, `espn_nhl_game_probabilities()`, `espn_nhl_game_propbets()`,

espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_statisticslog(athlete_id = "4024820"))
```

`espn_nhl_player_stats_v3`

Get ESPN NHL Player Stats (web-v3)

Description

Get ESPN NHL Player Stats (web-v3)

Usage

```
espn_nhl_player_stats_v3(athlete_id, season = most_recent_nhl_season(), ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric, e.g. `"5149125"`). Obtain via `espn_nhl_team_roster()`.

season	Season end-year (e.g. 2025). Defaults to most_recent_nhl_season(). When NULL the current season is used.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per season entry plus a career-total row per stat category:

col_name	types	description
athlete_id	character	ESPN athlete identifier (echoed from arg).
season	integer	Requested season year (echoed from arg).
season_year	integer	Season end-year for this row.
category	character	Stat category name (e.g. center).
category_display	character	Stat category display name.
position	character	Position for this season row.
team_id	character	ESPN team identifier.
team_slug	character	Team slug.
team_display_name	character	Team display name.
team_abbreviation	character	Team abbreviation.
games	character	Games played.
goals	character	Goals.
assists	character	Assists.
points	character	Points.
plus_minus	character	Plus/minus.
penalty_minutes	character	Penalty minutes.
shootout_goals	character	Shootout goals.
shooting_pct	character	Shooting percentage.
power_play_goals	character	Power-play goals.
power_play_assists	character	Power-play assists.
short_handed_goals	character	Short-handed goals.
short_handed_assists	character	Short-handed assists.
game_winning_goals	character	Game-winning goals.
time_on_ice_per_game	character	Average time on ice per game.
production	character	Production metric.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(),

espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statistics(), espn_nhl_player_statisticslog(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player(), espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio, espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g, espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_stats_v3(athlete_id = "5149125", season = 2025))
```

---

espn_nhl_player_vs_player

Get ESPN NHL Player vs Player (core-v2)

Description

Get ESPN NHL Player vs Player (core-v2)

Usage

```
espn_nhl_player_vs_player(athlete_id, opponent_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
opponent_id	ESPN opponent athlete identifier (character or numeric).
...	Reserved for forward compatibility.

Value

An empty data.frame(). As of 2026-06-08, ESPN core-v2 athletes/{id}/vsathlete/{opp_id} returns HTTP 404 for all queried NHL player pairs (DONE_WITH_CONCERNS: endpoint not served for NHL).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(),

espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_player_vs_player(athlete_id = "4024820", opponent_id = "3114"))
```

---

espn_nhl_position Get ESPN NHL Position (core-v2)

Description

Get ESPN NHL Position (core-v2)

Usage

```
espn_nhl_position(position_id, ...)
```

Arguments

position_id	ESPN position identifier (character or numeric). Use espn_nhl_positions() to discover valid position ids.
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with position detail:

col_name	types	description
position_id	character	ESPN position id (echoed from arg).
id	character	ESPN position identifier from response.
name	character	Position name (e.g. "Center").
display_name	character	Position display name.
abbreviation	character	Position abbreviation (e.g. "C").
leaf	logical	Whether this is a leaf (non-parent) position.
parent_ref	character	$ref URL for the parent position (if any).
position_ref	character	$ref URL for this position object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  pos <- espn_nhl_positions()
  espn_nhl_position(position_id = pos$position_id[1])
})
```

`espn_nhl_positions` **Get ESPN NHL Positions (core-v2)**

Description

Get ESPN NHL Positions (core-v2)

Usage

```
espn_nhl_positions(limit = 100, ...)
```

Arguments

limit	Maximum number of positions to return (default 100). The NHL position catalog contains ~28 entries (positions + sub-positions).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per position reference:

col_name	types	description
ref	character	$ref URL for the position object.
position_id	character	ESPN position id parsed from the $ref URL.
count	integer	Total positions in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),

espn_nhl_players_index(), espn_nhl_position(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_positions())
```

`espn_nhl_providers` **Get ESPN NHL Providers (core-v2)**

Description

Get ESPN NHL Providers (core-v2)

Usage

```
espn_nhl_providers(limit = 100, ...)
```

Arguments

`limit`	Maximum number of providers to return (default `100`). The NHL provider catalog contains ~33 entries; `100` returns all in one request.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per odds provider reference:

col_name	types	description
ref	character	`$ref` URL for the provider object.
provider_id	character	ESPN provider id parsed from the `$ref` URL.
count	integer	Total providers in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_providers())
```

`espn_nhl_schedule` **Get ESPN NHL Team Schedule**

Description

Get ESPN NHL Team Schedule

Usage

```
espn_nhl_schedule(team_id, season = most_recent_nhl_season(), ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric, e.g. `"4"` for Pittsburgh Penguins).
`season`	Season end-year (e.g. `2025`). Defaults to `most_recent_nhl_season()`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per game:

col_name	types	description
game_id	character	ESPN event identifier.
date	character	Game date-time (ISO 8601).
name	character	Full game name.
short_name	character	Short game name.
season_year	integer	Season end year.
season_type	integer	Season type code.
time_valid	logical	Whether the game time is confirmed.
status_type_id	character	Status type identifier.
status_type_name	character	Status type name.
status_type_state	character	Status state (pre/in/post).
status_type_completed	logical	Whether the game is complete.
neutral_site	logical	Whether the game is at a neutral site.
attendance	integer	Game attendance.
venue_id	character	Venue identifier.
venue_full_name	character	Venue full name.
venue_city	character	Venue city.
venue_state	character	Venue state.
broadcast	character	Broadcast network(s).
home_id	character	Home team ESPN identifier.
home_name	character	Home team display name.
home_abbreviation	character	Home team abbreviation.
home_location	character	Home team city.
home_logo	character	Home team logo URL.
home_score	character	Home team score.

home_winner	logical	Whether the home team won.
away_id	character	Away team ESPN identifier.
away_name	character	Away team display name.
away_abbreviation	character	Away team abbreviation.
away_location	character	Away team city.
away_logo	character	Away team logo URL.
away_score	character	Away team score.
away_winner	logical	Whether the away team won.
team_id	character	ESPN team identifier (echoed from arg).
season	integer	Season end-year (echoed from arg).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(),

espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_schedule(team_id = "4", season = 2025))
```

---

espn_nhl_scoreboard **Get ESPN NHL Scoreboard**

Description

Get ESPN NHL Scoreboard

Usage

```
espn_nhl_scoreboard(dates = NULL, ...)
```

Arguments

dates	Optional date or date-range string in "YYYYMMDD" or "YYYYMMDD-YYYYMMDD" format. When NULL (default) the current day is used.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per game:

col_name	types	description
game_id	character	ESPN event identifier.
uid	character	ESPN event uid.
date	character	Game date-time (ISO 8601).
name	character	Full game name.
short_name	character	Short game name.
season_year	integer	Season end year.
season_type	integer	Season type code (1=pre, 2=regular, 3=post).
season_slug	character	Season type slug.
status_type_id	character	Status type identifier.
status_type_name	character	Status type name.
status_type_state	character	Status state (pre/in/post).
status_type_completed	logical	Whether the game is complete.
status_type_description	character	Status description.
status_type_detail	character	Status detail text.
status_type_short_detail	character	Short status detail.
status_clock	numeric	Game clock in seconds.

status_display_clock	character	Display clock string.
status_period	integer	Current period.
neutral_site	logical	Whether the game is at a neutral site.
conference_competition	character	Whether it is a conference competition.
attendance	integer	Game attendance.
venue_id	character	ESPN venue identifier.
venue_full_name	character	Venue full name.
venue_city	character	Venue city.
venue_state	character	Venue state.
venue_indoor	logical	Whether the venue is indoors.
broadcast	character	Broadcast network(s).
note	character	Game note or headline.
home_id	character	Home team ESPN identifier.
home_name	character	Home team name.
home_abbreviation	character	Home team abbreviation.
home_display_name	character	Home team display name.
home_location	character	Home team city/location.
home_color	character	Home team primary color hex.
home_alternate_color	character	Home team alternate color hex.
home_logo	character	Home team logo URL.
home_score	character	Home team score.
home_winner	logical	Whether the home team won.
home_rank	integer	Home team rank (if ranked).
away_id	character	Away team ESPN identifier.
away_name	character	Away team name.
away_abbreviation	character	Away team abbreviation.
away_display_name	character	Away team display name.
away_location	character	Away team city/location.
away_color	character	Away team primary color hex.
away_alternate_color	character	Away team alternate color hex.
away_logo	character	Away team logo URL.
away_score	character	Away team score.
away_winner	logical	Whether the away team won.
away_rank	integer	Away team rank (if ranked).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(),

espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player(), espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_scoreboard(dates = "20250110"))
```

`espn_nhl_seasons` **Get ESPN NHL Seasons List (core-v2)**

Description

Get ESPN NHL Seasons List (core-v2)

Usage

```
espn_nhl_seasons(limit = 100, ...)
```

Arguments

`limit`	Maximum number of seasons to return (default `100`).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per season:

col_name	types	description
ref	character	`$ref` URL for the season object.
season	integer	Season year parsed from the `$ref` URL.
count	integer	Total number of seasons in the collection.
page_count	integer	Total number of pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(),

espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_seasons(limit = 10))
```

---

espn_nhl_season_athletes

Get ESPN NHL Season Athletes (core-v2)

Description

Get ESPN NHL Season Athletes (core-v2)

Usage

```
espn_nhl_season_athletes(
  season = most_recent_nhl_season(),
  limit = 100,
  page = 1,
  ...
)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
limit	Number of athletes per page (default 100). The NHL season athlete list exceeds 11,000 entries across ~2,300 pages; use page to iterate.
page	Page number (1-indexed, default 1). Check the returned page_count column to determine how many pages are available.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per athlete reference for the requested page:

col_name	types	description
ref	character	$ref URL for the athlete-in-season object.
athlete_id	character	ESPN athlete id parsed from the $ref URL.
season	integer	Season year (echoed from arg).
page	integer	Page number (echoed from arg).
count	integer	Total athletes in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_athletes(season = 2026, limit = 10, page = 1))
```

espn_nhl_season_awards

Get ESPN NHL Season Awards (core-v2)

Description

Get ESPN NHL Season Awards (core-v2)

Usage

```
espn_nhl_season_awards(season = most_recent_nhl_season(), ...)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per award reference, or an empty tibble when no awards are available for the season. Awards are typically populated after the regular season ends:

col_name	types	description
ref	character	$ref URL for the award object.
award_id	character	ESPN award id parsed from the $ref URL.
season	integer	Season year (echoed from arg).
count	integer	Total awards in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(),

espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(),
espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(),
espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards
espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts
espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(),
espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview()
espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist
espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),
espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(),
espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_coaches(),
espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(),
espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(),
espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player
espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(),
espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio
espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g
espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(),
espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(),
espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(),
espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(),
espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(),
espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(),
espn_nhl_venues()

Examples

```
try(espn_nhl_season_awards(season = 2025))
```

`espn_nhl_season_coaches`

Get ESPN NHL Season Coaches (core-v2)

Description

Get ESPN NHL Season Coaches (core-v2)

Usage

```
espn_nhl_season_coaches(season = most_recent_nhl_season(), limit = 100, ...)
```

Arguments

`season`	Season end-year (e.g. `2026`). Defaults to `most_recent_nhl_season()`.
`limit`	Maximum number of coaches to return (default `100`). The NHL typically lists ~30 head coaches per season.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per coach:

col_name	types	description
ref	character	`$ref` URL for the coach-in-season object.
coach_id	character	ESPN coach id parsed from the `$ref` URL.
season	integer	Season year (echoed from arg).
count	integer	Total coaches in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(),

espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_coaches(season = 2026))
```

`espn_nhl_season_draft` **Get ESPN NHL Season Draft (core-v2)**

Description

Get ESPN NHL Season Draft (core-v2)

Usage

```
espn_nhl_season_draft(season = most_recent_nhl_season(), ...)
```

Arguments

season	Season end-year (e.g. 2025). Defaults to most_recent_nhl_season().
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with draft round references, or an empty tibble when the endpoint is unavailable (HTTP 404 is normal for NHL — the draft sub-tree is not served by this core-v2 path):

col_name	types	description
ref	character	$ref URL for the draft round object (if returned).
draft_id	character	Draft/round id parsed from the $ref URL.
season	integer	Season year (echoed from arg).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts
espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(),

espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist(), espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player(), espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns an empty tibble for NHL (404 from ESPN)
try(espn_nhl_season_draft(season = 2025))
```

---

espn_nhl_season_draft_round_picks

Get ESPN NHL Season Draft Round Picks (core-v2)

Description

Get ESPN NHL Season Draft Round Picks (core-v2)

Usage

```
espn_nhl_season_draft_round_picks(
  season = most_recent_nhl_season(),
```

```
  round_num = 1,
  limit = 100,
  ...
)
```

Arguments

season	Season end-year (e.g. 2025). Defaults to most_recent_nhl_season().
round_num	Draft round number (default 1). Used to build the path seasons/{season}/draft/rounds/{round_num}
limit	Maximum picks to return per page (default 100).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per draft pick, or an empty tibble when the endpoint is unavailable. The confirmed path is seasons/{season}/draft/rounds/{round_num}/picks; for NHL this returns HTTP 404 — the draft data is not served by the core-v2 sub-tree:

col_name	types	description
ref	character	$ref URL for the draft pick object.
pick_id	character	Pick id parsed from the $ref URL.
season	integer	Season year (echoed from arg).
round_num	integer	Round number (echoed from arg).
count	integer	Total picks in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts

espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns an empty tibble for NHL (404 from ESPN)
try(espn_nhl_season_draft_round_picks(season = 2025, round_num = 1))
```

`espn_nhl_season_freeagents`

Get ESPN NHL Season Free Agents (core-v2)

Description

Get ESPN NHL Season Free Agents (core-v2)

Usage

```
espn_nhl_season_freeagents(season = most_recent_nhl_season(), limit = 100, ...)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
limit	Maximum number of free agents to return (default 100).
...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per free-agent athlete reference. **Note**: The NHL free-agents endpoint (`seasons/{season}/freeagents`) currently returns `count=0` for all tested seasons — the endpoint exists but ESPN does not populate it for NHL. An empty tibble is returned gracefully in that case:

col_name	types	description
ref	character	`$ref` URL for the athlete-in-season object.
athlete_id	character	ESPN athlete id parsed from the `$ref` URL.
season	integer	Season year (echoed from arg).
count	integer	Total free agents in the collection (typically 0).
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(),

espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN does not populate this endpoint)
try(espn_nhl_season_freeagents(season = 2026))
```

`espn_nhl_season_futures`

Get ESPN NHL Season Futures (core-v2)

Description

Get ESPN NHL Season Futures (core-v2)

Usage

```
espn_nhl_season_futures(season = most_recent_nhl_season(), ...)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per futures market per betting provider. For a typical NHL season there are ~12 markets across 1-2 providers:

col_name	types	description
future_ref	character	$ref URL for the futures market object.
future_id	character	ESPN futures market identifier.
future_name	character	Futures market name (e.g. "NHL - Stanley Cup - Winner").
future_type	character	Futures market type (e.g. "winLeague").
future_display_name	character	Futures market display name.
provider_id	character	Betting provider identifier.
provider_name	character	Betting provider name (e.g. "ESPN BET").
provider_active	logical	Whether the provider is active.
provider_priority	integer	Provider display priority.
season	integer	Season year (echoed from arg).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_futures(season = 2026))
```

`espn_nhl_season_group` **Get ESPN NHL Season Group (core-v2)**

Description

Get ESPN NHL Season Group (core-v2)

Usage

```
espn_nhl_season_group(
  season = most_recent_nhl_season(),
  season_type = 2,
  group_id,
  ...
)
```

Arguments

`season`	Season end-year (e.g. `2026`). Defaults to `most_recent_nhl_season()`.
`season_type`	Season type code: `1`=pre-season, `2`=regular season, `3`=post-season, `4`=off-season. Defaults to `2`.
`group_id`	ESPN group identifier (integer or character). Use `espn_nhl_season_groups()` to discover valid ids for a season/type.
`...`	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with group metadata:

col_name	types	description
season	integer	Season year (echoed from arg).
season_type	integer	Season type code (echoed from arg).
group_id	integer	Group id (echoed from arg).
id	character	ESPN group identifier.
uid	character	Group uid string.
name	character	Group name (e.g. "Eastern Conference").
abbreviation	character	Group abbreviation (e.g. "East").
slug	character	Group slug.
is_conference	logical	Whether this group is a conference (vs. division).
group_ref	character	`$ref` URL for this group object.
season_ref	character	`$ref` URL for the group's season.
parent_ref	character	`$ref` URL for the parent group (if any).
children_ref	character	`$ref` URL for child groups (divisions).
standings_ref	character	`$ref` URL for group standings.
teams_ref	character	`$ref` URL for the teams in this group.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_group(season = 2026, season_type = 2, group_id = 7))
```

espn_nhl_season_groups

Get ESPN NHL Season Groups (core-v2)

Description

Get ESPN NHL Season Groups (core-v2)

Usage

```
espn_nhl_season_groups(season = most_recent_nhl_season(), season_type = 2, ...)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
season_type	Season type code: 1=pre-season, 2=regular season, 3=post-season, 4=off-season. Defaults to 2.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per group (conference or division):

col_name	types	description
ref	character	$ref URL for the group object.
group_id	integer	Group id parsed from the $ref URL.
season	integer	Season year (echoed from arg).
season_type	integer	Season type code (echoed from arg).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(),

espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_groups(season = 2026, season_type = 2))
```

---

espn_nhl_season_group_children

Get ESPN NHL Season Group Children (core-v2)

Description

Get ESPN NHL Season Group Children (core-v2)

Usage

```
espn_nhl_season_group_children(
  season = most_recent_nhl_season(),
  season_type = 2,
  group_id,
  ...
)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
season_type	Season type code: 1=pre-season, 2=regular season, 3=post-season. Defaults to 2.
group_id	ESPN group identifier (integer or character). Pass a conference-level group_id from espn_nhl_season_groups() to retrieve its child divisions.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per child group (division under a conference). Conference-level groups typically have 2 division children each:

col_name	types	description
ref	character	$ref URL for the child group object.
child_group_id	character	Child group id parsed from the $ref URL.
season	integer	Season year (echoed from arg).
season_type	integer	Season type code (echoed from arg).
group_id	integer	Parent group id (echoed from arg).
count	integer	Total children in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),

espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_player espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  grps <- espn_nhl_season_groups(season = 2026, season_type = 2)
  espn_nhl_season_group_children(season = 2026, season_type = 2,
                                 group_id = grps$group_id[1])
})
```

---

espn_nhl_season_group_teams

Get ESPN NHL Season Group Teams (core-v2)

Description

Get ESPN NHL Season Group Teams (core-v2)

Usage

```
espn_nhl_season_group_teams(
  season = most_recent_nhl_season(),
  season_type = 2,
  group_id,
  limit = 100,
  ...
)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
season_type	Season type code: 1=pre-season, 2=regular season, 3=post-season, 4=off-season. Defaults to 2.

group_id	ESPN group identifier (integer or character). Use espn_nhl_season_groups() to discover valid ids for a season/type.
limit	Maximum number of teams to return (default 100).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per team:

col_name	types	description
ref	character	$ref URL for the team-season object.
team_id	character	ESPN team id parsed from the $ref URL.
season	integer	Season year (echoed from arg).
season_type	integer	Season type code (echoed from arg).
group_id	integer	Group id (echoed from arg).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(),

espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  grps <- espn_nhl_season_groups(season = 2026, season_type = 2)
  espn_nhl_season_group_teams(season = 2026, season_type = 2,
                              group_id = grps$group_id[1])
})
```

---

espn_nhl_season_info Get ESPN NHL Season Info (core-v2)

Description

Get ESPN NHL Season Info (core-v2)

Usage

```
espn_nhl_season_info(season = most_recent_nhl_season(), ...)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with season metadata:

col_name	types	description
season	integer	Season year (echoed from arg).
start_date	character	Season start date (ISO 8601).
end_date	character	Season end date (ISO 8601).
display_name	character	Season display name (e.g. "2025-26").
season_ref	character	$ref URL for this season.
types_ref	character	$ref URL for the season-types collection.
type_ref	character	$ref URL for the current season type.
rankings_ref	character	$ref URL for rankings.
coaches_ref	character	$ref URL for coaches.

athletes_ref	character	$ref URL for athletes.
awards_ref	character	$ref URL for awards.
futures_ref	character	$ref URL for futures.
leaders_ref	character	$ref URL for leaders.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_info(season = 2026))
```

`espn_nhl_season_players`

Get ESPN NHL Season Players (core-v2)

Description

Get ESPN NHL Season Players (core-v2)

Usage

```
espn_nhl_season_players(
  season = most_recent_nhl_season(),
  limit = 100,
  page = 1,
  ...
)
```

Arguments

`season`	Season end-year (e.g. `2026`). Defaults to `most_recent_nhl_season()`.
`limit`	Number of players per page (default `100`). The NHL season player list exceeds 11,000 entries across ~2,300 pages; use page to iterate.
`page`	Page number (1-indexed, default `1`). Check the returned `page_count` column to determine how many pages are available.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per player reference for the requested page. This function hits the same endpoint as `espn_nhl_season_athletes()` (`seasons/{season}/athletes`) but uses the `player_id` column name for consistency with the `sdv-py` `espn_nhl_season_players` naming convention:

col_name	types	description
ref	character	`$ref` URL for the athlete-in-season object.
player_id	character	ESPN player id parsed from the `$ref` URL.
season	integer	Season year (echoed from arg).
page	integer	Page number (echoed from arg).
count	integer	Total players in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_pointer(), espn_nhl_season_powerindex(), espn_nhl_season_power espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_players(season = 2026, limit = 10, page = 1))
```

`espn_nhl_season_pointer`

Get ESPN NHL Current Season Pointer (core-v2)

Description

Get ESPN NHL Current Season Pointer (core-v2)

Usage

```
espn_nhl_season_pointer(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with the current season metadata:

col_name	types	description
season	integer	Current season year (e.g. 2026).
start_date	character	Season start date (ISO 8601).
end_date	character	Season end date (ISO 8601).
display_name	character	Season display name (e.g. "2025-26").
current_type_id	character	Current season-type identifier.
current_type	integer	Current season-type code (1=pre,2=reg,3=post).
current_type_name	character	Current season-type name.
current_type_slug	character	Current season-type slug.
season_ref	character	`$ref` URL for the full season object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: `espn_nhl_athletes_index()`, `espn_nhl_award()`, `espn_nhl_awards()`, `espn_nhl_calendar()`, `espn_nhl_calendar_offseason()`, `espn_nhl_calendar_ondays()`, `espn_nhl_calendar_posts`
`espn_nhl_calendar_regular_season()`, `espn_nhl_coach()`, `espn_nhl_coach_record()`, `espn_nhl_coach_season()`, `espn_nhl_coaches()`, `espn_nhl_conferences()`, `espn_nhl_countries()`, `espn_nhl_draft()`, `espn_nhl_franchise()`, `espn_nhl_franchises()`, `espn_nhl_game()`, `espn_nhl_game_all()`, `espn_nhl_game_broadcasts()`, `espn_nhl_game_competition()`, `espn_nhl_game_leaders()`, `espn_nhl_game_odds()`, `espn_nhl_game_official_detail()`, `espn_nhl_game_officials()`, `espn_nhl_game_play()`, `espn_nhl_game_play_personnel()`, `espn_nhl_game_plays()`, `espn_nhl_game_powerindex()`
`espn_nhl_game_predictor()`, `espn_nhl_game_probabilities()`, `espn_nhl_game_propbets()`,

espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_powerindex(), espn_nhl_season_power espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_pointer())
```

`espn_nhl_season_powerindex`

Get ESPN NHL Season Power Index (core-v2)

Description

Get ESPN NHL Season Power Index (core-v2)

Usage

```
espn_nhl_season_powerindex(
  season = most_recent_nhl_season(),
  team_id = NULL,
  ...
)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
team_id	Optional ESPN team identifier (character or numeric). When provided, fetches power-index data for a single team. Defaults to NULL (collection for all teams).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per power-index entry, or an empty tibble when no data is available. **Note**: ESPN does not publish power-index data for NHL — this endpoint consistently returns empty results for hockey:

col_name	types	description
ref	character	$ref URL for the power-index object.
powerindex_id	character	Power-index id parsed from the $ref URL.
season	integer	Season year (echoed from arg).
team_id	character	Team id (echoed from arg, if supplied).
count	integer	Total entries in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(),

espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN does not publish powerindex for hockey)
try(espn_nhl_season_powerindex(season = 2026))
```

`espn_nhl_season_powerindex_leaders`

Get ESPN NHL Season Power Index Leaders (core-v2)

Description

Get ESPN NHL Season Power Index Leaders (core-v2)

Usage

```
espn_nhl_season_powerindex_leaders(season = most_recent_nhl_season(), ...)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per power-index leader, or an empty tibble when no data is available. **Note**: ESPN does not publish power-index data for NHL:

col_name	types	description
ref	character	$ref URL for the power-index leader object.
leader_id	character	Leader id parsed from the $ref URL.
season	integer	Season year (echoed from arg).
count	integer	Total entries in the collection.

page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_correctio espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_g espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN does not publish powerindex for hockey)
try(espn_nhl_season_powerindex_leaders(season = 2026))
```

`espn_nhl_season_team` **Get ESPN NHL Season Team (core-v2)**

Description

Get ESPN NHL Season Team (core-v2)

Usage

```
espn_nhl_season_team(season = most_recent_nhl_season(), team_id, ...)
```

Arguments

`season`	Season end-year (e.g. `2026`). Defaults to `most_recent_nhl_season()`.
`team_id`	ESPN team identifier (character or numeric). Use `espn_nhl_season_teams()` to discover valid team ids for a season.
`...`	Reserved for forward compatibility.

Value

A one-row `fastRhockey_data` tibble with team-in-season metadata:

col_name	types	description
season	integer	Season year (echoed from arg).
team_id	character	ESPN team id (echoed from arg).
id	character	ESPN team identifier.
guid	character	Team global unique identifier.
uid	character	Team uid string.
slug	character	Team URL slug.
location	character	Team city/location.
name	character	Team mascot/name.
nickname	character	Team nickname.
abbreviation	character	Team abbreviation.
display_name	character	Team display name.
short_display_name	character	Team short display name.
color	character	Team primary color hex.
alternate_color	character	Team alternate color hex.
is_active	logical	Whether the team is currently active.
is_all_star	logical	Whether this is an all-star team.
team_ref	character	`$ref` URL for this team-in-season object.
record_ref	character	`$ref` URL for the team record.
athletes_ref	character	`$ref` URL for the team athletes.
venue_ref	character	`$ref` URL for the team venue.
groups_ref	character	`$ref` URL for the team groups.
statistics_ref	character	`$ref` URL for the team statistics.
leaders_ref	character	`$ref` URL for the team leaders.

injuries_ref	character	$ref URL for the team injuries.
awards_ref	character	$ref URL for the team awards.
franchise_ref	character	$ref URL for the team franchise.
events_ref	character	$ref URL for the team events.
transactions_ref	character	$ref URL for the team transactions.
coaches_ref	character	$ref URL for the team coaches.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try({
  tms <- espn_nhl_season_teams(season = 2026)
  espn_nhl_season_team(season = 2026, team_id = tms$team_id[1])
})
```

`espn_nhl_season_teams` **Get ESPN NHL Season Teams (core-v2)**

Description

Get ESPN NHL Season Teams (core-v2)

Usage

```
espn_nhl_season_teams(season = most_recent_nhl_season(), limit = 100, ...)
```

Arguments

`season`	Season end-year (e.g. `2026`). Defaults to `most_recent_nhl_season()`.
`limit`	Maximum number of teams to return per page (default `100`). The NHL has 32 active teams; `100` returns all in one request.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per team in the season:

col_name	types	description
ref	character	`$ref` URL for the team-in-season object.
team_id	character	ESPN team id parsed from the `$ref` URL.
season	integer	Season year (echoed from arg).
count	integer	Total teams in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_teams(season = 2026))
```

---

espn_nhl_season_type Get ESPN NHL Season Type (core-v2)

Description

Get ESPN NHL Season Type (core-v2)

Usage

```
espn_nhl_season_type(season = most_recent_nhl_season(), season_type = 2, ...)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
season_type	Season type code: 1=pre-season, 2=regular season, 3=post-season, 4=off-season. Defaults to 2.
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with season-type metadata:

col_name	types	description
season	integer	Season year (echoed from arg).
season_type	integer	Season type code (echoed from arg).
id	character	Season type identifier.
type	integer	Season type numeric code.
name	character	Season type name (e.g. "Regular Season").
abbreviation	character	Season type abbreviation (e.g. "reg").
slug	character	Season type slug (e.g. "regular-season").
year	integer	Season year from the API.
start_date	character	Season type start date (ISO 8601).
end_date	character	Season type end date (ISO 8601).
has_groups	logical	Whether this season type has groups.
has_standings	logical	Whether this season type has standings.
has_legs	logical	Whether this season type has legs.
groups_ref	character	$ref URL for the groups collection.
weeks_ref	character	$ref URL for the weeks collection.
corrections_ref	character	$ref URL for corrections.
leaders_ref	character	$ref URL for leaders.
type_ref	character	$ref URL for this season-type object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(),

espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex()
espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(),
espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(),
espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(),
espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(),
espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(),
espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards
espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts
espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(),
espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview()
espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist
espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(),
espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(),
espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(),
espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(),
espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(),
espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(),
espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde
espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(),
espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(),
espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(),
espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(),
espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(),
espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders()
espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(),
espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(),
espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_type(season = 2026, season_type = 2))
```

`espn_nhl_season_types` **Get ESPN NHL Season Types (core-v2)**

Description

Get ESPN NHL Season Types (core-v2)

Usage

```
espn_nhl_season_types(season = most_recent_nhl_season(), ...)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per season type (pre-season, regular, post-season, off-season):

col_name	types	description
ref	character	`$ref` URL for the season-type object.
season_type_id	integer	Season type id (1=pre, 2=reg, 3=post, 4=off).
season	integer	Season year (echoed from arg).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(),

espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_types(season = 2026))
```

---

espn_nhl_season_type_corrections

Get ESPN NHL Season Type Corrections (core-v2)

Description

Get ESPN NHL Season Type Corrections (core-v2)

Usage

```
espn_nhl_season_type_corrections(
  season = most_recent_nhl_season(),
  season_type = 2,
  ...
)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
season_type	Season type code: 1=pre-season, 2=regular season, 3=post-season. Defaults to 2.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per correction entry, or an empty tibble when no corrections are recorded. **Note**: ESPN does not publish score corrections for NHL — this endpoint returns empty for all tested seasons:

col_name	types	description
ref	character	$ref URL for the correction object.
correction_id	character	Correction id parsed from the $ref URL.
season	integer	Season year (echoed from arg).
season_type	integer	Season type code (echoed from arg).
count	integer	Total corrections in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week() espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN does not publish corrections for hockey)
try(espn_nhl_season_type_corrections(season = 2026, season_type = 2))
```

`espn_nhl_season_type_leaders`

Get ESPN NHL Season Type Leaders (core-v2)

Description

Get ESPN NHL Season Type Leaders (core-v2)

Usage

```
espn_nhl_season_type_leaders(
  season = most_recent_nhl_season(),
  season_type = 2,
  ...
)
```

Arguments

`season`	Season end-year (e.g. `2026`). Defaults to `most_recent_nhl_season()`.
`season_type`	Season type code: `1`=pre-season, `2`=regular season, `3`=post-season. Defaults to `2`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per (category, leader) combination. For a typical NHL regular season there are 9 categories with 25 leaders each (225 rows):

col_name	types	description
category_name	character	Stat category name (e.g. "goals", "assists").
category_display_name	character	Category display name.
category_short_display_name	character	Category short display name.
category_abbreviation	character	Category abbreviation.
display_value	character	Leader stat display value.
value	numeric	Leader stat numeric value.
rel	character	Relation type (e.g. "athlete").
athlete_ref	character	`$ref` URL for the athlete.
team_ref	character	`$ref` URL for the athlete's team.
statistics_ref	character	`$ref` URL for the athlete's season statistics.
season	integer	Season year (echoed from arg).
season_type	integer	Season type code (echoed from arg).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_season_type_leaders(season = 2026, season_type = 2))
```

`espn_nhl_season_week` **Get ESPN NHL Season Week (core-v2)**

Description

Get ESPN NHL Season Week (core-v2)

Usage

```
espn_nhl_season_week(
  season = most_recent_nhl_season(),
  season_type = 2,
  week,
  ...
)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
season_type	Season type code: 1=pre-season, 2=regular season, 3=post-season. Defaults to 2.
week	Week number (integer). Derive valid week numbers from espn_nhl_season_weeks().
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with week metadata, or an empty tibble when the endpoint is unavailable. **Note**: NHL does not use weeks in ESPN core-v2 — HTTP 404 is the expected response:

col_name	types	description
season	integer	Season year (echoed from arg).
season_type	integer	Season type code (echoed from arg).
week	integer	Week number (echoed from arg).
number	integer	Week number as returned by the API.
start_date	character	Week start date (ISO 8601).
end_date	character	Week end date (ISO 8601).
text	character	Week display text.
week_ref	character	$ref URL for this week object.
events_ref	character	$ref URL for the events in this week.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts
espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(),
espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(),
espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(),
espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(),
espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(),
espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex()

espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN does not use weeks for hockey)
try(espn_nhl_season_week(season = 2026, season_type = 2, week = 1))
```

`espn_nhl_season_weeks` **Get ESPN NHL Season Weeks (core-v2)**

Description

Get ESPN NHL Season Weeks (core-v2)

Usage

```
espn_nhl_season_weeks(season = most_recent_nhl_season(), season_type = 2, ...)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
season_type	Season type code: 1=pre-season, 2=regular season, 3=post-season. Defaults to 2.
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per week, or an empty tibble when the endpoint returns no items. **Note**: The NHL does not use weekly scheduling in the ESPN core-v2 API — this endpoint consistently returns count=0 for NHL. An empty tibble is returned gracefully:

col_name	types	description
ref	character	$ref URL for the week object.
week	integer	Week number parsed from the $ref URL.
season	integer	Season year (echoed from arg).
season_type	integer	Season type code (echoed from arg).
count	integer	Total weeks in the collection (0 for NHL).
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(),

espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN does not populate weeks for hockey)
try(espn_nhl_season_weeks(season = 2026, season_type = 2))
```

---

espn_nhl_season_week_games

Get ESPN NHL Season Week Games (core-v2)

Description

Get ESPN NHL Season Week Games (core-v2)

Usage

```
espn_nhl_season_week_games(
  season = most_recent_nhl_season(),
  season_type = 2,
  week,
  limit = 100,
  ...
)
```

Arguments

season	Season end-year (e.g. 2026). Defaults to most_recent_nhl_season().
season_type	Season type code: 1=pre-season, 2=regular season, 3=post-season. Defaults to 2.
week	Week number (integer). Derive valid week numbers from espn_nhl_season_weeks().
limit	Maximum number of events to return (default 100).
...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per game (event) in the week, or an empty tibble when the endpoint is unavailable. **Note**: NHL does not use weeks in ESPN core-v2 — HTTP 404 is expected:

col_name	types	description
ref	character	`$ref` URL for the event object.
event_id	character	ESPN event id parsed from the `$ref` URL.
season	integer	Season year (echoed from arg).
season_type	integer	Season type code (echoed from arg).
week	integer	Week number (echoed from arg).
count	integer	Total events in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(),

espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN does not use weeks for hockey)
try(espn_nhl_season_week_games(season = 2026, season_type = 2, week = 1))
```

`espn_nhl_standings` **Get ESPN NHL Standings**

Description

Get ESPN NHL Standings

Usage

```
espn_nhl_standings(season = most_recent_nhl_season(), ...)
```

Arguments

`season`	Season end-year (e.g. `2025`). Defaults to `most_recent_nhl_season()`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per team:

col_name	types	description
group_name	character	Group name (conference / division).
group_abbreviation	character	Group abbreviation.
team_id	character	ESPN team identifier.
team_name	character	Team name.
team_abbreviation	character	Team abbreviation.
team_display_name	character	Team display name.
team_location	character	Team location (city).
team_logo	character	Team logo URL.
season	integer	Season end-year (echoed from arg).
ot_losses	numeric	Overtime losses.
games_played	numeric	Games played.
losses	numeric	Regulation losses.

points	numeric	Points.
wins	numeric	Wins.
points_for	numeric	Goals/points scored.
points_against	numeric	Goals/points allowed.
playoff_seed	numeric	Current playoff seed.
streak	numeric	Current streak value.
overall	numeric	Overall record stat.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_standings(season = 2025))
```

`espn_nhl_standings_core`

Get ESPN NHL Standings (core-v2)

Description

Get ESPN NHL Standings (core-v2)

Usage

```
espn_nhl_standings_core(
  season = most_recent_nhl_season(),
  season_type = 2,
  group_id = 9,
  ...
)
```

Arguments

`season`	Season end-year (e.g. `2026`). Defaults to `most_recent_nhl_season()`.
`season_type`	Season type code: `1`=pre-season, `2`=regular season (default), `3`=post-season.
`group_id`	Standings group identifier. Defaults to `9`, which is the verified all-teams rollup group for NHL on core-v2.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per team per standings group. Key columns:

col_name	types	description
group_id_v	character	Standings group identifier.
group_name	character	Group name (e.g. "overall").
group_display_name	character	Group display name.
team_id	character	ESPN team identifier (parsed from `$ref`).
team_ref	character	`$ref` URL for the team-in-season.
record_type	character	Record type used (always "total").
record_summary	character	Record summary string (e.g. "53-22-7").
season	integer	Season year (echoed from arg).
season_type	integer	Season type code (echoed from arg).
ot_losses	numeric	Overtime losses (and other stat columns dynamically).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_standings_core(season = 2026, season_type = 2))
```

espn_nhl_statistics_league

Get ESPN NHL League Statistics

Description

Get ESPN NHL League Statistics

Usage

```
espn_nhl_statistics_league(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per (stat category, leader). The ESPN NHL statistics endpoint returns a sparse set of top-of-league stat leaders organized by category. If the endpoint returns no categories, an empty tibble is returned gracefully:

col_name	types	description
category_name	character	Stat category name (e.g. "goals", "assists").
category_abbreviation	character	Category abbreviation.
display_value	character	Leader stat display value.
value	numeric	Leader stat numeric value.
athlete_id	character	ESPN athlete identifier.
athlete_display_name	character	Athlete display name.
team_id	character	ESPN team identifier.
team_abbreviation	character	Team abbreviation.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts
espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(),
espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(),
espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(),
espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(),
espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(),
espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex()

espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_statistics_league())
```

`espn_nhl_summary` **Get ESPN NHL Raw Game Summary**

Description

Get ESPN NHL Raw Game Summary

Usage

```
espn_nhl_summary(game_id, ...)
```

Arguments

`game_id`	ESPN event identifier (character or numeric).
`...`	Reserved for forward compatibility.

Value

A nested R list representing the full parsed ESPN summary JSON. **This function does NOT return a tibble.** It is intended for power users who need fields not exposed by espn_nhl_pbp(), espn_nhl_team_box(), or espn_nhl_player_box().

Top-level keys typically include: boxscore, format, gameInfo, leaders, seasonseries, broadcasts, pickcenter, odds, plays, header, standings, and others.

- $boxscore$teams — list of 2 team stat objects.
- $boxscore$players — list of 2 player stat group objects.
- $plays — list of play objects.
- $header$season — season year and type.
- $header$competitions[[1]]$competitors — home/away team + score.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(),

espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
s <- try(espn_nhl_summary(game_id = "401688263"))
if (!inherits(s, "try-error")) {
  names(s)
  length(s$plays)
}
```

---

espn_nhl_talentpicks Get ESPN NHL Talent Picks (core-v2)

Description

Get ESPN NHL Talent Picks (core-v2)

Usage

```
espn_nhl_talentpicks(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per talent pick reference, or an empty tibble when the endpoint is unavailable. **Note**: The NHL talent picks endpoint (`core_v2/talentpicks`) currently returns `count=0` — an empty tibble is returned gracefully:

col_name	types	description
ref	character	`$ref` URL for the talent pick object.
pick_id	character	ESPN pick id parsed from the `$ref` URL.
count	integer	Total talent picks in the collection (typically 0).
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthchart espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
# NOTE: Returns empty tibble for NHL (ESPN does not populate this endpoint)
try(espn_nhl_talentpicks())
```

`espn_nhl_team` **Get ESPN NHL Team Detail**

Description

Get ESPN NHL Team Detail

Usage

```
espn_nhl_team(team_id, ...)
```

Arguments

team_id	ESPN team identifier (character or numeric, e.g. "4" for Chicago Blackhawks).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per team:

col_name	types	description
team_id	character	ESPN team identifier (echoed from arg).
id	character	ESPN team identifier.
uid	character	ESPN team uid.
slug	character	URL slug.
location	character	Team city/location.
name	character	Team mascot name.
nickname	character	Team nickname.
abbreviation	character	Team abbreviation.
display_name	character	Full display name.
short_display_name	character	Short display name.
color	character	Primary color hex.
alternate_color	character	Alternate color hex.
is_active	logical	Whether the team is active.
logo	character	Primary logo URL.
logo_dark	character	Dark logo URL.
stand_summary	character	Standing summary string.
franchise_ref	character	Franchise resource ref URL.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts
espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(),
espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(),
espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(),
espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(),
espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(),
espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex()
espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(),
espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(),

espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team(team_id = "4"))
```

`espn_nhl_teams` **Get ESPN NHL team names and IDs**

Description

Get ESPN NHL team names and IDs

Usage

```
espn_nhl_teams(...)
```

Arguments

`...`	Additional arguments passed through to the underlying request (e.g. `proxy =`).

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
abbreviation	character	Team abbreviation.
alternate_color	character	Team alternate color hex code.
color	character	Team primary color hex code.
display_name	character	Full team display name.
espn_team_id	integer	ESPN team identifier.
team	character	Team location name.
logo	character	URL to the team logo.
logo_dark	character	URL to the dark-variant team logo.
logos_href_3	character	URL to an additional team logo variant.
logos_href_4	character	URL to an additional team logo variant.
logos_href_5	character	URL to an additional team logo variant.
logos_href_6	character	URL to an additional team logo variant.
logos_href_7	character	URL to an additional team logo variant.
logos_href_8	character	URL to an additional team logo variant.
logos_href_9	character	URL to an additional team logo variant.
logos_href_10	character	URL to an additional team logo variant.
logos_href_11	character	URL to an additional team logo variant.
logos_href_12	character	URL to an additional team logo variant.
logos_href_13	character	URL to an additional team logo variant.
logos_href_14	character	URL to an additional team logo variant.
logos_href_15	character	URL to an additional team logo variant.
logos_href_16	character	URL to an additional team logo variant.
mascot	character	Team mascot name.
nickname	character	Team nickname.
short_name	character	Short team display name.

Author(s)

Saiem Gilani

Examples

```
try(espn_nhl_teams())
```

`espn_nhl_teams_core` **Get ESPN NHL Teams Core (core-v2 Collection)**

Description

Get ESPN NHL Teams Core (core-v2 Collection)

Usage

```
espn_nhl_teams_core(limit = 100, ...)
```

Arguments

limit	Maximum number of teams to return (default 100; the NHL has 32 active teams so the default returns all).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per team:

col_name	types	description
ref	character	Core-v2 $ref URL for the team resource.
team_id	character	Team identifier (trailing path segment of ref URL).
count	integer	Total number of teams in the collection.
page_count	integer	Number of pages in the paginated response.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(),

espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_teams_core(limit = 100))
```

---

espn_nhl_teams_site — Get ESPN NHL Teams (site_v2) – alias for espn_nhl_teams()

Description

Get ESPN NHL Teams (site_v2) – alias for `espn_nhl_teams()`

Usage

```
espn_nhl_teams_site(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per NHL team. This is identical to the output of espn_nhl_teams().

col_name	types	description
espn_team_id	character	ESPN team identifier.
team	character	Team location/city name.
mascot	character	Team mascot/nickname.
display_name	character	Team display name.
short_name	character	Short team display name.
abbreviation	character	Team abbreviation.
color	character	Primary color hex.
alternate_color	character	Alternate color hex.
logo	character	Light-background logo URL.

logo_dark	character	Dark-background logo URL.

Author(s)

Saiem Gilani

See Also

espn_nhl_teams() which this function wraps.

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_teams_site())
```

`espn_nhl_team_box` **Get ESPN NHL Team Box Score**

Description

Get ESPN NHL Team Box Score

Usage

```
espn_nhl_team_box(game_id, ...)
```

Arguments

`game_id`	ESPN event identifier (character or numeric).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per team (2 rows):

col_name	types	description
team_id	character	ESPN team identifier.
team_uid	character	ESPN team uid.
team_slug	character	Team URL slug.
team_location	character	Team city/location.
team_name	character	Team name (mascot).
team_abbreviation	character	Team abbreviation.
team_display_name	character	Team display name.
team_short_display_name	character	Team short display name.
team_color	character	Team primary color hex.
team_alternate_color	character	Team alternate color hex.
team_logo	character	Team logo URL.
home_away	character	"home" or "away".
game_id	character	ESPN event identifier (echoed from arg).
season	integer	Season end-year.
season_type	integer	Season type code.
game_date	character	Game date-time (ISO 8601).
blocked_shots	character	Total blocked shots.
hits	character	Total hits.
takeaways	character	Total takeaways.
shots_total	character	Total shots on goal.
power_play_goals	character	Power play goals.
power_play_opportunities	character	Power play opportunities.
power_play_pct	character	Power play percentage.
short_handed_goals	character	Short-handed goals.
shootout_goals	character	Shootout goals.
faceoffs_won	character	Faceoffs won.

faceoff_percent	character	Faceoff win percentage.
giveaways	character	Giveaways.
penalties	character	Penalty count.
penalty_minutes	character	Penalty minutes.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team_box(game_id = "401688263"))
```

`espn_nhl_team_core` **Get ESPN NHL Team Core (core-v2)**

Description

Get ESPN NHL Team Core (core-v2)

Usage

```
espn_nhl_team_core(team_id, ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric, e.g. `"4"` for Chicago Blackhawks).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row containing enriched team metadata from the core-v2 endpoint, including `$ref` links to sub-resources:

col_name	types	description
team_id	character	ESPN team identifier (echoed from arg).
id	character	ESPN team identifier.
guid	character	Team global unique identifier.
uid	character	Team uid.
alternate_id_sdr	character	SDR alternate identifier.
slug	character	URL slug.
location	character	Team city/location.
name	character	Team mascot name.
nickname	character	Team nickname.
abbreviation	character	Team abbreviation.
display_name	character	Full display name.
short_display_name	character	Short display name.
color	character	Primary color hex.
alternate_color	character	Alternate color hex.
is_active	logical	Whether the team is active.
is_all_star	logical	Whether the team is an all-star team.
logo	character	Primary logo URL.
record_ref	character	Ref URL for team record resource.
athletes_ref	character	Ref URL for team athletes resource.
venue_ref	character	Ref URL for team venue resource.

groups_ref	character	Ref URL for team groups resource.
statistics_ref	character	Ref URL for team statistics resource.
leaders_ref	character	Ref URL for team leaders resource.
injuries_ref	character	Ref URL for team injuries resource.
awards_ref	character	Ref URL for team awards resource.
franchise_ref	character	Ref URL for franchise resource.
events_ref	character	Ref URL for team events resource.
transactions_ref	character	Ref URL for team transactions resource.
coaches_ref	character	Ref URL for team coaches resource.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_depthcha espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(),

espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team_core(team_id = "4"))
```

---

espn_nhl_team_depthcharts

Get ESPN NHL Team Depth Charts

Description

Get ESPN NHL Team Depth Charts

Usage

```
espn_nhl_team_depthcharts(team_id, ...)
```

Arguments

team_id	ESPN team identifier (character or numeric, e.g. "4" for Chicago Blackhawks).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row containing team and season metadata. NHL depth-slot player assignments are not served at this endpoint; the response contains team/season context only:

col_name	types	description
team_id	character	ESPN team identifier (echoed from arg).
timestamp	character	Response timestamp (ISO 8601).
status	character	Response status string.
season_year	integer	Season year.
season_type	integer	Season type code.
season_name	character	Season type name.
team_espn_id	character	ESPN team identifier.
abbreviation	character	Team abbreviation.
location	character	Team city/location.
name	character	Team mascot name.
display_name	character	Full display name.
color	character	Primary color hex.
logo	character	Team logo URL.
record_summary	character	Record summary string.
season_summary	character	Season summary string.
standing_summary	character	Standing summary string.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team_depthcharts(team_id = "4"))
```

`espn_nhl_team_history` **Get ESPN NHL Team History**

Description

Get ESPN NHL Team History

Usage

```
espn_nhl_team_history(team_id, ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric, e.g. `"4"` for Chicago Blackhawks).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per season entry when data is available. The `/history` endpoint currently returns an empty response for NHL; an empty tibble is returned with a cli warning. Columns when populated include `team_id`, `season`, `wins`, `losses`, `ties`, `ot_losses`, `points`, `summary`, and `description`.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist

espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team_history(team_id = "4"))
```

`espn_nhl_team_injuries`

Get ESPN NHL Team Injuries

Description

Get ESPN NHL Team Injuries

Usage

```
espn_nhl_team_injuries(team_id, ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric, e.g. `"4"` for Chicago Blackhawks).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per injury entry when data is available. The `/injuries` endpoint currently returns an empty response for NHL; an empty tibble is returned with a cli warning. Columns when populated include `team_id`, `athlete_id`, `athlete_display_name`, `athlete_position`, `injury_type`, `injury_status`, `injury_date`, and `injury_description`.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team_injuries(team_id = "4"))
```

`espn_nhl_team_leaders` **Get ESPN NHL Team Leaders**

Description

Get ESPN NHL Team Leaders

Usage

```
espn_nhl_team_leaders(team_id, ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric, e.g. `"4"` for Chicago Blackhawks).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per (category, leader) combination when data is available. The `/leaders` endpoint currently returns an empty response for NHL; an empty tibble is returned with a cli warning. Columns when populated include `team_id`, `category_name`, `category_abbr`, `rank`, `value`, `display_value`, `athlete_id`, and `athlete_full_name`.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist

espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team_leaders(team_id = "4"))
```

`espn_nhl_team_news` **Get ESPN NHL Team News**

Description

Get ESPN NHL Team News

Usage

```
espn_nhl_team_news(team_id, limit = 50, ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric, e.g. `"4"` for Chicago Blackhawks).
`limit`	Maximum number of articles to return. Default `50`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per news article when data is available. The `/news` endpoint currently returns an empty response for NHL; an empty tibble is returned with a cli warning. Columns when populated include `team_id`, `id`, `headline`, `description`, `type`, `published`, `last_modified`, `premium`, and `url`.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team_news(team_id = "4", limit = 10))
```

`espn_nhl_team_record` **Get ESPN NHL Team Record**

Description

Get ESPN NHL Team Record

Usage

```
espn_nhl_team_record(team_id, ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric, e.g. `"4"` for Chicago Blackhawks).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per record type (overall/home/away) when data is available. The `/record` endpoint currently returns an empty response for NHL; an empty tibble is returned with a cli warning. Columns when populated include `team_id`, `description`, `type`, `summary`, and one numeric column per stat.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist

espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team_record(team_id = "4"))
```

`espn_nhl_team_roster` **Get ESPN NHL Team Roster**

Description

Get ESPN NHL Team Roster

Usage

```
espn_nhl_team_roster(team_id, ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric, e.g. `"4"` for Pittsburgh Penguins).
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per player:

col_name	types	description
position_group	character	Position group name (e.g. Centers).
id	character	ESPN player identifier.
uid	character	ESPN player uid.
guid	character	Player global unique identifier.

alternate_id	character	Alternate player identifier.
alternate_ids_sdr	character	Alternate ids sdr.
first_name	character	First name.
last_name	character	Last name.
full_name	character	Full name.
display_name	character	Display name.
short_name	character	Short name.
weight	numeric	Weight (lbs).
display_weight	character	Display weight string.
height	numeric	Height (inches).
display_height	character	Display height string.
age	integer	Player age.
date_of_birth	character	Date of birth.
slug	character	URL slug.
jersey	character	Jersey number.
headshot_href	character	Headshot image URL.
headshot_alt	character	Headshot alt text.
hand_type	character	Shooting/catching hand type.
hand_abbreviation	character	Hand abbreviation.
hand_display_value	character	Hand display value.
position_id	character	Position identifier.
position_name	character	Position name.
position_display_name	character	Position display name.
position_abbreviation	character	Position abbreviation.
position_leaf	logical	Whether position is a leaf node.
position_parent_id	character	Parent position identifier.
position_parent_name	character	Parent position name.
position_parent_display_name	character	Parent position display name.
position_parent_abbreviation	character	Parent position abbreviation.
position_parent_leaf	logical	Whether parent position is leaf.
experience_years	integer	Experience years.
debut_year	numeric	Debut year.
status_id	character	Status identifier.
status_name	character	Status name.
status_type	character	Status type.
status_abbreviation	character	Status abbreviation.
birth_place_city	character	Birth place city.
birth_place_state	character	Birth place state.
birth_place_country	character	Birth place country.
birth_place_display_text	character	Birth place display text.
birth_country_abbreviation	character	Birth country abbreviation.
college_id	character	College identifier.
college_guid	character	College guid.
college_mascot	character	College mascot.
college_name	character	College name.
college_short_name	character	College short name.
college_abbrev	character	College abbreviation.
college_logos	character	College logo URLs (pipe-delimited).

team_id	character	ESPN team identifier (from arg).

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team_roster(team_id = "4"))
```

`espn_nhl_team_schedule` **Get ESPN NHL Team Schedule (site_v2) – alias for** `espn_nhl_schedule()`

Description

Get ESPN NHL Team Schedule (site_v2) – alias for `espn_nhl_schedule()`

Usage

```
espn_nhl_team_schedule(team_id, season = most_recent_nhl_season(), ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric, e.g. `"4"` for Pittsburgh Penguins).
`season`	Season end-year (e.g. `2025`). Defaults to `most_recent_nhl_season()`.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per game. Identical to `espn_nhl_schedule()`.

col_name	types	description
game_id	character	ESPN event identifier.
date	character	Game date-time (ISO 8601).
name	character	Full game name.
short_name	character	Short game name.
season_year	integer	Season end year.
season_type	integer	Season type code.
time_valid	logical	Whether the game time is confirmed.
status_type_id	character	Status type identifier.
status_type_name	character	Status type name.
status_type_state	character	Status state (pre/in/post).
status_type_completed	logical	Whether the game is complete.
neutral_site	logical	Whether the game is at a neutral site.
attendance	integer	Game attendance.
venue_id	character	Venue identifier.
venue_full_name	character	Venue full name.
venue_city	character	Venue city.
venue_state	character	Venue state.
broadcast	character	Broadcast network(s).
home_id	character	Home team ESPN identifier.
home_name	character	Home team display name.
home_abbreviation	character	Home team abbreviation.
home_location	character	Home team city.

home_logo	character	Home team logo URL.
home_score	character	Home team score.
home_winner	logical	Whether the home team won.
away_id	character	Away team ESPN identifier.
away_name	character	Away team display name.
away_abbreviation	character	Away team abbreviation.
away_location	character	Away team city.
away_logo	character	Away team logo URL.
away_score	character	Away team score.
away_winner	logical	Whether the away team won.
team_id	character	ESPN team identifier (echoed from arg).
season	integer	Season end-year (echoed from arg).

Author(s)

Saiem Gilani

See Also

espn_nhl_schedule() which this function wraps.

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(),

espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team_schedule(team_id = "4", season = 2025))
```

---

espn_nhl_team_transactions

Get ESPN NHL Team Transactions

Description

Get ESPN NHL Team Transactions

Usage

```
espn_nhl_team_transactions(team_id, ...)
```

Arguments

team_id	ESPN team identifier (character or numeric, e.g. "4" for Chicago Blackhawks).
...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per transaction when data is available. The /transactions endpoint currently returns an empty response for NHL; an empty tibble is returned with a cli warning. Columns when populated include team_id, id, date, description, and type.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts, espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(),

espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(), espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards(), espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts(), espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist, espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde, espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_team_transactions(team_id = "4"))
```

---

espn_nhl_tournaments Get ESPN NHL Tournaments (core-v2)

Description

Get ESPN NHL Tournaments (core-v2)

Usage

```
espn_nhl_tournaments(limit = 100, ...)
```

Arguments

limit	Maximum number of tournaments to return (default 100).
...	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per tournament reference. The NHL tournaments endpoint is sparsely populated (typically 1 entry):

col_name	types	description
ref	character	`$ref` URL for the tournament object.
tournament_id	character	ESPN tournament id parsed from the `$ref` URL.
count	integer	Total tournaments in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(

espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_transactions(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_tournaments())
```

---

espn_nhl_transactions Get ESPN NHL Transactions

Description

Get ESPN NHL Transactions

Usage

```
espn_nhl_transactions(...)
```

Arguments

...	Reserved for forward compatibility.

Value

A fastRhockey_data tibble with one row per transaction:

col_name	types	description
date	character	Transaction date (ISO 8601).
description	character	Transaction description.
team_id	character	ESPN team identifier.
team_location	character	Team city/location.
team_name	character	Team mascot/name.
team_abbreviation	character	Team abbreviation.
team_display_name	character	Team display name.
team_color	character	Team primary color hex.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview() espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders() espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_venue(), espn_nhl_venues()

Examples

```
try(espn_nhl_transactions())
```

---

espn_nhl_venue **Get ESPN NHL Venue (core-v2)**

Description

Get ESPN NHL Venue (core-v2)

Usage

```
espn_nhl_venue(venue_id, ...)
```

Arguments

venue_id	ESPN venue identifier (character or numeric). Use espn_nhl_venues() to discover valid venue ids.
...	Reserved for forward compatibility.

Value

A one-row fastRhockey_data tibble with venue detail:

col_name	types	description
venue_id	character	ESPN venue id (echoed from arg).
id	character	ESPN venue identifier from response.
guid	character	Venue global unique identifier (if present).
full_name	character	Venue full name.
city	character	Venue city.
state	character	Venue state/province abbreviation.
country	character	Venue country.
grass	logical	Whether the surface is grass.
indoor	logical	Whether the venue is indoors.
capacity	integer	Seating capacity (if returned; often NA for NHL).
venue_ref	character	$ref URL for this venue object.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex() espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts

espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(), espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(), espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(), espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venues()

Examples

```
try({
  vns <- espn_nhl_venues()
  espn_nhl_venue(venue_id = vns$venue_id[1])
})
```

`espn_nhl_venues` **Get ESPN NHL Venues (core-v2)**

Description

Get ESPN NHL Venues (core-v2)

Usage

```
espn_nhl_venues(limit = 200, ...)
```

Arguments

`limit`	Maximum number of venues to return (default `200`). The NHL venue catalog contains ~180 entries; `200` returns all in one request.
`...`	Reserved for forward compatibility.

Value

A `fastRhockey_data` tibble with one row per venue reference:

col_name	types	description
ref	character	`$ref` URL for the venue object.
venue_id	character	ESPN venue id parsed from the `$ref` URL.
count	integer	Total venues in the collection.
page_count	integer	Total pages in the collection.

Author(s)

Saiem Gilani

See Also

Other ESPN NHL Functions: espn_nhl_athletes_index(), espn_nhl_award(), espn_nhl_awards(), espn_nhl_calendar(), espn_nhl_calendar_offseason(), espn_nhl_calendar_ondays(), espn_nhl_calendar_posts espn_nhl_calendar_regular_season(), espn_nhl_coach(), espn_nhl_coach_record(), espn_nhl_coach_season(), espn_nhl_coaches(), espn_nhl_conferences(), espn_nhl_countries(), espn_nhl_draft(), espn_nhl_franchise(), espn_nhl_franchises(), espn_nhl_game(), espn_nhl_game_all(), espn_nhl_game_broadcasts(), espn_nhl_game_competition(), espn_nhl_game_leaders(), espn_nhl_game_odds(), espn_nhl_game_official_detail(), espn_nhl_game_officials(), espn_nhl_game_play(), espn_nhl_game_play_personnel(), espn_nhl_game_plays(), espn_nhl_game_powerindex(espn_nhl_game_predictor(), espn_nhl_game_probabilities(), espn_nhl_game_propbets(), espn_nhl_game_scoringplays(), espn_nhl_game_situation(), espn_nhl_game_status(), espn_nhl_game_team(), espn_nhl_game_team_leaders(), espn_nhl_game_team_linescores(), espn_nhl_game_team_record(), espn_nhl_game_team_roster(), espn_nhl_game_team_statistics(), espn_nhl_game_teams(), espn_nhl_games(), espn_nhl_injuries(), espn_nhl_leaders(), espn_nhl_leaders_core(), espn_nhl_league_notes(), espn_nhl_league_root(), espn_nhl_news(), espn_nhl_pbp(), espn_nhl_player_awards espn_nhl_player_bio(), espn_nhl_player_box(), espn_nhl_player_career_stats(), espn_nhl_player_contracts espn_nhl_player_core(), espn_nhl_player_eventlog(), espn_nhl_player_gamelog(), espn_nhl_player_info(), espn_nhl_player_injuries(), espn_nhl_player_news(), espn_nhl_player_notes(), espn_nhl_player_overview(espn_nhl_player_records(), espn_nhl_player_seasons(), espn_nhl_player_splits(), espn_nhl_player_statist espn_nhl_player_statisticslog(), espn_nhl_player_stats_v3(), espn_nhl_player_vs_player(), espn_nhl_players_index(), espn_nhl_position(), espn_nhl_positions(), espn_nhl_providers(), espn_nhl_schedule(), espn_nhl_scoreboard(), espn_nhl_season_athletes(), espn_nhl_season_awards(), espn_nhl_season_coaches(), espn_nhl_season_draft(), espn_nhl_season_draft_round_picks(), espn_nhl_season_freeagents(), espn_nhl_season_futures(), espn_nhl_season_group(), espn_nhl_season_group_children(), espn_nhl_season_group_teams(), espn_nhl_season_groups(), espn_nhl_season_info(), espn_nhl_season_players(), espn_nhl_season_pointer(), espn_nhl_season_powerinde espn_nhl_season_powerindex_leaders(), espn_nhl_season_team(), espn_nhl_season_teams(), espn_nhl_season_type(), espn_nhl_season_type_corrections(), espn_nhl_season_type_leaders(), espn_nhl_season_types(), espn_nhl_season_week(), espn_nhl_season_week_games(), espn_nhl_season_weeks(), espn_nhl_seasons(), espn_nhl_standings(), espn_nhl_standings_core(), espn_nhl_statistics_league(), espn_nhl_summary(), espn_nhl_talentpicks(), espn_nhl_team(), espn_nhl_team_box(), espn_nhl_team_core(), espn_nhl_team_depthcharts(), espn_nhl_team_history(), espn_nhl_team_injuries(), espn_nhl_team_leaders(espn_nhl_team_news(), espn_nhl_team_record(), espn_nhl_team_roster(), espn_nhl_team_schedule(),

espn_nhl_team_transactions(), espn_nhl_teams_core(), espn_nhl_teams_site(), espn_nhl_tournaments(), espn_nhl_transactions(), espn_nhl_venue()

Examples

```
try(espn_nhl_venues())
```

---

fox_nhl_boxscore Get Fox Sports NHL boxscore

Description

Get Fox Sports NHL boxscore

Usage

```
fox_nhl_boxscore(game_id)
```

Arguments

game_id	Fox Bifrost event id.

Value

A fastRhockey_data tibble (long), one row per (player, stat): game_id, team, stat_group, player, athlete_id, stat, value.

Examples

```
try(fox_nhl_boxscore("44398"))
```

---

fox_nhl_league_leaders Get Fox Sports NHL statistical leaders

---

Description

Get Fox Sports NHL statistical leaders

Usage

```
fox_nhl_league_leaders(category = "scoring", who = "player", page = 0)
```

Arguments

category	Stat category (default "scoring").
who	"player" or "team" (default "player").
page	0-based page index (default 0).

Value

A fastRhockey_data tibble of leaderboard rows (entity_id + stat columns).

Examples

```
try(fox_nhl_league_leaders("scoring"))
```

---

fox_nhl_odds — Get Fox Sports NHL game odds

Description

Get Fox Sports NHL game odds

Usage

```
fox_nhl_odds(game_id)
```

Arguments

game_id	Fox Bifrost event id.

Value

A fastRhockey_data tibble, one row per team (game_id, team, plus six-pack odds columns). Empty when no market is posted.

Examples

```
try(fox_nhl_odds("44398"))
```

fox_nhl_pbp — Get Fox Sports NHL play-by-play

Description

Get Fox Sports NHL play-by-play

Usage

```
fox_nhl_pbp(game_id)
```

Arguments

game_id	Fox Bifrost event id (e.g. "44398").

Value

A fastRhockey_data tibble, one row per play: game_id, period, left_team, right_team, play_id, clock, team, left_score_change, right_score_change, play_text.

Examples

```
try(fox_nhl_pbp("44398"))
```

fox_nhl_standings — Get Fox Sports NHL standings

Description

Get Fox Sports NHL standings

Usage

```
fox_nhl_standings(team_id)
```

Arguments

team_id	Fox Bifrost team id (standings of that team's division/conference).

Value

A fastRhockey_data tibble of standings rows (team_id, section, the standings columns, entity_id).

Examples

```
try(fox_nhl_standings("1"))
```

fox_nhl_team_gamelog Get Fox Sports NHL team game log

Description

Get Fox Sports NHL team game log

Usage

```
fox_nhl_team_gamelog(team_id)
```

Arguments

team_id	Fox Bifrost team id.

Value

A fastRhockey_data tibble (long): team_id, season_type, category, game_id, game_date, opponent, stat, value.

Examples

```
try(fox_nhl_team_gamelog("1"))
```

fox_nhl_team_roster Get Fox Sports NHL team roster

Description

Get Fox Sports NHL team roster

Usage

```
fox_nhl_team_roster(team_id)
```

Arguments

team_id	Fox Bifrost team id (e.g. "1").

Value

A fastRhockey_data tibble, one row per player (team_id, position_group, player, ..., athlete_id).

Examples

```
try(fox_nhl_team_roster("1"))
```

fox_nhl_team_stats Get Fox Sports NHL team stat leaders

Description

Get Fox Sports NHL team stat leaders

Usage

```
fox_nhl_team_stats(team_id)
```

Arguments

team_id	Fox Bifrost team id.

Value

A fastRhockey_data tibble (team_id, category, stat, stat_abbreviation, player, value).

Examples

```
try(fox_nhl_team_stats("1"))
```

helper_nhl_calculate_xg *Calculate expected goals (xG) for play-by-play data*

Description

Adds an xg column to a play-by-play data frame using the fastRhockey xG models (XGBoost).

The models were trained on NHL PBP data from 2010-2024 using the same methodology as the hockeyR xG models. Three models are used:

- **5v5 model** — Even-strength situations
- **Special teams model** — Power play, short-handed, and other non-5v5 situations (adds skater count features)
- **Penalty shot model** — A constant xG value for penalty shot attempts

Models are loaded into the package namespace on package load via .onLoad() (see zzz.R).

Usage

```
helper_nhl_calculate_xg(pbp)
```

Arguments

pbp	A play-by-play data frame produced by nhl_game_pbp or nhl_game_feed. Must contain columns needed by helper_nhl_prepare_xg_data(): event_type, secondary_type, period_type, period, game_seconds, x, y, x_fixed, event_team_abbr, home_abbr, away_abbr, home_skaters, away_skaters, shot_distance, shot_angle, empty_net, strength_state, event_id, season.

Value

The original pbp data frame with an xg column appended. xg is NA for non-shot events.

Examples

```
## Not run:
  pbp <- nhl_game_pbp(2024020001, include_shifts = TRUE)
  pbp <- helper_nhl_calculate_xg(pbp)
  # View xG for shots
  pbp[!is.na(pbp$xg), c("event_type", "shot_distance", "shot_angle", "xg")]

## End(Not run)
```

---

load_nhl_game_info **Load fastRhockey NHL game info**

Description

Helper that loads multiple seasons of NHL game-level metadata (venue, attendance, officials, etc.) from the sportsdataverse-data releases.

Usage

```
load_nhl_game_info(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A data frame (`fastRhockey_data`) with one row per game and the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
game_type	character	Game type the row belongs to (regular/playoffs).
game_date	character	Game date.
venue	character	Venue where the game was played.
home_team_abbr	character	Home team abbreviation.
away_team_abbr	character	Away team abbreviation.
home_score	integer	Home team final score.
away_score	integer	Away team final score.
game_state	character	Game status (e.g. FINAL/FUT).

Examples

```
try(load_nhl_game_info(2026))
```

---

load_nhl_game_rosters Load fastRhockey NHL per-game rosters

Description

Helper that loads multiple seasons of NHL per-game roster data (one row per player per game) from the sportsdataverse-data releases.

Usage

```
load_nhl_game_rosters(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.
dbConnection	A `DBIConnection` object, as returned by `DBI::dbConnect()`
tablename	The name of the data table within the database

Value

A data frame (`fastRhockey_data`) with one row per player per game and the following columns:

col_name	types	description
player_id	integer	Unique player identifier.
full_name	character	Player full name.
first_name	character	Player first name.
last_name	character	Player last name.
team_abbr	character	Team abbreviation/code.
team_id	integer	Unique team identifier.
position_code	character	Player position code.
sweater_number	integer	Jersey number.

Examples

```
try(load_nhl_game_rosters(2026))
```

---

load_nhl_goalie_box Load fastRhockey NHL goalie box scores

Description

Helper that loads multiple seasons of pre-scraped NHL goalie box scores from the sportsdataverse-data releases.

Usage

```
load_nhl_goalie_box(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
`...`	Additional arguments passed to an underlying function.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
home_away	character	Home or away indicator.
team_id	integer	Unique team identifier.
team_abbrev	character	Team abbreviation/code.
player_id	integer	Unique player identifier.
player_name	character	Player name.
sweater_number	integer	Jersey number.
even_strength_shots_against	character	Even-strength shots against.
power_play_shots_against	character	Power play shots against.
shorthanded_shots_against	character	Shorthanded shots against.
save_shots_against	character	Saves / shots against.
save_pctg	numeric	Save percentage.
even_strength_goals_against	integer	Even-strength goals against.
power_play_goals_against	integer	Power play goals against.
shorthanded_goals_against	integer	Shorthanded goals against.
pim	integer	Penalty minutes.
goals_against	integer	Goals against.
toi	character	Time on ice.
starter	logical	Whether the goalie started the game.
decision	character	Goalie decision (W/L/O).
shots_against	integer	Shots faced.
saves	integer	Saves made.

Examples

```
try(load_nhl_goalie_box(2022))
```

`load_nhl_goalie_boxscores`

Load NHL goalie box scores (alias)

Description

Alias of `load_nhl_goalie_box()` for naming parity with sportsdataverse-py.

Usage

```
load_nhl_goalie_boxscores(seasons = most_recent_nhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.

Value

See load_nhl_goalie_box().

See Also

load_nhl_goalie_box()

Other NHL Loader Functions: load_nhl_pbp_full(), load_nhl_player_boxscore(), load_nhl_player_boxscores(), load_nhl_schedules(), load_nhl_skater_boxscores(), load_nhl_team_boxscore(), load_nhl_team_boxscores()

Examples

```
try(load_nhl_goalie_boxscores(2022))
```

---

load_nhl_linescore **Load fastRhockey NHL linescore**

Description

Helper that loads multiple seasons of NHL linescore data (per-game home/away goals, shots, shootout flag) from the sportsdataverse-data releases.

Usage

```
load_nhl_linescore(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A data frame (`fastRhockey_data`) with one row per game and the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
home_team_id	integer	Unique home team identifier.
home_team_abbr	character	Home team abbreviation.
home_goals	integer	Home team goals.
home_shots	integer	Home team shots on goal.
away_team_id	integer	Unique away team identifier.
away_team_abbr	character	Away team abbreviation.
away_goals	integer	Away team goals.
away_shots	integer	Away team shots on goal.
has_shootout	logical	Whether the game ended in a shootout.

Examples

```
try(load_nhl_linescore(2026))
```

`load_nhl_officials` **Load fastRhockey NHL officials**

Description

Helper that loads multiple seasons of NHL on-ice officials (referees + linesmen) from the sportsdataverse-data releases. One row per official per game.

Usage

```
load_nhl_officials(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
`...`	Additional arguments passed to an underlying function.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the data table within the database

Value

A data frame (`fastRhockey_data`) with one row per official per game and the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
game_date	character	Game date.
role	character	Official role (referee or linesman).
name	character	Full name of the official.

Examples

```
try(load_nhl_officials(2026))
```

`load_nhl_pbp` **Load fastRhockey NHL play-by-play**

Description

Helper that loads multiple seasons of pre-scraped NHL play-by-play data (full version, including line changes and shifts) from the sportsdataverse-data releases either into memory or writes it into a database.

Usage

```
load_nhl_pbp(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
`...`	Additional arguments passed to an underlying function that writes the season data into a database (used by `update_nhl_db()`).
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the play by play data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
event_type	character	Standardized event type code.
event	character	Event description label.
secondary_type	character	Secondary event type (e.g. shot type).
event_team_abbr	character	Abbreviation of the team credited with the event.
event_team_type	character	Whether the event team is home or away.
description	character	Full text description of the event.
period	integer	Period number.
period_type	character	Period type (REGULAR/OVERTIME/SHOOTOUT).
period_time	character	Elapsed time in the period (MM:SS).
period_seconds	integer	Elapsed seconds in the period.
period_seconds_remaining	integer	Seconds remaining in the period.
period_time_remaining	character	Time remaining in the period (MM:SS).
game_seconds	integer	Elapsed seconds in the game.
game_seconds_remaining	integer	Seconds remaining in regulation.
home_score	integer	Home team score after the event.
away_score	integer	Away team score after the event.
event_player_1_name	character	Name of the primary event player.
event_player_1_type	character	Role of the primary event player.
event_player_1_id	integer	Player id of the primary event player.
event_player_2_name	character	Name of the secondary event player.
event_player_2_type	character	Role of the secondary event player.
event_player_2_id	integer	Player id of the secondary event player.
event_player_3_name	character	Name of the tertiary event player.
event_player_3_type	character	Role of the tertiary event player.
event_player_3_id	integer	Player id of the tertiary event player.
event_goalie_name	character	Name of the goalie on the event.
event_goalie_id	integer	Player id of the goalie on the event.
penalty_severity	character	Severity of the penalty.
penalty_minutes	integer	Penalty minutes assessed.
strength_state	character	Strength state (e.g. 5v5, 5v4).
strength_code	character	Coded strength state.
strength	character	Strength description.
empty_net	logical	Whether the net was empty.
extra_attacker	logical	Whether an extra attacker was on the ice.
x	integer	Raw x-coordinate of the event.
y	integer	Raw y-coordinate of the event.
x_fixed	integer	Side-adjusted x-coordinate.
y_fixed	integer	Side-adjusted y-coordinate.
shot_distance	numeric	Distance of the shot from the net.
shot_angle	numeric	Angle of the shot relative to the net.
home_skaters	integer	Number of home skaters on the ice.
away_skaters	integer	Number of away skaters on the ice.
home_on_1	character	Name of home skater 1 on the ice.
home_on_2	character	Name of home skater 2 on the ice.

home_on_3	character	Name of home skater 3 on the ice.
home_on_4	character	Name of home skater 4 on the ice.
home_on_5	character	Name of home skater 5 on the ice.
home_on_6	character	Name of home skater 6 on the ice.
home_on_7	character	Name of home skater 7 on the ice.
away_on_1	character	Name of away skater 1 on the ice.
away_on_2	character	Name of away skater 2 on the ice.
away_on_3	character	Name of away skater 3 on the ice.
away_on_4	character	Name of away skater 4 on the ice.
away_on_5	character	Name of away skater 5 on the ice.
away_on_6	character	Name of away skater 6 on the ice.
away_on_7	character	Name of away skater 7 on the ice.
home_goalie	character	Name of the home goalie on the ice.
away_goalie	character	Name of the away goalie on the ice.
num_on	integer	Number of players coming on (line change).
players_on	character	Names of players coming on.
num_off	integer	Number of players going off (line change).
players_off	character	Names of players going off.
game_id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
season_type	character	Season type (regular/playoffs).
home_abbr	character	Home team abbreviation.
away_abbr	character	Away team abbreviation.
event_idx	integer	Sequential event index within the game.
event_id	integer	NHL event identifier.
away_goalie_in	integer	Whether the away goalie is in net (1/0).
home_goalie_in	integer	Whether the home goalie is in net (1/0).
reason	character	Reason for the event (e.g. stoppage reason).
secondaryReason	character	Secondary reason for the event.
ids_on	character	Player ids coming on.
ids_off	character	Player ids going off.
home_on_1_id	integer	Player id of home skater 1 on the ice.
away_on_1_id	integer	Player id of away skater 1 on the ice.
home_on_2_id	integer	Player id of home skater 2 on the ice.
away_on_2_id	integer	Player id of away skater 2 on the ice.
home_on_3_id	integer	Player id of home skater 3 on the ice.
away_on_3_id	integer	Player id of away skater 3 on the ice.
home_on_4_id	integer	Player id of home skater 4 on the ice.
away_on_4_id	integer	Player id of away skater 4 on the ice.
home_on_5_id	integer	Player id of home skater 5 on the ice.
away_on_5_id	integer	Player id of away skater 5 on the ice.
home_on_6_id	integer	Player id of home skater 6 on the ice.
away_on_6_id	integer	Player id of away skater 6 on the ice.
home_on_7_id	integer	Player id of home skater 7 on the ice.
away_on_7_id	integer	Player id of away skater 7 on the ice.
home_goalie_id	integer	Player id of the home goalie on the ice.
away_goalie_id	integer	Player id of the away goalie on the ice.
xg	numeric	Expected goals value for the shot event.

Examples

```
try(load_nhl_pbp(2022))
```

---

load_nhl_pbp_full **Load fastRhockey NHL play-by-play (full, alias)**

Description

Alias of load_nhl_pbp() for naming parity with sportsdataverse-py. In this package load_nhl_pbp() already serves the full nhl_pbp_full release.

Usage

```
load_nhl_pbp_full(seasons = most_recent_nhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function that writes the season data into a database (used by update_nhl_db()).

Value

See load_nhl_pbp().

See Also

load_nhl_pbp() load_nhl_pbp_lite()

Other NHL Loader Functions: load_nhl_goalie_boxscores(), load_nhl_player_boxscore(), load_nhl_player_boxscores(), load_nhl_schedules(), load_nhl_skater_boxscores(), load_nhl_team_boxscore(load_nhl_team_boxscores()

Examples

```
try(load_nhl_pbp_full(2024))
```

load_nhl_pbp_lite **Load fastRhockey NHL play-by-play (lite)**

Description

Same as `load_nhl_pbp()` but without line change (CHANGE) events, resulting in smaller file sizes.

Usage

```
load_nhl_pbp_lite(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.
dbConnection	A `DBIConnection` object, as returned by `DBI::dbConnect()`
tablename	The name of the data table within the database

Value

A data frame (`fastRhockey_data`) with the same columns as `load_nhl_pbp()` but excluding line-change (`CHANGE`) events:

col_name	types	description
event_type	character	Standardized event type code.
event	character	Event description label.
secondary_type	character	Secondary event type (e.g. shot type).
event_team_abbr	character	Abbreviation of the team credited with the event.
event_team_type	character	Whether the event team is home or away.
description	character	Full text description of the event.
period	integer	Period number.
period_type	character	Period type (REGULAR/OVERTIME/SHOOTOUT).
period_time	character	Elapsed time in the period (MM:SS).
period_seconds	integer	Elapsed seconds in the period.
game_seconds	integer	Elapsed seconds in the game.
home_score	integer	Home team score after the event.
away_score	integer	Away team score after the event.
event_player_1_name	character	Name of the primary event player.
event_player_1_id	integer	Player id of the primary event player.
event_player_2_name	character	Name of the secondary event player.

event_player_2_id	integer	Player id of the secondary event player.
event_goalie_name	character	Name of the goalie on the event.
event_goalie_id	integer	Player id of the goalie on the event.
strength_state	character	Strength state (e.g. 5v5, 5v4).
x	integer	Raw x-coordinate of the event.
y	integer	Raw y-coordinate of the event.
shot_distance	numeric	Distance of the shot from the net.
shot_angle	numeric	Angle of the shot relative to the net.
game_id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
xg	numeric	Expected goals value for the shot event.

Examples

```
try(load_nhl_pbp_lite(2026))
```

`load_nhl_penalties` **Load fastRhockey NHL penalty summary**

Description

Helper that loads multiple seasons of NHL penalty event data from the sportsdataverse-data releases.

Usage

```
load_nhl_penalties(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
`...`	Additional arguments passed to an underlying function.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the data table within the database

Value

A data frame (`fastRhockey_data`) with one row per penalty and the following columns:

col_name	types	description
timeInPeriod	character	Time within the period the penalty occurred.
type	character	Penalty type (e.g. minor, major).
duration	integer	Penalty duration in minutes.
committedByPlayer	list	Player who committed the penalty (localized list).
teamAbbrev	list	Penalized team abbreviation (localized list).
drawnBy	list	Player who drew the penalty (localized list).
descKey	character	Penalty description key.
period_number	integer	Period number the penalty occurred in.
period_type	character	Period type (REG/OT/SO).

Examples

```
try(load_nhl_penalties(2026))
```

---

load_nhl_player_box **Load fastRhockey NHL player box scores**

Description

Helper that loads multiple seasons of pre-scraped NHL player box scores (combined skaters + goalies) from the sportsdataverse-data releases either into memory or writes it into a database.

Usage

```
load_nhl_player_box(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
`...`	Additional arguments passed to an underlying function.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the player box data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns (combined skaters + goalies; goalie-only fields are `NA` for skaters):

col_name	types	description
home_away	character	Home or away indicator.
team_id	integer	Unique team identifier.
team_abbrev	character	Team abbreviation/code.
player_id	integer	Unique player identifier.
player_name	character	Player name.
sweater_number	integer	Jersey number.
position	character	Player position.
goals	integer	Goals scored.
assists	integer	Assists.
points	integer	Total points (goals + assists).
plus_minus	integer	Plus/minus rating.
pim	integer	Penalty minutes.
hits	integer	Hits.
power_play_goals	integer	Power play goals.
shots_on_goal	integer	Shots on goal.
faceoff_winning_pctg	numeric	Faceoff win percentage.
toi	character	Time on ice.
blocked_shots	integer	Blocked shots.
shifts	integer	Number of shifts.
giveaways	integer	Giveaways.
takeaways	integer	Takeaways.
even_strength_shots_against	character	Even-strength shots against (goalies).
power_play_shots_against	character	Power play shots against (goalies).
shorthanded_shots_against	character	Shorthanded shots against (goalies).
save_shots_against	character	Saves / shots against (goalies).
save_pctg	numeric	Save percentage (goalies).
even_strength_goals_against	integer	Even-strength goals against (goalies).
power_play_goals_against	integer	Power play goals against (goalies).
shorthanded_goals_against	integer	Shorthanded goals against (goalies).
goals_against	integer	Goals against (goalies).
starter	logical	Whether the goalie started the game.
decision	character	Goalie decision (W/L/O).
shots_against	integer	Shots faced (goalies).
saves	integer	Saves made (goalies).

Examples

```
try(load_nhl_player_box(2022))
```

load_nhl_player_boxscore

Load NHL player box scores (alias)

Description

Alias of load_nhl_player_box() for naming parity with sportsdataverse-py.

Usage

```
load_nhl_player_boxscore(seasons = most_recent_nhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.

Value

See load_nhl_player_box().

See Also

load_nhl_player_box()

Other NHL Loader Functions: load_nhl_goalie_boxscores(), load_nhl_pbp_full(), load_nhl_player_boxscores() load_nhl_schedules(), load_nhl_skater_boxscores(), load_nhl_team_boxscore(), load_nhl_team_boxscores()

Examples

```
try(load_nhl_player_boxscore(2022))
```

load_nhl_player_boxscores

Load NHL player box scores (alias)

Description

Alias of load_nhl_player_box() for naming parity with sportsdataverse-py.

Usage

```
load_nhl_player_boxscores(seasons = most_recent_nhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.

Value

See load_nhl_player_box().

See Also

load_nhl_player_box()

Other NHL Loader Functions: load_nhl_goalie_boxscores(), load_nhl_pbp_full(), load_nhl_player_boxscore(), load_nhl_schedules(), load_nhl_skater_boxscores(), load_nhl_team_boxscore(), load_nhl_team_boxscores()

Examples

```
try(load_nhl_player_boxscores(2022))
```

---

load_nhl_rosters **Load fastRhockey NHL team rosters**

Description

Helper that loads multiple seasons of pre-scraped NHL roster data (unique players per season, de-duplicated from per-game rosters) from the sportsdataverse-data releases.

Usage

```
load_nhl_rosters(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the team rosters data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_id	integer	Unique player identifier.
full_name	character	Player full name.
first_name	character	Player first name.
last_name	character	Player last name.
team_abbr	character	Team abbreviation/code.
team_id	integer	Unique team identifier.
position_code	character	Player position code.
sweater_number	integer	Jersey number.
season	integer	Season (concluding year, YYYY).

Examples

```
try(load_nhl_rosters(2022))
```

`load_nhl_schedule` **Load fastRhockey NHL schedules**

Description

Helper that loads multiple seasons of pre-scraped NHL schedule data from the sportsdataverse-data releases. The schedule includes data-availability flags for each game.

Usage

```
load_nhl_schedule(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
`...`	Additional arguments passed to an underlying function.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the schedule data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
season_full	character	Full season label (e.g. 20212022).
game_type	character	Game type the row belongs to (regular/playoffs).
game_date	character	Game date.
game_time	character	Scheduled start time of the game.
home_team_abbr	character	Home team abbreviation.
away_team_abbr	character	Away team abbreviation.
home_team_name	character	Home team name.
away_team_name	character	Away team name.
home_score	integer	Home team final score.
away_score	integer	Away team final score.
game_state	character	Game status (e.g. FINAL/FUT).
venue	character	Venue where the game was played.
season	integer	Season (concluding year, YYYY).
game_json	logical	Whether processed game JSON is available.
game_json_url	glue	URL to the processed game JSON.
PBP	logical	Whether play-by-play data is available.
team_box	logical	Whether team box score data is available.
player_box	logical	Whether player box score data is available.

Examples

```
try(load_nhl_schedule(2022))
```

`load_nhl_schedules` **Load NHL schedules (alias)**

Description

Alias of `load_nhl_schedule()` for naming parity with sportsdataverse-py.

Usage

```
load_nhl_schedules(seasons = most_recent_nhl_season(), ...)
```

Arguments

`seasons`	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
`...`	Additional arguments passed to an underlying function.

Value

See load_nhl_schedule().

See Also

load_nhl_schedule()

Other NHL Loader Functions: load_nhl_goalie_boxscores(), load_nhl_pbp_full(), load_nhl_player_boxscore(), load_nhl_player_boxscores(), load_nhl_skater_boxscores(), load_nhl_team_boxscore(), load_nhl_team_boxscores()

Examples

```
try(load_nhl_schedules(2022))
```

---

load_nhl_scoring **Load fastRhockey NHL scoring summary**

Description

Helper that loads multiple seasons of NHL goal-scoring event data from the sportsdataverse-data releases.

Usage

```
load_nhl_scoring(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A data frame (`fastRhockey_data`) with one row per goal and the following columns:

col_name	types	description
situationCode	character	Strength/situation code for the goal.
eventId	integer	NHL event identifier.
strength	character	Strength state at which the goal was scored.
playerId	integer	Player id of the goal scorer.
firstName	list	Scorer first name (localized list).
lastName	list	Scorer last name (localized list).
name	list	Scorer display name (localized list).
teamAbbrev	list	Scoring team abbreviation (localized list).
headshot	character	URL to the scorer headshot image.
highlightClipSharingUrl	character	Shareable URL for the goal highlight clip.
highlightClip	numeric	Highlight clip identifier.
discreteClip	numeric	Discrete clip identifier.
goalsToDate	integer	Scorer goal total to date in the season.
awayScore	integer	Away team score after the goal.
homeScore	integer	Home team score after the goal.
leadingTeamAbbrev	list	Abbreviation of the leading team (localized list).
timeInPeriod	character	Time within the period the goal was scored.
shotType	character	Type of shot on the goal.
goalModifier	character	Goal modifier (e.g. empty-net, power-play).
assists	list	List of assisting players on the goal.
pptReplayUrl	character	URL to the power-play replay, if any.
homeTeamDefendingSide	character	Side of the ice the home team defended.
isHome	logical	Whether the scoring team is the home team.
period_number	integer	Period number the goal was scored in.
period_type	character	Period type (REG/OT/SO).

Examples

```
try(load_nhl_scoring(2026))
```

`load_nhl_scratches` **Load fastRhockey NHL scratches**

Description

Helper that loads multiple seasons of NHL healthy scratch data from the sportsdataverse-data releases.

Usage

```
load_nhl_scratches(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A data frame (fastRhockey_data) with one row per scratched player per game and the following columns:

col_name	types	description
id	integer	Unique player identifier.
firstName	character	Player first name.
lastName	character	Player last name.
game_id	integer	Unique game identifier.

Examples

```
try(load_nhl_scratches(2026))
```

---

load_nhl_shifts Load fastRhockey NHL shifts

Description

Helper that loads multiple seasons of NHL shift-by-shift data from the sportsdataverse-data releases.

Usage

```
load_nhl_shifts(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A data frame (fastRhockey_data) with one row per shift change and the following columns:

col_name	types	description
event_team	character	Team associated with the shift change.
period	integer	Period number.
period_time	character	Elapsed time in the period (MM:SS).
period_seconds	integer	Elapsed seconds in the period.
game_seconds	integer	Elapsed seconds in the game.
num_on	integer	Number of players coming on.
players_on	character	Names of players coming on.
ids_on	character	Player ids coming on.
num_off	integer	Number of players going off.
players_off	character	Names of players going off.
ids_off	character	Player ids going off.
event	character	Event description label.
event_type	character	Standardized event type code.
game_seconds_remaining	integer	Seconds remaining in regulation.

Examples

```
try(load_nhl_shifts(2026))
```

---

load_nhl_shootout Load fastRhockey NHL shootout summary

Description

Helper that loads multiple seasons of NHL shootout-attempt data (one row per shooter per shootout, with result + goalie) from the sportsdataverse-data releases. Only games that ended in a shootout contribute rows.

Usage

```
load_nhl_shootout(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A data frame (fastRhockey_data) with one row per shootout attempt (only games that ended in a shootout contribute rows) and the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
game_date	character	Game date.
sequence	integer	Order of the attempt within the shootout.
team_abbrev	character	Abbreviation of the shooting team.
player_id	integer	Player id of the shooter.
first_name	character	Shooter first name.
last_name	character	Shooter last name.
shot_type	character	Type of shot taken (e.g. wrist, snap, backhand).
result	character	Attempt result (goal/save/miss).
game_winner	logical	Whether this attempt was the decisive one.

Examples

```
try(load_nhl_shootout(2026))
```

---

load_nhl_shots_by_period

Load fastRhockey NHL shots by period

Description

Helper that loads multiple seasons of NHL per-period shot totals (one row per team per period per game) from the sportsdataverse-data releases.

Usage

```
load_nhl_shots_by_period(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A data frame (fastRhockey_data) with one row per team per period per game and the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
game_date	character	Game date.
home_away	character	Home or away indicator.
period_number	integer	Period number (1-3 regulation, 4+ for OT/SO).
period_type	character	Period type (REG/OT/SO).
shots	integer	Shots on goal in the period.

Examples

```
try(load_nhl_shots_by_period(2026))
```

`load_nhl_skater_box` **Load fastRhockey NHL skater box scores**

Description

Helper that loads multiple seasons of pre-scraped NHL skater box scores from the sportsdataverse-data releases.

Usage

```
load_nhl_skater_box(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
`...`	Additional arguments passed to an underlying function.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
home_away	character	Home or away indicator.
team_id	integer	Unique team identifier.
team_abbrev	character	Team abbreviation/code.
player_id	integer	Unique player identifier.
player_name	character	Player name.
sweater_number	integer	Jersey number.
position	character	Player position.
goals	integer	Goals scored.
assists	integer	Assists.
points	integer	Total points (goals + assists).
plus_minus	integer	Plus/minus rating.
pim	integer	Penalty minutes.
hits	integer	Hits.
power_play_goals	integer	Power play goals.
shots_on_goal	integer	Shots on goal.
faceoff_winning_pctg	numeric	Faceoff win percentage.

toi	character	Time on ice.
blocked_shots	integer	Blocked shots.
shifts	integer	Number of shifts.
giveaways	integer	Giveaways.
takeaways	integer	Takeaways.

Examples

```
try(load_nhl_skater_box(2022))
```

`load_nhl_skater_boxscores`

Load NHL skater box scores (alias)

Description

Alias of `load_nhl_skater_box()` for naming parity with sportsdataverse-py.

Usage

```
load_nhl_skater_boxscores(seasons = most_recent_nhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.

Value

See `load_nhl_skater_box()`.

See Also

`load_nhl_skater_box()`

Other NHL Loader Functions: `load_nhl_goalie_boxscores()`, `load_nhl_pbp_full()`, `load_nhl_player_boxscore()`, `load_nhl_player_boxscores()`, `load_nhl_schedules()`, `load_nhl_team_boxscore()`, `load_nhl_team_boxscores()`

Examples

```
try(load_nhl_skater_boxscores(2022))
```

`load_nhl_team_box` **Load fastRhockey NHL team box scores**

Description

Helper that loads multiple seasons of pre-scraped NHL team box scores from the sportsdataverse-data releases either into memory or writes it into a database.

Usage

```
load_nhl_team_box(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
`...`	Additional arguments passed to an underlying function.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the team box data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
home_away	character	Home or away indicator.
team_id	integer	Unique team identifier.
team_abbrev	character	Team abbreviation/code.
team_name	character	Team name.
goals	integer	Goals scored.
shots_on_goal	integer	Shots on goal.
pim	integer	Penalty minutes.
hits	integer	Hits.
blocked_shots	integer	Blocked shots.
giveaways	integer	Giveaways.
takeaways	integer	Takeaways.
power_play_goals	integer	Power play goals.
faceoff_win_pctg	numeric	Faceoff win percentage.
saves	integer	Saves made.
save_pctg	numeric	Save percentage.
goals_against	integer	Goals against.

Examples

```
try(load_nhl_team_box(2022))
```

---

load_nhl_team_boxscore

Load NHL team box scores (alias)

Description

Alias of load_nhl_team_box() for naming parity with sportsdataverse-py.

Usage

```
load_nhl_team_boxscore(seasons = most_recent_nhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.

Value

See load_nhl_team_box().

See Also

load_nhl_team_box()

Other NHL Loader Functions: load_nhl_goalie_boxscores(), load_nhl_pbp_full(), load_nhl_player_boxscore(), load_nhl_player_boxscores(), load_nhl_schedules(), load_nhl_skater_boxscores(), load_nhl_team_boxscores

Examples

```
try(load_nhl_team_boxscore(2022))
```

load_nhl_team_boxscores — Load NHL team box scores (alias)

Description

Alias of `load_nhl_team_box()` for naming parity with sportsdataverse-py.

Usage

```
load_nhl_team_boxscores(seasons = most_recent_nhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.

Value

See `load_nhl_team_box()`.

See Also

`load_nhl_team_box()`

Other NHL Loader Functions: `load_nhl_goalie_boxscores()`, `load_nhl_pbp_full()`, `load_nhl_player_boxscore()`, `load_nhl_player_boxscores()`, `load_nhl_schedules()`, `load_nhl_skater_boxscores()`, `load_nhl_team_boxscore(`

Examples

```
try(load_nhl_team_boxscores(2022))
```

load_nhl_three_stars — Load fastRhockey NHL three stars / decisions

Description

Helper that loads multiple seasons of NHL three-star selections and game decisions from the sportsdataverse-data releases.

Usage

```
load_nhl_three_stars(
  seasons = most_recent_nhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years (the *end year* of the NHL season; e.g., 2026 for the 2025-26 season). Min: 2011.
...	Additional arguments passed to an underlying function.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A data frame (fastRhockey_data) with one row per star selection (plus the game winner/loser goalie decision) and the following columns:

col_name	types	description
star	integer	Star ranking (1, 2, or 3).
playerId	integer	Player id of the selected star.
teamAbbrev	character	Team abbreviation of the selected star.
headshot	character	URL to the player headshot image.
name	list	Player display name (localized list).
sweaterNo	integer	Jersey number.
position	character	Player position.
goals	integer	Goals scored in the game (skaters).
assists	integer	Assists in the game (skaters).
points	integer	Total points in the game (skaters).
goalsAgainstAverage	numeric	Goals-against average (goalies).
savePctg	numeric	Save percentage (goalies).
game_id	integer	Unique game identifier.
winner_id	integer	Player id of the winning goalie.
winner_name	character	Name of the winning goalie.
loser_id	integer	Player id of the losing goalie.
loser_name	character	Name of the losing goalie.

Examples

```
try(load_nhl_three_stars(2026))
```

load_phf_pbp **Load fastRhockey PHF play-by-play**

Description

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
load_phf_pbp(
  seasons = most_recent_phf_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given PHF seasons. (Min: 2011)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by update_phf_db()).
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the play by play data table within the database

Value

A dataframe

Examples

```
try(load_phf_pbp(2021))
```

load_phf_player_box **Load fastRhockey PHF player box scores**

Description

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
load_phf_player_box(
  seasons = most_recent_phf_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given PHF seasons. (Min: 2011)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by update_phf_db()).
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the player box data table within the database

Value

Returns a tibble

Examples

```
try(load_phf_player_box(2021))
```

load_phf_rosters **Load fastRhockey PHF team rosters**

Description

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
load_phf_rosters(
  seasons = most_recent_phf_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given PHF seasons. (Min: 2021)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by update_phf_db()).
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the team rosters data table within the database

Value

Returns a tibble

Examples

```
try(load_phf_rosters(2021))
```

load_phf_schedule **Load fastRhockey PHF schedules**

Description

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
load_phf_schedule(
  seasons = most_recent_phf_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given PHF seasons. (Min: 2011)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by update_phf_db()).
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the schedule data table within the database

Value

Returns a tibble

Examples

```
try(load_phf_schedule(2021))
```

load_phf_team_box **Load fastRhockey PHF team box scores**

Description

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
load_phf_team_box(
  seasons = most_recent_phf_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given PHF seasons. (Min: 2011)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by update_phf_db()).
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the team box data table within the database

Value

Returns a tibble

Examples

```
try(load_phf_team_box(2021))
```

`load_pwhl_game_info` **Load fastRhockey PWHL game info**

Description

Helper that loads multiple seasons of per-game PWHL metadata (one row per game) from the sportsdataverse-data releases either into memory or writes it into a database.

Source release tag: `pwhl_game_info`. File naming convention: `game_info_{end_year}.rds`.

Usage

```
load_pwhl_game_info(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
`...`	Additional arguments (currently unused; kept for API symmetry).
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the game info data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
game_number	character	League game number.
game_date	character	Human-readable game date.
game_date_iso	character	ISO-8601 game start datetime.
start_time	character	Start time (local).
end_time	character	End time (local).
game_duration	character	Game length (H:MM).
game_venue	character	Venue name.
attendance	integer	Reported attendance.
game_status	character	Game status text.
game_season_id	integer	HockeyTech season identifier.
started	integer	Flag for whether the game has started.
final	integer	Flag for whether the game is final.
home_team_id	integer	Home team identifier.
home_team	character	Home team name.
home_team_abbr	character	Home team abbreviation.

home_score	integer	Home team final score.
away_team_id	integer	Away team identifier.
away_team	character	Away team name.
away_team_abbr	character	Away team abbreviation.
away_score	integer	Away team final score.
has_shootout	integer	Flag for whether the game went to shootout.
game_report_url	character	URL to the game report.
boxscore_url	character	URL to the boxscore.

Examples

```
try(load_pwhl_game_info(2024))
```

`load_pwhl_game_rosters`

Load fastRhockey PWHL per-game rosters

Description

Helper that loads multiple seasons of PWHL per-game rosters (one row per player per game, including starters and scratches) from the sportsdataverse-data releases either into memory or writes it into a database.

Source release tag: `pwhl_game_rosters`. File naming convention: `game_rosters_{end_year}.rds`. Distinct from `load_pwhl_rosters()`, which returns season-level team rosters.

Usage

```
load_pwhl_game_rosters(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
`...`	Additional arguments (currently unused; kept for API symmetry).
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the per-game rosters data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
team_id	integer	Unique team identifier.
team	character	Team name.
team_abbr	character	Team abbreviation.
team_side	character	Home or away indicator.
player_type	character	Player type (skater or goalie).
player_id	integer	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
jersey_number	integer	Jersey number.
position	character	Player position.
birth_date	character	Player birth date.
starting	integer	Whether the player started the game.
status	character	Status string (e.g. captain markers).

Examples

```
try(load_pwhl_game_rosters(2024))
```

`load_pwhl_goalie_box` **Load fastRhockey PWHL goalie box scores**

Description

Helper that loads multiple seasons of pre-scraped PWHL goalie-only box score data from the sportsdataverse-data releases either into memory or writes it into a database.

Source release tag: `pwhl_goalie_boxscores`. File naming convention: `goalie_box_{end_year}.rds`.

Usage

```
load_pwhl_goalie_box(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
...	Additional arguments (currently unused; kept for API symmetry).
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the goalie box data table within the database

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
player_id	character	Unique player identifier.
first_name	character	Goalie first name.
last_name	character	Goalie last name.
position	character	Player position.
team_id	integer	Unique team identifier.
game_id	integer	Unique game identifier.
league	character	League code.
toi	character	Time on ice (MM:SS).
time_on_ice	numeric	Time on ice in seconds.
saves	integer	Saves made.
goals_against	integer	Goals against.
shots_against	integer	Shots faced.
goals	integer	Goals scored.
assists	integer	Assists.
points	integer	Total points (goals + assists).
penalty_minutes	integer	Penalty minutes.
faceoff_attempts	integer	Faceoff attempts.
faceoff_wins	integer	Faceoff wins.
faceoff_losses	integer	Faceoff losses.
faceoff_pct	logical	Faceoff win percentage.
starting	integer	Whether the goalie started the game.

Examples

```
try(load_pwhl_goalie_box(2024))
```

---

load_pwhl_goalie_boxscores

Load PWHL goalie box scores (alias)

Description

Alias of load_pwhl_goalie_box() for naming parity with sportsdataverse-py.

Usage

```
load_pwhl_goalie_boxscores(seasons = most_recent_pwhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
...	Additional arguments (currently unused; kept for API symmetry).

Value

See load_pwhl_goalie_box().

See Also

load_pwhl_goalie_box()

Other PWHL Loader Functions: load_pwhl_player_boxscores(), load_pwhl_schedules(), load_pwhl_shifts(), load_pwhl_skater_boxscores(), load_pwhl_team_boxscores(), load_pwhl_xg_pbp()

Examples

```
try(load_pwhl_goalie_boxscores(2024))
```

---

load_pwhl_officials **Load fastRhockey PWHL officials**

Description

Helper that loads multiple seasons of PWHL game-officials data (referees, linespersons, scorekeepers) from the sportsdataverse-data releases either into memory or writes it into a database.

Source release tag: pwhl_officials. File naming convention: officials_{end_year}.rds.

Usage

```
load_pwhl_officials(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
...	Additional arguments (currently unused; kept for API symmetry).
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the officials data table within the database

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
role	character	Grouped official role (Referee/Linesperson).
first_name	character	Official's first name.
last_name	character	Official's last name.
jersey_number	integer	Official's jersey number.
official_role	character	Official's specific role.

Examples

```
try(load_pwhl_officials(2024))
```

---

load_pwhl_pbp **Load fastRhockey PWHL play-by-play**

Description

Helper that loads multiple seasons of pre-scraped PWHL play-by-play data from the sportsdataverse-data releases either into memory or writes it into a database.

Usage

```
load_pwhl_pbp(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by update_pwhl_db()).
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the play-by-play data table within the database

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
event	character	Play-by-play event description.
team_id	integer	Team identifier for the event.
period_of_game	character	Period in which the event occurred.
time_of_period	character	Game clock time within the period.
player_id	integer	Primary player identifier.
player_name_first	character	Primary player first name.
player_name_last	character	Primary player last name.
player_position	character	Primary player position.
player_two_id	integer	Second player identifier.
player_two_name_first	character	Second player first name.
player_two_name_last	character	Second player last name.
player_two_position	character	Second player position.
x_coord	numeric	Event x-coordinate on the ice.
y_coord	numeric	Event y-coordinate on the ice.
home_win	integer	Flag for whether the home team won.
player_team_id	integer	Team identifier of the primary player.
event_type	character	Categorized event type.
shot_quality	character	Shot quality descriptor.
goal	logical	Flag for whether the event was a goal.
goalie_id	integer	Goalie identifier on the play.
goalie_first	character	Goalie first name.
goalie_last	character	Goalie last name.
player_three_id	integer	Third player identifier.
player_three_name_first	character	Third player first name.
player_three_name_last	character	Third player last name.
player_three_position	character	Third player position.
empty_net	character	Empty-net flag.
game_winner	character	Game-winning-goal flag.
penalty_shot	character	Penalty-shot flag.
insurance	character	Insurance-goal flag.
power_play	integer	Power-play flag.
short_handed	character	Short-handed flag.
plus_player_one_id	integer	On-ice plus player one identifier.
plus_player_one_first	character	On-ice plus player one first name.
plus_player_one_last	character	On-ice plus player one last name.
plus_player_one_position	character	On-ice plus player one position.
plus_player_two_id	integer	On-ice plus player two identifier.
plus_player_two_first	character	On-ice plus player two first name.
plus_player_two_last	character	On-ice plus player two last name.
plus_player_two_position	character	On-ice plus player two position.
plus_player_three_id	integer	On-ice plus player three identifier.
plus_player_three_first	character	On-ice plus player three first name.
plus_player_three_last	character	On-ice plus player three last name.
plus_player_three_position	character	On-ice plus player three position.
plus_player_four_id	integer	On-ice plus player four identifier.
plus_player_four_first	character	On-ice plus player four first name.

plus_player_four_last	character	On-ice plus player four last name.
plus_player_four_position	character	On-ice plus player four position.
plus_player_five_id	integer	On-ice plus player five identifier.
plus_player_five_first	character	On-ice plus player five first name.
plus_player_five_last	character	On-ice plus player five last name.
plus_player_five_position	character	On-ice plus player five position.
minus_player_one_id	integer	On-ice minus player one identifier.
minus_player_one_first	character	On-ice minus player one first name.
minus_player_one_last	character	On-ice minus player one last name.
minus_player_one_position	character	On-ice minus player one position.
minus_player_two_id	integer	On-ice minus player two identifier.
minus_player_two_first	character	On-ice minus player two first name.
minus_player_two_last	character	On-ice minus player two last name.
minus_player_two_position	character	On-ice minus player two position.
minus_player_three_id	integer	On-ice minus player three identifier.
minus_player_three_first	character	On-ice minus player three first name.
minus_player_three_last	character	On-ice minus player three last name.
minus_player_three_position	character	On-ice minus player three position.
minus_player_four_id	integer	On-ice minus player four identifier.
minus_player_four_first	character	On-ice minus player four first name.
minus_player_four_last	character	On-ice minus player four last name.
minus_player_four_position	character	On-ice minus player four position.
minus_player_five_id	integer	On-ice minus player five identifier.
minus_player_five_first	character	On-ice minus player five first name.
minus_player_five_last	character	On-ice minus player five last name.
minus_player_five_position	character	On-ice minus player five position.
penalty_length	character	Penalty length in minutes.
game_date	character	Game date.
game_season	integer	Season (concluding year, YYYY).
game_season_id	character	HockeyTech season identifier.
home_team_id	integer	Home team identifier.
home_team	character	Home team name.
away_team_id	integer	Away team identifier.
away_team	character	Away team name.
x_coord_original	integer	Original raw x-coordinate.
y_coord_original	integer	Original raw y-coordinate.
x_coord_neutral	integer	Neutral-orientation x-coordinate.
y_coord_neutral	integer	Neutral-orientation y-coordinate.
x_coord_fixed	numeric	Fixed-orientation x-coordinate.
y_coord_fixed	numeric	Fixed-orientation y-coordinate.
x_coord_right	numeric	Right-orientation x-coordinate.
y_coord_right	numeric	Right-orientation y-coordinate.
x_coord_vertical	numeric	Vertical-orientation x-coordinate.
y_coord_vertical	numeric	Vertical-orientation y-coordinate.
minute_start	integer	Minute the event started.
second_start	integer	Second the event started.
clock	character	Game clock string.
sec_from_start	integer	Seconds elapsed from the start of the game.

Examples

```
try(load_pwhl_pbp(2024))
```

`load_pwhl_penalty_summary`

Load fastRhockey PWHL penalty summaries

Description

Helper that loads multiple seasons of per-penalty PWHL penalty summaries (one row per penalty) from the sportsdataverse-data releases either into memory or writes it into a database.

Source release tag: `pwhl_penalty_summary`. File naming convention: `penalty_summary_{end_year}.rds`.

Usage

```
load_pwhl_penalty_summary(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
`...`	Additional arguments (currently unused; kept for API symmetry).
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the penalty summary data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
period_id	integer	Period identifier.
period	character	Period long name.
time	character	Game clock at infraction (MM:SS).
team_id	integer	Penalized team identifier.
team	character	Penalized team name.
team_abbr	character	Penalized team abbreviation.
game_penalty_id	integer	Penalty identifier within the game.

minutes	integer	Penalty length in minutes.
description	character	Infraction description.
rule_number	character	Rulebook rule number.
is_power_play	integer	Power-play flag.
is_bench	integer	Bench-minor flag.
taken_by_id	integer	Identifier of the player who took the penalty.
taken_by_first	character	Offender first name.
taken_by_last	character	Offender last name.
taken_by_position	character	Offender position.
served_by_id	integer	Identifier of the player serving the penalty.
served_by_first	character	First name of the player serving.
served_by_last	character	Last name of the player serving.

Examples

```
try(load_pwhl_penalty_summary(2024))
```

`load_pwhl_player_box` **Load fastRhockey PWHL player box scores**

Description

Helper that loads multiple seasons of pre-scraped PWHL player box score data from the sportsdataverse-data releases either into memory or writes it into a database.

Usage

```
load_pwhl_player_box(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
`...`	Additional arguments passed to an underlying function that writes the season data into a database.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the player box data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_id	character	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
position	character	Player position.
team_id	integer	Unique team identifier.
game_id	integer	Unique game identifier.
league	character	League code.
toi	character	Time on ice (MM:SS).
time_on_ice	numeric	Time on ice in seconds.
goals	integer	Goals scored.
assists	integer	Assists.
points	integer	Total points (goals + assists).
shots	integer	Shots on goal.
hits	integer	Hits.
blocked_shots	integer	Blocked shots.
penalty_minutes	integer	Penalty minutes.
plus_minus	integer	Plus/minus rating.
faceoff_attempts	integer	Faceoff attempts.
faceoff_wins	integer	Faceoff wins.
faceoff_losses	integer	Faceoff losses.
faceoff_pct	numeric	Faceoff win percentage.
starting	character	Whether the player started the game.
player_type	character	Player type (skater or goalie).

Examples

```
try(load_pwhl_player_box(2024))
```

`load_pwhl_player_boxscores`

Load PWHL player box scores (alias)

Description

Alias of `load_pwhl_player_box()` for naming parity with sportsdataverse-py.

Usage

```
load_pwhl_player_boxscores(seasons = most_recent_pwhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
...	Additional arguments passed to an underlying function that writes the season data into a database.

Value

See load_pwhl_player_box().

See Also

load_pwhl_player_box()

Other PWHL Loader Functions: load_pwhl_goalie_boxscores(), load_pwhl_schedules(), load_pwhl_shifts(), load_pwhl_skater_boxscores(), load_pwhl_team_boxscores(), load_pwhl_xg_pbp()

Examples

```
try(load_pwhl_player_boxscores(2024))
```

---

load_pwhl_rosters Load fastRhockey PWHL team rosters

Description

Helper that loads multiple seasons of pre-scraped PWHL roster data from the sportsdataverse-data releases either into memory or writes it into a database.

Usage

```
load_pwhl_rosters(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
...	Additional arguments passed to an underlying function that writes the season data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the rosters data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
team_id	integer	Unique team identifier.
team	character	Team name.
team_abbr	character	Team abbreviation.
team_side	character	Home or away indicator.
player_type	character	Player type (skater or goalie).
player_id	integer	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
jersey_number	integer	Jersey number.
position	character	Player position.
birth_date	character	Player birth date.
season	integer	Season (concluding year, YYYY).

Examples

```
try(load_pwhl_rosters(2024))
```

`load_pwhl_schedule` **Load fastRhockey PWHL schedules**

Description

Helper that loads multiple seasons of pre-scraped PWHL schedule data from the sportsdataverse-data releases either into memory or writes it into a database.

Usage

```
load_pwhl_schedule(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
`...`	Additional arguments passed to an underlying function that writes the season data into a database.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the schedule data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	character	Unique game identifier.
season	integer	Season (concluding year, YYYY).
game_date	character	Game date.
game_status	character	Game status text.
home_team	character	Home team name.
home_team_id	character	Home team identifier.
away_team	character	Away team name.
away_team_id	character	Away team identifier.
home_score	character	Home team final score.
away_score	character	Away team final score.
winner	character	Winning team.
venue	character	Venue name.
venue_url	character	Venue URL.
game_type	character	Game type the row belongs to.
game_json	logical	Whether the game JSON is available.
game_json_url	glue	URL to the game JSON feed.
PBP	logical	Whether play-by-play data is available.
player_box	logical	Whether player box data is available.
skater_box	logical	Whether skater box data is available.
goalie_box	logical	Whether goalie box data is available.
team_box	logical	Whether team box data is available.
game_info	logical	Whether game info data is available.
game_rosters	logical	Whether game rosters data is available.
scoring_summary	logical	Whether scoring summary data is available.
penalty_summary	logical	Whether penalty summary data is available.
three_stars	logical	Whether three stars data is available.
officials	logical	Whether officials data is available.
shots_by_period	logical	Whether shots-by-period data is available.
shootout	logical	Whether shootout data is available.

Examples

```
try(load_pwhl_schedule(2024))
```

`load_pwhl_schedules` **Load PWHL schedules (alias)**

Description

Alias of `load_pwhl_schedule()` for naming parity with sportsdataverse-py.

Usage

```
load_pwhl_schedules(seasons = most_recent_pwhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
...	Additional arguments passed to an underlying function that writes the season data into a database.

Value

See load_pwhl_schedule().

See Also

load_pwhl_schedule()

Other PWHL Loader Functions: load_pwhl_goalie_boxscores(), load_pwhl_player_boxscores(), load_pwhl_shifts(), load_pwhl_skater_boxscores(), load_pwhl_team_boxscores(), load_pwhl_xg_pbp()

Examples

```
try(load_pwhl_schedules(2024))
```

---

load_pwhl_scoring_summary

Load fastRhockey PWHL scoring summaries

Description

Helper that loads multiple seasons of per-goal PWHL scoring summaries (one row per goal) from the sportsdataverse-data releases either into memory or writes it into a database.

Source release tag: pwhl_scoring_summary. File naming convention: scoring_summary_{end_year}.rds.

Usage

```
load_pwhl_scoring_summary(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
...	Additional arguments (currently unused; kept for API symmetry).
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the scoring summary data table within the database

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
period_id	integer	Period identifier.
period	character	Period long name (e.g. 1st, 1st OT).
time	character	Game clock at goal (MM:SS).
team_id	integer	Scoring team identifier.
team	character	Scoring team name.
team_abbr	character	Scoring team abbreviation.
game_goal_id	integer	Goal identifier within the game.
scorer_goal_number	integer	Scorer's season goal number.
scorer_id	integer	Goal scorer identifier.
scorer_first	character	Scorer first name.
scorer_last	character	Scorer last name.
scorer_position	character	Scorer position.
assist_1_id	integer	Primary assist player identifier.
assist_1_first	character	Primary assist first name.
assist_1_last	character	Primary assist last name.
assist_2_id	integer	Secondary assist player identifier.
assist_2_first	character	Secondary assist first name.
assist_2_last	character	Secondary assist last name.
is_power_play	integer	Power-play flag.
is_short_handed	integer	Short-handed flag.
is_empty_net	integer	Empty-net flag.
is_penalty_shot	integer	Penalty-shot flag.
is_insurance	integer	Insurance-goal flag.
is_game_winning	integer	Game-winning-goal flag.
x_location	logical	Goal x-coordinate on the ice.
y_location	logical	Goal y-coordinate on the ice.

Examples

```
try(load_pwhl_scoring_summary(2024))
```

load_pwhl_shifts **Load PWHL shift charts from the SportsDataverse data repo**

Description

Loads season-level PWHL shift data built from the HockeyTech game-center feeds – one row per player-shift with on/off times. Published to the `pwhl_shifts` release tag on the sportsdataverse-data repo.

Usage

```
load_pwhl_shifts(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit season-ending years (2024 onward), or TRUE for every published season.
...	Additional arguments passed to the underlying database write.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

A `fastRhockey_data` tibble with one row per player-shift.

See Also

Other PWHL Loader Functions: load_pwhl_goalie_boxscores(), load_pwhl_player_boxscores(), load_pwhl_schedules(), load_pwhl_skater_boxscores(), load_pwhl_team_boxscores(), load_pwhl_xg_pbp()

Examples

```
try(load_pwhl_shifts(2024))
```

`load_pwhl_shootout` **Load fastRhockey PWHL shootout summaries**

Description

Helper that loads multiple seasons of PWHL shootout-attempt data from the sportsdataverse-data releases either into memory or writes it into a database.

Source release tag: `pwhl_shootout`. File naming convention: `shootout_summary_{end_year}.rds`. Note that some seasons (notably the 2024 inaugural season) do not contain any shootout games.

Usage

```
load_pwhl_shootout(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
`...`	Additional arguments (currently unused; kept for API symmetry).
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the shootout data table within the database

Value

A data frame (`fastRhockey_data`) with one row per shootout attempt and the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
round	integer	Shootout round number.
team_side	character	Shooting team side ("home"/"away").
shooter_id	integer	Shooter player identifier.
shooter_first	character	Shooter first name.
shooter_last	character	Shooter last name.
goalie_id	integer	Opposing goalie identifier.
goalie_first	character	Opposing goalie first name.
goalie_last	character	Opposing goalie last name.
is_goal	integer	Whether the attempt scored (1/0).

Examples

```
try(load_pwhl_shootout(2024))
```

load_pwhl_shots_by_period

Load fastRhockey PWHL shots-by-period

Description

Helper that loads multiple seasons of per-period shot/goal totals from the sportsdataverse-data releases either into memory or writes it into a database.

Source release tag: `pwhl_shots_by_period`. File naming convention: `shots_by_period_{end_year}.rds`.

Usage

```
load_pwhl_shots_by_period(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
`...`	Additional arguments (currently unused; kept for API symmetry).
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the shots-by-period data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
period_id	integer	Period identifier (1-3, 4 = OT, 5 = SO).
period	character	Period long name.
home_goals	integer	Home goals in the period.
home_shots	integer	Home shots in the period.
away_goals	integer	Away goals in the period.
away_shots	integer	Away shots in the period.

Examples

```
try(load_pwhl_shots_by_period(2024))
```

`load_pwhl_skater_box` **Load fastRhockey PWHL skater box scores**

Description

Helper that loads multiple seasons of pre-scraped PWHL skater-only box score data from the sportsdataverse-data releases either into memory or writes it into a database.

Source release tag: `pwhl_skater_boxscores`. File naming convention: `skater_box_{end_year}.rds`.

Usage

```
load_pwhl_skater_box(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
`...`	Additional arguments (currently unused; kept for API symmetry).
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the skater box data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_id	character	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
position	character	Player position.
team_id	integer	Unique team identifier.
game_id	integer	Unique game identifier.
league	character	League code.
toi	character	Time on ice (MM:SS).
time_on_ice	numeric	Time on ice in seconds.
goals	integer	Goals scored.
assists	integer	Assists.
points	integer	Total points (goals + assists).
shots	integer	Shots on goal.
hits	integer	Hits.
blocked_shots	integer	Blocked shots.
penalty_minutes	integer	Penalty minutes.

plus_minus	integer	Plus/minus rating.
faceoff_attempts	integer	Faceoff attempts.
faceoff_wins	integer	Faceoff wins.
faceoff_losses	integer	Faceoff losses.
faceoff_pct	numeric	Faceoff win percentage.
starting	character	Whether the player started the game.

Examples

```
try(load_pwhl_skater_box(2024))
```

---

load_pwhl_skater_boxscores

Load PWHL skater box scores (alias)

Description

Alias of load_pwhl_skater_box() for naming parity with sportsdataverse-py.

Usage

```
load_pwhl_skater_boxscores(seasons = most_recent_pwhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
...	Additional arguments (currently unused; kept for API symmetry).

Value

See load_pwhl_skater_box().

See Also

load_pwhl_skater_box()

Other PWHL Loader Functions: load_pwhl_goalie_boxscores(), load_pwhl_player_boxscores(), load_pwhl_schedules(), load_pwhl_shifts(), load_pwhl_team_boxscores(), load_pwhl_xg_pbp()

Examples

```
try(load_pwhl_skater_boxscores(2024))
```

`load_pwhl_team_box` **Load fastRhockey PWHL team box scores**

Description

Helper that loads multiple seasons of pre-scraped PWHL team-level box score data from the sportsdataverse-data releases either into memory or writes it into a database.

Source release tag: `pwhl_team_boxscores`. Two rows per game (one per side). File naming convention: `team_box_{end_year}.rds`.

Usage

```
load_pwhl_team_box(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
`...`	Additional arguments (currently unused; kept for API symmetry).
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the team box data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
team_id	integer	Unique team identifier.
team	character	Team name.
team_abbr	character	Team abbreviation.
team_side	character	Home or away indicator.
shots	integer	Shots on goal.
goals	integer	Goals scored.
hits	integer	Hits.
pp_goals	integer	Power-play goals.
pp_opportunities	integer	Power-play opportunities.
goal_count	integer	Total goals recorded.
assist_count	integer	Total assists recorded.
penalty_minutes	integer	Penalty minutes.
infraction_count	integer	Number of infractions.
faceoff_attempts	integer	Faceoff attempts.

faceoff_wins	integer	Faceoff wins.
faceoff_win_pct	numeric	Faceoff win percentage.
season_wins	integer	Season wins entering/after the game.
season_losses	integer	Season losses entering/after the game.
season_ot_wins	integer	Season overtime wins.
season_ot_losses	integer	Season overtime losses.
season_so_losses	integer	Season shootout losses.
season_record	character	Season record after this game.

Examples

```
try(load_pwhl_team_box(2024))
```

`load_pwhl_team_boxscores`

Load PWHL team box scores (alias)

Description

Alias of `load_pwhl_team_box()` for naming parity with sportsdataverse-py.

Usage

```
load_pwhl_team_boxscores(seasons = most_recent_pwhl_season(), ...)
```

Arguments

seasons	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
...	Additional arguments (currently unused; kept for API symmetry).

Value

See `load_pwhl_team_box()`.

See Also

`load_pwhl_team_box()`

Other PWHL Loader Functions: `load_pwhl_goalie_boxscores()`, `load_pwhl_player_boxscores()`, `load_pwhl_schedules()`, `load_pwhl_shifts()`, `load_pwhl_skater_boxscores()`, `load_pwhl_xg_pbp()`

Examples

```
try(load_pwhl_team_boxscores(2024))
```

`load_pwhl_three_stars` **Load fastRhockey PWHL three stars**

Description

Helper that loads multiple seasons of PWHL three-stars-of-the- game data (one to three rows per game) from the sportsdataverse-data releases either into memory or writes it into a database.

Source release tag: `pwhl_three_stars`. File naming convention: `three_stars_{end_year}.rds`.

Usage

```
load_pwhl_three_stars(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit years associated with given PWHL seasons. (Min: 2024)
`...`	Additional arguments (currently unused; kept for API symmetry).
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the three stars data table within the database

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
star	integer	Star rank (1-3).
team_id	integer	Star's team identifier.
team	character	Star's team name.
team_abbr	character	Star's team abbreviation.
player_id	integer	Star's player identifier.
first_name	character	Star's first name.
last_name	character	Star's last name.
jersey_number	integer	Jersey number.
position	character	Player position.
is_goalie	integer	Goalie flag.
is_home	integer	Home-team flag.
goals	integer	Goals scored in this game.
assists	integer	Assists in this game.
points	integer	Points in this game.
shots	integer	Shots on goal in this game.

saves	integer	Saves made (goalies).
shots_against	integer	Shots faced (goalies).
goals_against	integer	Goals against (goalies).
time_on_ice	character	Time on ice (MM:SS).

Examples

```
try(load_pwhl_three_stars(2024))
```

`load_pwhl_xg_pbp` **Load PWHL expected-goals play-by-play from the SportsDataverse data repo**

Description

Loads season-level PWHL play-by-play enriched with the fastRhockey expected-goals (xG) model outputs – one row per event with the xG probability columns appended. Published to the `pwhl_xg_pbp` release tag on the sportsdataverse-data repo.

Usage

```
load_pwhl_xg_pbp(
  seasons = most_recent_pwhl_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

`seasons`	A vector of 4-digit season-ending years (2024 onward), or `TRUE` for every published season.
`...`	Additional arguments passed to the underlying database write.
`dbConnection`	A `DBIConnection` object, as returned by `DBI::dbConnect()`
`tablename`	The name of the data table within the database

Value

A `fastRhockey_data` tibble with one row per play event.

See Also

Other PWHL Loader Functions: `load_pwhl_goalie_boxscores()`, `load_pwhl_player_boxscores()`, `load_pwhl_schedules()`, `load_pwhl_shifts()`, `load_pwhl_skater_boxscores()`, `load_pwhl_team_boxscores()`

Examples

```
try(load_pwhl_xg_pbp(2024))
```

---

most_recent_ahl_season

Most Recent AHL Season

Description

Returns the most-recent AHL season as an end-year integer (e.g. 2025L).

Usage

```
most_recent_ahl_season()
```

Value

Integer end-year.

See Also

Other AHL Functions: ahl, ahl_game_corsi(), ahl_game_shifts(), ahl_game_summary(), ahl_leaders(), ahl_pbp(), ahl_player_stats(), ahl_player_toi(), ahl_schedule(), ahl_season_id(), ahl_standings(), ahl_team_roster(), ahl_teams()

Examples

```
try(most_recent_ahl_season())
```

---

most_recent_nhl_season

Most Recent NHL Season

Description

Returns the concluding year for the most recent NHL season. The NHL season typically runs from October to June, so a game played in November 2024 belongs to the 2025 season.

Usage

```
most_recent_nhl_season()
```

Value

Value for most recent NHL season

Examples

```
most_recent_nhl_season()
```

`most_recent_nhl_season_api_param`

Most Recent NHL Season for NHL API

Description

Returns the most recent NHL season in the format required by the NHL API (e.g., "20242025"). The NHL season typically runs from October to June, so a game played in November 2024 belongs to the 2025 season, which is represented as "20242025" in the NHL API.

Usage

```
most_recent_nhl_season_api_param()
```

Value

Value for most recent NHL season in the format of the NHL API

Examples

```
most_recent_nhl_season_api_param()
```

`most_recent_ohl_season`

Most Recent OHL Season

Description

Returns the most-recent OHL season as an end-year integer (e.g. 2025L).

Usage

```
most_recent_ohl_season()
```

Value

Integer end-year.

See Also

Other OHL Functions: `ohl`, `ohl_game_corsi()`, `ohl_game_shifts()`, `ohl_game_summary()`, `ohl_leaders()`, `ohl_pbp()`, `ohl_player_stats()`, `ohl_player_toi()`, `ohl_schedule()`, `ohl_season_id()`, `ohl_standings()`, `ohl_team_roster()`, `ohl_teams()`

Examples

```
try(most_recent_ohl_season())
```

`most_recent_phf_season`

Most Recent PHF Season

Description

Most Recent PHF Season

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
most_recent_phf_season()
```

Value

Value for most recent PHF season

`most_recent_pwhl_season`

Most Recent PWHL Season

Description

Returns the concluding year for the most recent PWHL season. The PWHL season typically runs from January to May, so a game played in March 2025 belongs to the 2025 season.

Usage

```
most_recent_pwhl_season()
```

Value

Numeric value for the most recent PWHL season year (e.g., 2025).

Examples

```
most_recent_pwhl_season()
```

`most_recent_qmjhl_season`

Most Recent QMJHL Season

Description

Returns the most-recent QMJHL season as an end-year integer (e.g. 2025L).

Usage

```
most_recent_qmjhl_season()
```

Value

Integer end-year.

See Also

Other QMJHL Functions: `qmjhl`, `qmjhl_game_corsi()`, `qmjhl_game_shifts()`, `qmjhl_game_summary()`, `qmjhl_leaders()`, `qmjhl_pbp()`, `qmjhl_player_stats()`, `qmjhl_player_toi()`, `qmjhl_schedule()`, `qmjhl_season_id()`, `qmjhl_standings()`, `qmjhl_team_roster()`, `qmjhl_teams()`

Examples

```
try(most_recent_qmjhl_season())
```

`most_recent_whl_season`

Most Recent WHL Season

Description

Returns the most-recent WHL season as an end-year integer (e.g. 2025L).

Usage

```
most_recent_whl_season()
```

Value

Integer end-year.

See Also

Other WHL Functions: `whl`, `whl_game_corsi()`, `whl_game_shifts()`, `whl_game_summary()`, `whl_leaders()`, `whl_pbp()`, `whl_player_stats()`, `whl_player_toi()`, `whl_schedule()`, `whl_season_id()`, `whl_standings()`, `whl_team_roster()`, `whl_teams()`

Examples

```
try(most_recent_whl_season())
```

`nhl_all_players_by_season`

NHL All Players by Season

Description

Aggregator helper that iterates every NHL team's season roster (via `nhl_teams_roster()`) and flattens forwards, defensemen, and goalies into a single tidy data frame. Mirrors the `Helpers.all_players` convenience helper from the `nhl-api-py` Python client.

Usage

```
nhl_all_players_by_season(season, sleep_rate = 0)
```

Arguments

`season`	Integer four-digit year representing the start year of the season (e.g. `2024` for the 2024-25 season), matching the convention used by `nhl_teams_roster()`.
`sleep_rate`	Numeric seconds to `Sys.sleep()` between per-team API calls. Defaults to `0` (no delay).

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_id	integer	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
full_name	character	Player full name.
sweater_number	integer	Jersey number.
position_code	character	Player position code.
shoots_catches	character	Handedness (shoots/catches).
height_inches	integer	Player height in inches.
weight_pounds	integer	Player weight in pounds.
birth_date	character	Player birth date.
birth_city	character	Player birth city.
birth_country	character	Player birth country.
headshot_url	character	URL to the player headshot image.
team_abbr	character	Team abbreviation.
season	numeric	Season start year (e.g., 2024 for 2024-25).

Examples

```
try(nhl_all_players_by_season(season = 2024))
```

---

nhl_cat_edge_goalie_detail

NHL CAT Edge Goalie Detail

Description

Returns the categorical (CAT) variant of the NHL Edge advanced-metrics detail payload for a single goalie. Wraps `https://api-web.nhle.com/v1/cat/edge/goalie-detail/{playerId}/...`. When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_cat_edge_goalie_detail(player_id, season = NULL, game_type = 2)
```

Arguments

`player_id`	Integer NHL player ID (e.g., `8475883` for Andrei Vasilevskiy).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Categorical metric identifier.
game_types	list	Nested per-game-type categorical Edge metric values.

Examples

```
try(nhl_cat_edge_goalie_detail(player_id = 8475883))
```

nhl_cat_edge_skater_detail

NHL CAT Edge Skater Detail

Description

Returns the categorical (CAT) variant of the NHL Edge advanced-metrics detail payload for a single skater. Wraps `https://api-web.nhle.com/v1/cat/edge/skater-detail/{playerId}/...`. When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_cat_edge_skater_detail(player_id, season = NULL, game_type = 2)
```

Arguments

`player_id`	Integer NHL player ID (e.g., `8478402` for Connor McDavid).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Categorical metric identifier.
game_types	list	Nested per-game-type categorical Edge metric values.

Examples

```
try(nhl_cat_edge_skater_detail(player_id = 8478402))
```

nhl_club_schedule

NHL Club Schedule

Description

Returns schedule data for a given team. Supports season, month, and week views.

Usage

```
nhl_club_schedule(
  team_abbr,
  season = NULL,
  month = NULL,
  view = "season",
  date = NULL
)
```

Arguments

team_abbr	Three-letter team abbreviation (e.g., "TOR", "BOS")
season	Integer 4-digit *end year* of the season (e.g., 2026 for the 2025-26 season), matching most_recent_nhl_season(). If NULL, returns the current season schedule.
month	Character month in "YYYY-MM" format (e.g., "2025-01"). If provided, returns that month's schedule. Ignored if view is "week".
view	Character: "season" (default), "month", or "week".
date	Character date in "YYYY-MM-DD" format for week view. If NULL with view="week", returns current week.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	Unique game identifier.
season	integer	Season in 8-digit API format (e.g., 20252026).
game_type	integer	Game type code (1 preseason, 2 regular, 3 playoff).
game_date	character	Game date.
neutral_site	logical	Whether the game is at a neutral site.
start_time_utc	character	Scheduled start time in UTC.
eastern_utc_offset	character	Eastern time UTC offset.
venue_utc_offset	character	Venue UTC offset.
venue_timezone	character	Venue time zone.
game_state	character	Current game state.
game_schedule_state	character	Schedule state of the game.
tv_broadcasts	list	Nested list of TV broadcast details.
three_min_recap	character	Link to the three-minute recap.
game_center_link	character	Link to the game center page.
three_min_recap_fr	character	Link to the French three-minute recap.
condensed_game_fr	character	Link to the French condensed game video.
condensed_game	character	Link to the condensed game video.
venue_default	character	Venue name (default language).
venue_fr	character	Venue name (French).
venue_es	character	Venue name (Spanish).
away_team_id	integer	Away team identifier.

away_team_abbrev	character	Away team abbreviation.
away_team_logo	character	URL to the away team logo.
away_team_dark_logo	character	URL to the away team dark logo.
away_team_away_split_squad	logical	Whether the away team is a split squad.
away_team_score	integer	Away team score.
away_team_hotel_link	character	Link to away team hotel info.
away_team_hotel_desc	character	Away team hotel description.
away_team_airline_link	character	Link to away team airline info.
away_team_airline_desc	character	Away team airline description.
away_team_common_name_default	character	Away team common name (default language).
away_team_common_name_fr	character	Away team common name (French).
away_team_place_name_default	character	Away team place name (default language).
away_team_place_name_fr	character	Away team place name (French).
away_team_place_name_with_preposition_default	character	Away team place name with preposition (default).
away_team_place_name_with_preposition_fr	character	Away team place name with preposition (French).
home_team_id	integer	Home team identifier.
home_team_abbrev	character	Home team abbreviation.
home_team_logo	character	URL to the home team logo.
home_team_dark_logo	character	URL to the home team dark logo.
home_team_home_split_squad	logical	Whether the home team is a split squad.
home_team_score	integer	Home team score.
home_team_hotel_link	character	Link to home team hotel info.
home_team_hotel_desc	character	Home team hotel description.
home_team_airline_link	character	Link to home team airline info.
home_team_airline_desc	character	Home team airline description.
home_team_common_name_default	character	Home team common name (default language).
home_team_common_name_fr	character	Home team common name (French).
home_team_place_name_default	character	Home team place name (default language).
home_team_place_name_fr	character	Home team place name (French).
home_team_place_name_with_preposition_default	character	Home team place name with preposition (default).
home_team_place_name_with_preposition_fr	character	Home team place name with preposition (French).
period_descriptor_period_type	character	Period type descriptor.
period_descriptor_max_regulation_periods	integer	Maximum number of regulation periods.
game_outcome_last_period_type	character	Period type in which the game ended.
winning_goalie_player_id	integer	Winning goalie player identifier.
winning_goalie_first_initial_default	character	Winning goalie first initial (default language).
winning_goalie_last_name_default	character	Winning goalie last name (default language).
winning_goalie_last_name_cs	character	Winning goalie last name (Czech).
winning_goalie_last_name_fi	character	Winning goalie last name (Finnish).
winning_goalie_last_name_sk	character	Winning goalie last name (Slovak).
winning_goalie_last_name_sv	character	Winning goalie last name (Swedish).
winning_goal_scorer_player_id	integer	Winning goal scorer player identifier.
winning_goal_scorer_first_initial_default	character	Winning goal scorer first initial (default).
winning_goal_scorer_last_name_default	character	Winning goal scorer last name (default language).
winning_goal_scorer_last_name_cs	character	Winning goal scorer last name (Czech).
winning_goal_scorer_last_name_sk	character	Winning goal scorer last name (Slovak).
winning_goal_scorer_last_name_fi	character	Winning goal scorer last name (Finnish).
team_abbr	character	Team abbreviation queried.

Examples

```
try(nhl_club_schedule(team_abbr = "TOR"))
```

`nhl_club_stats_season` **NHL Club Stats Season**

Description

Returns season-by-season stats metadata for a club, including which game types (regular season, playoffs) are available for each season.

Usage

```
nhl_club_stats_season(team_abbr)
```

Arguments

`team_abbr`	Three-letter team abbreviation (e.g., "TOR", "BOS")

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
season	integer	Season in 8-digit API format (e.g., 20252026).
game_types	list	Game types available for the season (regular/playoff).
team_abbr	character	Team abbreviation queried.

Examples

```
try(nhl_club_stats_season(team_abbr = "TOR"))
```

nhl_conferences NHL Conferences

Description

Returns a table of current NHL conferences derived from standings data.

The original NHL Stats API conferences endpoint is no longer available. This function now extracts conference information from the standings endpoint at `api-web.nhle.com`.

Usage

```
nhl_conferences(date = NULL)
```

Arguments

`date`	Character date in "YYYY-MM-DD" format. If NULL, returns current conferences.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
conference_name	character	Conference name (e.g. "Eastern", "Western").

Examples

```
try(nhl_conferences())
```

nhl_conferences_info NHL Conference Info

Description

Returns teams belonging to a given conference, derived from standings data.

The original NHL Stats API conferences endpoint is no longer available. This function now extracts conference information from the standings endpoint at `api-web.nhle.com`.

Usage

```
nhl_conferences_info(conference_name, date = NULL)
```

Arguments

conference_name	Character. Conference name (e.g. "Eastern" or "Western").
date	Character date in "YYYY-MM-DD" format. If NULL, returns current conference info.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
team_abbr	character	Team abbreviation.
team_name	character	Team name.
team_common_name	character	Team common (nickname) name.
team_logo	character	URL to the team logo image.
conference_name	character	Conference name.
division_abbrev	character	Division abbreviation.
division_name	character	Division name.
place_name	character	Team place (city) name.
conference_sequence	integer	Team's seeding position within the conference.
division_sequence	integer	Team's seeding position within the division.
league_sequence	integer	Team's seeding position within the league.
wildcard_sequence	integer	Team's wild card seeding position.
games_played	integer	Games played.
wins	integer	Wins.
losses	integer	Losses.
ot_losses	integer	Overtime losses.
points	integer	Standings points.
point_pctg	numeric	Points percentage.
regulation_wins	integer	Wins in regulation.
regulation_plus_ot_wins	integer	Wins in regulation plus overtime.
goals_for	integer	Goals scored.
goals_against	integer	Goals against.
goal_differential	integer	Goal differential (goals for minus goals against).
home_wins	integer	Home wins.
home_losses	integer	Home losses.
home_ot_losses	integer	Home overtime losses.
road_wins	integer	Road wins.
road_losses	integer	Road losses.
road_ot_losses	integer	Road overtime losses.
l10_wins	integer	Wins in the last ten games.
l10_losses	integer	Losses in the last ten games.
l10_ot_losses	integer	Overtime losses in the last ten games.
streak_code	character	Current streak type code (W/L/OT).
streak_count	integer	Length of the current streak.
shootout_wins	integer	Shootout wins.
shootout_losses	integer	Shootout losses.

Examples

```
try(nhl_conferences_info(conference_name = "Eastern"))
```

`nhl_divisions` **NHL Divisions**

Description

Returns information on NHL divisions derived from standings data.

The original NHL Stats API divisions endpoint is no longer available. This function now extracts division information from the standings endpoint at `api-web.nhle.com`.

Usage

```
nhl_divisions(date = NULL)
```

Arguments

`date`	Character date in "YYYY-MM-DD" format. If NULL, returns current divisions.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
division_name	character	Division name (e.g. "Atlantic", "Metropolitan").
division_abbrev	character	Division abbreviation.
conference_name	character	Parent conference name.

Examples

```
try(nhl_divisions())
```

`nhl_divisions_info` **NHL Divisions Info**

Description

Returns teams belonging to a given division, derived from standings data.

The original NHL Stats API divisions endpoint is no longer available. This function now extracts division information from the standings endpoint at `api-web.nhle.com`.

Usage

```
nhl_divisions_info(division_name, date = NULL)
```

Arguments

`division_name`	Character. Division name (e.g. "Atlantic", "Metropolitan", "Central", "Pacific").
`date`	Character date in "YYYY-MM-DD" format. If NULL, returns current division info.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
team_abbr	character	Team abbreviation.
team_name	character	Team name.
team_common_name	character	Team common (nickname) name.
team_logo	character	URL to the team logo image.
conference_name	character	Conference name.
division_abbrev	character	Division abbreviation.
division_name	character	Division name.
place_name	character	Team place (city) name.
conference_sequence	integer	Team's seeding position within the conference.
division_sequence	integer	Team's seeding position within the division.
league_sequence	integer	Team's seeding position within the league.
wildcard_sequence	integer	Team's wild card seeding position.
games_played	integer	Games played.
wins	integer	Wins.
losses	integer	Losses.
ot_losses	integer	Overtime losses.
points	integer	Standings points.
point_pctg	numeric	Points percentage.
regulation_wins	integer	Wins in regulation.
regulation_plus_ot_wins	integer	Wins in regulation plus overtime.
goals_for	integer	Goals scored.
goals_against	integer	Goals against.

goal_differential	integer	Goal differential (goals for minus goals against).
home_wins	integer	Home wins.
home_losses	integer	Home losses.
home_ot_losses	integer	Home overtime losses.
road_wins	integer	Road wins.
road_losses	integer	Road losses.
road_ot_losses	integer	Road overtime losses.
l10_wins	integer	Wins in the last ten games.
l10_losses	integer	Losses in the last ten games.
l10_ot_losses	integer	Overtime losses in the last ten games.
streak_code	character	Current streak type code (W/L/OT).
streak_count	integer	Length of the current streak.
shootout_wins	integer	Shootout wins.
shootout_losses	integer	Shootout losses.

Examples

```
try(nhl_divisions_info(division_name = "Atlantic"))
```

`nhl_draft` **NHL Draft**

Description

Returns information on the most recent NHL draft picks.

Uses the new NHL API endpoint at `api-web.nhle.com/v1/draft/picks/now`.

Usage

```
nhl_draft()
```

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
round	integer	Draft round number.
pick_in_round	integer	Pick number within the round.
overall_pick	integer	Overall pick number in the draft.
team_id	integer	Unique team identifier of the drafting team.
team_abbrev	character	Drafting team abbreviation.
team_name	data.frame	Drafting team name (localized).
team_common_name	data.frame	Drafting team common (nickname) name (localized).
team_place_name_with_preposition	data.frame	Drafting team place name with preposition.
display_abbrev	data.frame	Drafting team display abbreviation.

team_logo_light	character	URL to the team's light-theme logo.
team_logo_dark	character	URL to the team's dark-theme logo.
team_pick_history	character	History of the team's picks at this slot.
first_name	data.frame	Drafted player's first name (localized).
last_name	data.frame	Drafted player's last name (localized).
position_code	character	Drafted player's position code.
country_code	character	Drafted player's country code.
height	integer	Drafted player's height in inches.
weight	integer	Drafted player's weight in pounds.
amateur_league	character	Drafted player's amateur league.
amateur_club_name	character	Drafted player's amateur club name.

Examples

```
try(nhl_draft())
```

`nhl_draft_prospects` **NHL Draft Prospects**

Description

Returns current draft prospect rankings.

Uses the new NHL API endpoint at `api-web.nhle.com/v1/draft/rankings/now`.

Usage

```
nhl_draft_prospects()
```

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
last_name	character	Prospect's last name.
first_name	character	Prospect's first name.
position_code	character	Prospect's position code.
shoots_catches	character	Prospect's shooting/catching hand.
height_in_inches	integer	Prospect's height in inches.
weight_in_pounds	integer	Prospect's weight in pounds.
last_amateur_club	character	Prospect's most recent amateur club.
last_amateur_league	character	Prospect's most recent amateur league.
birth_date	character	Prospect's birth date.
birth_city	character	Prospect's birth city.
birth_state_province	character	Prospect's birth state or province.
birth_country	character	Prospect's birth country.

midterm_rank	integer	Prospect's midterm draft ranking.
final_rank	integer	Prospect's final draft ranking.

Examples

```
try(nhl_draft_prospects())
```

`nhl_draft_prospects_info`

NHL Draft Prospects Info

Description

Returns draft prospect rankings for a given year and prospect category.

Uses the new NHL API endpoint at `api-web.nhle.com/v1/draft/rankings/{year}/{prospect_category}`.

The original per-prospect-ID endpoint is no longer available. This function now returns rankings filtered by year and category.

Usage

```
nhl_draft_prospects_info(year, prospect_category = 1)
```

Arguments

`year` Integer. Draft year (e.g. 2024).

`prospect_category`
Integer. Prospect category:

- 1 = North American Skater
- 2 = International Skater
- 3 = North American Goalie
- 4 = International Goalie

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
last_name	character	Prospect last name.
first_name	character	Prospect first name.
position_code	character	Player position code.
shoots_catches	character	Handedness (shoots/catches).
height_in_inches	integer	Height in inches.
weight_in_pounds	integer	Weight in pounds.
last_amateur_club	character	Last amateur club played for.

last_amateur_league	character	Last amateur league played in.
birth_date	character	Prospect birth date.
birth_city	character	Prospect birth city.
birth_state_province	character	Prospect birth state or province.
birth_country	character	Prospect birth country.
midterm_rank	integer	Midterm ranking for the prospect.
final_rank	integer	Final ranking for the prospect.

Examples

```
try(nhl_draft_prospects_info(year = 2024, prospect_category = 1))
```

`nhl_draft_rankings` **NHL Draft Rankings**

Description

Returns NHL draft rankings for a given season and category.

Usage

```
nhl_draft_rankings(season = NULL, category = 1)
```

Arguments

`season`	Integer 4-digit year (e.g., 2024). If NULL, returns current.
`category`	Integer category: 1 = North American skaters, 2 = International skaters, 3 = North American goalies, 4 = International goalies. Default 1.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
last_name	character	Prospect last name.
first_name	character	Prospect first name.
position_code	character	Player position code.
shoots_catches	character	Handedness (shoots/catches).
height_in_inches	integer	Height in inches.
weight_in_pounds	integer	Weight in pounds.
last_amateur_club	character	Most recent amateur club.
last_amateur_league	character	Most recent amateur league.
birth_date	character	Date of birth.
birth_city	character	City of birth.
birth_state_province	character	State or province of birth.

birth_country	character	Country of birth.
midterm_rank	integer	Midterm draft ranking.
final_rank	integer	Final draft ranking.

Examples

```
try(nhl_draft_rankings())
```

`nhl_draft_tracker` **NHL Draft Tracker**

Description

Returns the live (real-time) NHL draft tracker picks from the NHL web service endpoint `draft-tracker/picks/now`.

This is distinct from `nhl_draft()`, which hits `draft/picks/now` and returns the static draft board. The draft tracker is only populated during an active NHL draft window and will return `NULL` (or an empty payload) outside of that window.

Usage

```
nhl_draft_tracker()
```

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
pick_in_round	integer	Pick number within the round.
overall_pick	integer	Overall pick number in the draft.
team_id	integer	Unique team identifier.
team_abbrev	character	Team abbreviation.
team_logo_light	character	URL to the team logo (light variant).
team_logo_dark	character	URL to the team logo (dark variant).
state	character	Pick state (e.g., on the clock, complete).
position_code	character	Player position code.
team_full_name_default	character	Team full name (default language).
team_full_name_fr	character	Team full name (French).
team_common_name_default	character	Team common name (default language).
team_common_name_fr	character	Team common name (French).
team_place_name_with_preposition_default	character	Team place name with preposition (default).
team_place_name_with_preposition_fr	character	Team place name with preposition (French).
last_name_default	character	Player last name (default language).
first_name_default	character	Player first name (default language).

Examples

```
try(nhl_draft_tracker())
```

`nhl_draft_year` **NHL Draft by Year**

Description

Returns draft pick information for a given year.

Uses the NHL API endpoint at `api-web.nhle.com/v1/draft/picks/{year}/{round}`.

When `round` is `NULL` (default) or the literal string `"all"`, the function takes the fast path and hits `draft/picks/{year}/all` in a single request instead of looping over rounds 1-7.

Usage

```
nhl_draft_year(year, round = NULL)
```

Arguments

`year`	Integer. Draft year (e.g. 2023).
`round`	Integer, character, or NULL. Specific round (1-7), the literal string `"all"`, or `NULL` (treated the same as `"all"`) to fetch every round at once.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
round	integer	Draft round.
pick_in_round	integer	Pick number within the round.
overall_pick	integer	Overall pick number in the draft.
team_id	integer	Unique team identifier.
team_abbrev	character	Team abbreviation.
team_name	data.frame	Team name (localized variants).
team_common_name	data.frame	Team common name (localized variants).
team_place_name_with_preposition	data.frame	Team place name with preposition (localized).
display_abbrev	data.frame	Display abbreviation (localized variants).
team_logo_light	character	URL to the team logo (light variant).
team_logo_dark	character	URL to the team logo (dark variant).
team_pick_history	character	Team pick history string.
first_name	data.frame	Player first name (localized variants).
last_name	data.frame	Player last name (localized variants).
position_code	character	Player position code.
country_code	character	Player country code.
height	integer	Player height in inches.

weight	integer	Player weight in pounds.
amateur_league	character	Amateur league played in.
amateur_club_name	character	Amateur club played for.

Examples

```
try(nhl_draft_year(year = 2023, round = 1))
try(nhl_draft_year(year = 2023, round = "all"))
```

`nhl_edge` **NHL Edge Analytics Endpoint Overview**

Description

Wrappers around the NHL Edge analytics backend at `api-web.nhle.com/v1/edge/...` (and the `cat` variants at `api-web.nhle.com/v1/cat/edge/...`). These surface the per-skater, per-goalie, and per-team advanced metrics that power the public NHL Edge UI: shot location, shot speed, skating speed, skating distance, zone time, comparisons, and top-10 leaderboards. All wrappers route through `.nhl_edge_api()` / `.nhl_edge_to_df()` in `helpers_nhl_edge.R` so the `/now` vs `/{season}/{game_type}` URL split and the assorted response shapes are handled in one place.

Details

Skater Edge:

Function	Purpose
`nhl_edge_skater_detail()`	Per-skater Edge summary
`nhl_edge_skater_landing()`	Edge landing page payload
`nhl_edge_skater_comparison()`	Two-skater Edge comparison
`nhl_edge_skater_shot_location_detail()`	Shot location heatmap
`nhl_edge_skater_shot_location_top_10()`	Shot-location top-10
`nhl_edge_skater_shot_speed_detail()`	Shot-speed splits
`nhl_edge_skater_shot_speed_top_10()`	Shot-speed top-10
`nhl_edge_skater_skating_speed_detail()`	Skating-speed splits
`nhl_edge_skater_speed_top_10()`	Skating-speed top-10
`nhl_edge_skater_skating_distance_detail()`	Skating-distance splits
`nhl_edge_skater_distance_top_10()`	Skating-distance top-10
`nhl_edge_skater_zone_time()`	Zone-time splits
`nhl_edge_skater_zone_time_top_10()`	Zone-time top-10
`nhl_cat_edge_skater_detail()`	CAT-framework skater detail

Goalie Edge:

Function	Purpose

nhl_edge_goalie_detail()	Per-goalie Edge summary
nhl_edge_goalie_landing()	Edge landing page payload
nhl_edge_goalie_comparison()	Two-goalie comparison
nhl_edge_goalie_5v5_detail()	5-on-5 splits
nhl_edge_goalie_5v5_top_10()	5-on-5 top-10
nhl_edge_goalie_save_percentage_detail()	Save-percentage splits
nhl_edge_goalie_edge_save_pctg_top_10()	Save-percentage top-10
nhl_edge_goalie_shot_location_detail()	Shot-location heatmap
nhl_edge_goalie_shot_location_top_10()	Shot-location top-10
nhl_cat_edge_goalie_detail()	CAT-framework goalie detail

Team Edge:

Function	Purpose
nhl_edge_team_detail()	Per-team Edge summary
nhl_edge_team_landing()	Edge landing page payload
nhl_edge_team_shot_location_detail()	Team shot location
nhl_edge_team_shot_location_top_10()	Team shot location top-10
nhl_edge_team_shot_speed_detail()	Team shot speed
nhl_edge_team_skating_speed_detail()	Team skating speed
nhl_edge_team_skating_speed_top_10()	Team skating speed top-10
nhl_edge_team_skating_distance_detail()	Team skating distance
nhl_edge_team_skating_distance_top_10()	Team skating distance top-10
nhl_edge_team_zone_time_details()	Team zone time
nhl_edge_team_zone_time_top_10()	Team zone time top-10

`nhl_edge_goalie_5v5_detail`

NHL Edge Goalie 5v5 Detail

Description

Returns the NHL Edge 5-on-5 advanced-metrics detail payload for a single goalie. Wraps `https://api-web.nhle.com/v1/e`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_goalie_5v5_detail(player_id, season = NULL, game_type = 2)
```

Arguments

`player_id`	Integer NHL player ID (e.g., `8475883` for Andrei Vasilevskiy).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_center_link	character	URL to the game center page.
save_pctg	numeric	Save percentage.
game_date	character	Game date.
decision	character	Goalie decision (W/L/OT).
player_on_home_team	logical	Whether the goalie played for the home team.
home_team_abbrev	character	Home team abbreviation.
home_team_slug	character	Home team slug.
home_team_common_name_default	character	Home team common name (default language).
home_team_common_name_fr	character	Home team common name (French).
home_team_place_name_with_preposition_default	character	Home team place name with preposition (def).
home_team_place_name_with_preposition_fr	character	Home team place name with preposition (FR).
home_team_team_logo_light	character	Home team logo URL (light variant).
home_team_team_logo_dark	character	Home team logo URL (dark variant).
away_team_abbrev	character	Away team abbreviation.
away_team_slug	character	Away team slug.
away_team_common_name_default	character	Away team common name (default language).
away_team_place_name_with_preposition_default	character	Away team place name with preposition (def).
away_team_place_name_with_preposition_fr	character	Away team place name with preposition (FR).
away_team_team_logo_light	character	Away team logo URL (light variant).
away_team_team_logo_dark	character	Away team logo URL (dark variant).

Examples

```
try(nhl_edge_goalie_5v5_detail(player_id = 8475883))
```

`nhl_edge_goalie_5v5_top_10`

NHL Edge Goalie 5v5 Top 10

Description

Returns the NHL Edge top-10 5-on-5 goalie leaderboard for a given `sort_by` key. Wraps `https://api-web.nhle.com/v1/e`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_goalie_5v5_top_10(sort_by, season = NULL, game_type = 2)
```

Arguments

sort_by	Character sort-by key accepted by the Edge API (e.g., "savePctg").
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A fastRhockey_data tibble with the top-10 leaderboard, or NULL on failure / empty response.

Examples

```
try(nhl_edge_goalie_5v5_top_10(sort_by = "savePctg"))
```

---

nhl_edge_goalie_comparison

NHL Edge Goalie Comparison

Description

Returns the NHL Edge goalie comparison payload for a single focus goalie versus a cohort. Wraps https://api-web.nhle.com/v1/edge/goalie-comparison/{playerId}/.... When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_goalie_comparison(player_id, season = NULL, game_type = 2)
```

Arguments

player_id	Integer NHL player ID (e.g., 8475883 for Andrei Vasilevskiy).
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	Goalie player identifier in the cohort.
game_types	list	Game-type metrics for the goalie comparison.

Examples

```
try(nhl_edge_goalie_comparison(player_id = 8475883))
```

---

nhl_edge_goalie_detail

NHL Edge Goalie Detail

Description

Returns the NHL Edge advanced-metrics detail payload for a single goalie. Wraps `https://api-web.nhle.com/v1/edge/g`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_goalie_detail(player_id, season = NULL, game_type = 2)
```

Arguments

`player_id`	Integer NHL player ID (e.g., `8475883` for Andrei Vasilevskiy).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Goalie player identifier.
game_types	list	Game-type advanced-metrics detail.

Examples

```
try(nhl_edge_goalie_detail(player_id = 8475883))
```

nhl_edge_goalie_edge_save_pctg_top_10

NHL Edge Goalie Edge Save Percentage Top 10

Description

Returns the NHL Edge top-10 goalie save-percentage leaderboard for a given sort_by key. Wraps https://api-web.nhle.com/v1/edge/goalie-edge-save-pctg-top-10/{sortBy}/.... When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_goalie_edge_save_pctg_top_10(sort_by, season = NULL, game_type = 2)
```

Arguments

sort_by	Character sort-by key accepted by the Edge API (e.g., "savePctg").
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A fastRhockey_data tibble with the top-10 leaderboard, or NULL on failure / empty response.

Examples

```
try(nhl_edge_goalie_edge_save_pctg_top_10(sort_by = "savePctg"))
```

nhl_edge_goalie_landing

NHL Edge Goalie Landing

Description

Returns the NHL Edge goalie landing-page payload. Wraps https://api-web.nhle.com/v1/edge/goalie-landing/....
When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_goalie_landing(season = NULL, game_type = 2)
```

Arguments

season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	Unique player identifier.
game_types	list	Nested list of game-type-specific landing metrics.

Returns NULL on failure / empty response.

Examples

```
try(nhl_edge_goalie_landing())
```

---

nhl_edge_goalie_save_percentage_detail

NHL Edge Goalie Save Percentage Detail

Description

Returns the NHL Edge save-percentage detail payload for a single goalie. Wraps https://api-web.nhle.com/v1/edge/goa
When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_goalie_save_percentage_detail(player_id, season = NULL, game_type = 2)
```

Arguments

player_id	Integer NHL player ID (e.g., 8475883 for Andrei Vasilevskiy).
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_center_link	character	Link to the NHL game center page for the game.
save_pctg	numeric	Save percentage for the game.
game_date	character	Game date.
decision	character	Goalie decision (win, loss, or overtime/shootout loss).
player_on_home_team	logical	Whether the goalie played for the home team.
home_team_abbrev	character	Home team abbreviation.
home_team_common_name_default	character	Home team common name (default locale).
home_team_common_name_fr	character	Home team common name (French locale).
home_team_place_name_with_preposition_default	character	Home team place name with preposition (default locale).
home_team_place_name_with_preposition_fr	character	Home team place name with preposition (French locale).
home_team_team_logo_light	character	Home team light-mode logo URL.
home_team_team_logo_dark	character	Home team dark-mode logo URL.
away_team_abbrev	character	Away team abbreviation.
away_team_common_name_default	character	Away team common name (default locale).
away_team_place_name_with_preposition_default	character	Away team place name with preposition (default locale).
away_team_place_name_with_preposition_fr	character	Away team place name with preposition (French locale).
away_team_team_logo_light	character	Away team light-mode logo URL.
away_team_team_logo_dark	character	Away team dark-mode logo URL.

Returns `NULL` on failure / empty response.

Examples

```
try(nhl_edge_goalie_save_percentage_detail(player_id = 8475883))
```

`nhl_edge_goalie_shot_location_detail`

NHL Edge Goalie Shot Location Detail

Description

Returns the NHL Edge shot-location detail payload for a single goalie. Wraps `https://api-web.nhle.com/v1/edge/goali`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_goalie_shot_location_detail(player_id, season = NULL, game_type = 2)
```

Arguments

player_id	Integer NHL player ID (e.g., 8475883 for Andrei Vasilevskiy).
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
area	character	Net/ice zone the shots were taken from.
shots_against	integer	Shots faced from the area.
saves	integer	Saves made from the area.
goals_against	integer	Goals against from the area.
save_pctg	numeric	Save percentage for the area.
shots_against_percentile	numeric	League percentile rank for shots against.
saves_percentile	numeric	League percentile rank for saves.
goals_against_percentile	numeric	League percentile rank for goals against.
save_pctg_percentile	numeric	League percentile rank for save percentage.

Returns NULL on failure / empty response.

Examples

```
try(nhl_edge_goalie_shot_location_detail(player_id = 8475883))
```

---

nhl_edge_goalie_shot_location_top_10

NHL Edge Goalie Shot Location Top 10

Description

Returns the NHL Edge top-10 goalie leaderboard for a given shot-location category and sort_by combination. Wraps https://api-web.nhle.com/v1/edge/goalie-shot-location-top-10/{category}/{sortBy}/.
When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_goalie_shot_location_top_10(
  category,
  sort_by,
  season = NULL,
  game_type = 2
)
```

Arguments

category	Character shot-location category accepted by the Edge API (e.g., "high", "mid", "low").
sort_by	Character sort-by key accepted by the Edge API (e.g., "savePctg").
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A fastRhockey_data tibble with the top-10 leaderboard, or NULL on failure / empty response.

Examples

```
try(nhl_edge_goalie_shot_location_top_10(
    category = "high",
    sort_by = "savePctg"
))
```

---

nhl_edge_skater_comparison

NHL Edge Skater Comparison

Description

Returns the NHL Edge skater comparison payload for a single focus player versus a cohort. Wraps https://api-web.nhle.com/v1/edge/skater-comparison/{playerId}/.... When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_comparison(player_id, season = NULL, game_type = 2)
```

Arguments

player_id	Integer NHL player ID (e.g., 8478402 for Connor McDavid).
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	Unique player identifier.
game_types	list	Nested list of game-type-specific comparison metrics.

Returns NULL on failure / empty response.

Examples

```
try(nhl_edge_skater_comparison(player_id = 8478402))
```

---

nhl_edge_skater_detail

NHL Edge Skater Detail

Description

Returns the NHL Edge advanced-metrics detail payload for a single skater. Wraps https://api-web.nhle.com/v1/edge/sk
When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_detail(player_id, season = NULL, game_type = 2)
```

Arguments

player_id	Integer NHL player ID (e.g., 8478402 for Connor McDavid).
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	Unique player identifier.
game_types	list	Nested list of game-type-specific detail metrics.

Returns NULL on failure / empty response.

Examples

```
try(nhl_edge_skater_detail(player_id = 8478402))
```

`nhl_edge_skater_distance_top_10`

NHL Edge Skater Distance Top 10

Description

Returns the NHL Edge top-10 "iron-man / mileage" skating distance leaderboard for a given `positions`, `strength`, and `sort_by` combination. Wraps `https://api-web.nhle.com/v1/edge/skater-distance-top-10/{positi` When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_distance_top_10(
  positions,
  strength,
  sort_by,
  season = NULL,
  game_type = 2
)
```

Arguments

`positions`	Character positions filter accepted by the Edge API (e.g., `"F"` for forwards, `"D"` for defensemen).
`strength`	Character strength filter accepted by the Edge API (e.g., `"all"`, `"ev"`, `"pp"`, `"sh"`).
`sort_by`	Character sort-by key accepted by the Edge API (e.g., `"total"`).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_slug	character	URL-friendly player slug.
player_headshot	character	Player headshot image URL.
player_position	character	Player position.
player_sweater_number	integer	Jersey number.

player_first_name_default	character	Player first name (default locale)
player_first_name_cs	character	Player first name (Czech locale)
player_first_name_de	character	Player first name (German locale
player_first_name_es	character	Player first name (Spanish locale
player_first_name_fi	character	Player first name (Finnish locale
player_first_name_sk	character	Player first name (Slovak locale)
player_first_name_sv	character	Player first name (Swedish local
player_last_name_default	character	Player last name (default locale)
player_last_name_cs	character	Player last name (Czech locale).
player_last_name_sk	character	Player last name (Slovak locale)
player_team_abbrev	character	Player team abbreviation.
player_team_slug	character	Player team URL-friendly slug.
player_team_common_name_default	character	Player team common name (defa
player_team_place_name_with_preposition_default	character	Player team place name with pre
player_team_place_name_with_preposition_fr	character	Player team place name with pre
player_team_team_logo_light	character	Player team light-mode logo UR
player_team_team_logo_dark	character	Player team dark-mode logo UR
distance_total_imperial	numeric	Total skating distance (imperial
distance_total_metric	numeric	Total skating distance (metric un
distance_per60_imperial	numeric	Skating distance per 60 minutes
distance_per60_metric	numeric	Skating distance per 60 minutes
distance_max_per_game_imperial	numeric	Maximum single-game skating d
distance_max_per_game_metric	numeric	Maximum single-game skating d
distance_max_per_game_overlay_game_date	character	Game date of the max-per-game
distance_max_per_game_overlay_game_type	integer	Game type of the max-per-game
distance_max_per_game_overlay_player_first_name_default	character	Max-per-game player first name
distance_max_per_game_overlay_player_first_name_cs	character	Max-per-game player first name
distance_max_per_game_overlay_player_first_name_de	character	Max-per-game player first name
distance_max_per_game_overlay_player_first_name_es	character	Max-per-game player first name
distance_max_per_game_overlay_player_first_name_fi	character	Max-per-game player first name
distance_max_per_game_overlay_player_first_name_sk	character	Max-per-game player first name
distance_max_per_game_overlay_player_first_name_sv	character	Max-per-game player first name
distance_max_per_game_overlay_player_last_name_default	character	Max-per-game player last name
distance_max_per_game_overlay_player_last_name_cs	character	Max-per-game player last name
distance_max_per_game_overlay_player_last_name_sk	character	Max-per-game player last name
distance_max_per_game_overlay_away_team_abbrev	character	Away team abbreviation in the m
distance_max_per_game_overlay_away_team_score	integer	Away team score in the max-per
distance_max_per_game_overlay_home_team_abbrev	character	Home team abbreviation in the m
distance_max_per_game_overlay_home_team_score	integer	Home team score in the max-per
distance_max_per_game_overlay_game_outcome_last_period_type	character	Last period type of the max-per-
distance_max_per_game_overlay_game_outcome_ot_periods	integer	Number of overtime periods in t
distance_max_per_game_overlay_period_descriptor_max_regulation_periods	integer	Maximum regulation periods for
distance_max_per_game_overlay_period_descriptor_number	integer	Period number for the max-per-g
distance_max_per_game_overlay_period_descriptor_period_type	character	Period type for the max-per-gam
distance_max_per_period_imperial	numeric	Maximum single-period skating
distance_max_per_period_metric	numeric	Maximum single-period skating
distance_max_per_period_overlay_game_date	character	Game date of the max-per-perio
distance_max_per_period_overlay_game_type	integer	Game type of the max-per-perio

distance_max_per_period_overlay_player_first_name_default	character	Max-per-period player first nam
distance_max_per_period_overlay_player_first_name_cs	character	Max-per-period player first nam
distance_max_per_period_overlay_player_first_name_de	character	Max-per-period player first nam
distance_max_per_period_overlay_player_first_name_es	character	Max-per-period player first nam
distance_max_per_period_overlay_player_first_name_fi	character	Max-per-period player first nam
distance_max_per_period_overlay_player_first_name_sk	character	Max-per-period player first nam
distance_max_per_period_overlay_player_first_name_sv	character	Max-per-period player first nam
distance_max_per_period_overlay_player_last_name_default	character	Max-per-period player last name
distance_max_per_period_overlay_player_last_name_cs	character	Max-per-period player last name
distance_max_per_period_overlay_player_last_name_sk	character	Max-per-period player last name
distance_max_per_period_overlay_away_team_abbrev	character	Away team abbreviation in the n
distance_max_per_period_overlay_away_team_score	integer	Away team score in the max-per
distance_max_per_period_overlay_home_team_abbrev	character	Home team abbreviation in the n
distance_max_per_period_overlay_home_team_score	integer	Home team score in the max-per
distance_max_per_period_overlay_game_outcome_last_period_type	character	Last period type of the max-per-
distance_max_per_period_overlay_game_outcome_ot_periods	integer	Number of overtime periods in t
distance_max_per_period_overlay_period_descriptor_max_regulation_periods	integer	Maximum regulation periods for
distance_max_per_period_overlay_period_descriptor_number	integer	Period number for the max-per-p
distance_max_per_period_overlay_period_descriptor_period_type	character	Period type for the max-per-peri

Returns `NULL` on failure / empty response.

Examples

```
try(nhl_edge_skater_distance_top_10(
    positions = "F",
    strength = "all",
    sort_by = "total"
))
```

`nhl_edge_skater_landing`

NHL Edge Skater Landing

Description

Returns the NHL Edge skater landing-page payload. Wraps `https://api-web.nhle.com/v1/edge/skater-landing/....`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_landing(season = NULL, game_type = 2)
```

Arguments

season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	NHL Edge season identifier.
game_types	list	List of available game types for the season.

Examples

```
try(nhl_edge_skater_landing())
```

---

nhl_edge_skater_shot_location_detail
NHL Edge Skater Shot Location Detail

Description

Returns the NHL Edge shot-location detail payload for a single skater (heatmap-style data). Wraps https://api-web.nhle.com/v1/edge/skater-shot-location-detail/{playerId}/.... When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_shot_location_detail(player_id, season = NULL, game_type = 2)
```

Arguments

player_id	Integer NHL player ID (e.g., 8478402 for Connor McDavid).
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
area	character	Shot location area on the ice.
sog	integer	Shots on goal from the area.
goals	integer	Goals scored from the area.
shooting_pctg	numeric	Shooting percentage from the area.
sog_percentile	numeric	League percentile rank for shots on goal.
goals_percentile	numeric	League percentile rank for goals.
shooting_pctg_percentile	numeric	League percentile rank for shooting percentage.

Examples

```
try(nhl_edge_skater_shot_location_detail(player_id = 8478402))
```

`nhl_edge_skater_shot_location_top_10`

NHL Edge Skater Shot Location Top 10

Description

Returns the NHL Edge top-10 skater leaderboard for a given shot location `position`, `category`, and `sort_by` combination. Wraps `https://api-web.nhle.com/v1/edge/skater-shot-location-top-10/{position}/{ca`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_shot_location_top_10(
  position,
  category,
  sort_by,
  season = NULL,
  game_type = 2
)
```

Arguments

`position`	Character position code accepted by the Edge API (e.g., `"F"` for forwards, `"D"` for defensemen).
`category`	Character shot-location category accepted by the Edge API (e.g., `"high"`, `"mid"`, `"low"`).
`sort_by`	Character sort-by key accepted by the Edge API (e.g., `"total"`).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A `fastRhockey_data` tibble with the top-10 leaderboard, or `NULL` on failure / empty response.

Examples

```
try(nhl_edge_skater_shot_location_top_10(
    position = "F",
    category = "high",
    sort_by = "total"
))
```

`nhl_edge_skater_shot_speed_detail`

NHL Edge Skater Shot Speed Detail

Description

Returns the NHL Edge shot-speed detail payload for a single skater. Wraps `https://api-web.nhle.com/v1/edge/skater-`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_shot_speed_detail(player_id, season = NULL, game_type = 2)
```

Arguments

`player_id`	Integer NHL player ID (e.g., `8478402` for Connor McDavid).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_center_link	character	Link to the NHL game center page.
game_date	character	Game date.
game_type	integer	Game type (1 = preseason, 2 = regular, 3 = playoffs).
player_on_home_team	logical	Whether the player was on the home team.
time_in_period	character	Time within the period of the shot.
shot_speed_imperial	numeric	Shot speed in miles per hour.
shot_speed_metric	numeric	Shot speed in kilometers per hour.
period_descriptor_number	integer	Period number.
period_descriptor_period_type	character	Period type (e.g., REG, OT).

period_descriptor_max_regulation_periods	integer	Maximum number of regulation periods.
home_team_abbrev	character	Home team abbreviation.
home_team_slug	character	Home team URL slug.
home_team_common_name_default	character	Home team common name.
home_team_place_name_with_preposition_default	character	Home team place name with preposition (English).
home_team_place_name_with_preposition_fr	character	Home team place name with preposition (French).
home_team_team_logo_light	character	Home team light logo URL.
home_team_team_logo_dark	character	Home team dark logo URL.
away_team_abbrev	character	Away team abbreviation.
away_team_slug	character	Away team URL slug.
away_team_common_name_default	character	Away team common name.
away_team_place_name_with_preposition_default	character	Away team place name with preposition (English).
away_team_place_name_with_preposition_fr	character	Away team place name with preposition (French).
away_team_team_logo_light	character	Away team light logo URL.
away_team_team_logo_dark	character	Away team dark logo URL.

Examples

```
try(nhl_edge_skater_shot_speed_detail(player_id = 8478402))
```

`nhl_edge_skater_shot_speed_top_10`

NHL Edge Skater Shot Speed Top 10

Description

Returns the NHL Edge top-10 "hardest-shot" leaderboard for a given `positions` and `sort_by` combination. Wraps `https://api-web.nhle.com/v1/edge/skater-shot-speed-top-10/{positions}/{sortBy}/...`. When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_shot_speed_top_10(
  positions,
  sort_by,
  season = NULL,
  game_type = 2
)
```

Arguments

`positions`	Character positions filter accepted by the Edge API (e.g., `"F"` for forwards, `"D"` for defensemen, or a combined filter).
`sort_by`	Character sort-by key accepted by the Edge API (e.g., `"total"`).

season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A fastRhockey_data tibble with the top-10 leaderboard, or NULL on failure / empty response.

Examples

```
try(nhl_edge_skater_shot_speed_top_10(
    positions = "F",
    sort_by = "total"
))
```

---

nhl_edge_skater_skating_distance_detail

NHL Edge Skater Skating Distance Detail

Description

Returns the NHL Edge skating-distance detail payload for a single skater (distance covered, strides, etc.). Wraps https://api-web.nhle.com/v1/edge/skater-skating-distance-detail/{playerId}/.... When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_skating_distance_detail(
  player_id,
  season = NULL,
  game_type = 2
)
```

Arguments

player_id	Integer NHL player ID (e.g., 8478402 for Connor McDavid).
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
game_center_link	character	Link to the NHL game center page.
game_date	character	Game date.
player_on_home_team	logical	Whether the player was on the home team.
toi_all	integer	Total time on ice across all strengths (seconds).
toi_even	integer	Time on ice at even strength (seconds).
toi_pk	integer	Time on ice on the penalty kill (seconds).
toi_pp	integer	Time on ice on the power play (seconds).
distance_skated_all_imperial	numeric	Distance skated at all strengths in miles.
distance_skated_all_metric	numeric	Distance skated at all strengths in kilometers.
distance_skated_even_imperial	numeric	Distance skated at even strength in miles.
distance_skated_even_metric	numeric	Distance skated at even strength in kilometers.
distance_skated_pk_imperial	numeric	Distance skated on the penalty kill in miles.
distance_skated_pk_metric	numeric	Distance skated on the penalty kill in kilometers.
home_team_abbrev	character	Home team abbreviation.
home_team_slug	character	Home team URL slug.
home_team_common_name_default	character	Home team common name.
home_team_place_name_with_preposition_default	character	Home team place name with preposition (English).
home_team_place_name_with_preposition_fr	character	Home team place name with preposition (French).
home_team_team_logo_light	character	Home team light logo URL.
home_team_team_logo_dark	character	Home team dark logo URL.
away_team_abbrev	character	Away team abbreviation.
away_team_slug	character	Away team URL slug.
away_team_common_name_default	character	Away team common name.
away_team_place_name_with_preposition_default	character	Away team place name with preposition (English).
away_team_place_name_with_preposition_fr	character	Away team place name with preposition (French).
away_team_team_logo_light	character	Away team light logo URL.
away_team_team_logo_dark	character	Away team dark logo URL.
distance_skated_pp_imperial	numeric	Distance skated on the power play in miles.
distance_skated_pp_metric	numeric	Distance skated on the power play in kilometers.

Examples

```
try(nhl_edge_skater_skating_distance_detail(player_id = 8478402))
```

`nhl_edge_skater_skating_speed_detail`

NHL Edge Skater Skating Speed Detail

Description

Returns the NHL Edge skating-speed detail payload for a single skater (velocity bursts, top speeds, etc.). Wraps `https://api-web.nhle.com/v1/edge/skater-skating-speed-detail/{playerId}/...`. When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_skating_speed_detail(player_id, season = NULL, game_type = 2)
```

Arguments

player_id	Integer NHL player ID (e.g., 8478402 for Connor McDavid).
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
game_center_link	character	Link to the NHL game center page.
game_date	character	Game date.
game_type	integer	Game type (1 = preseason, 2 = regular, 3 = playoffs).
player_on_home_team	logical	Whether the player was on the home team.
time_in_period	character	Time within the period of the burst.
skating_speed_imperial	numeric	Skating speed in miles per hour.
skating_speed_metric	numeric	Skating speed in kilometers per hour.
period_descriptor_number	integer	Period number.
period_descriptor_period_type	character	Period type (e.g., REG, OT).
period_descriptor_max_regulation_periods	integer	Maximum number of regulation periods.
home_team_abbrev	character	Home team abbreviation.
home_team_slug	character	Home team URL slug.
home_team_common_name_default	character	Home team common name.
home_team_place_name_with_preposition_default	character	Home team place name with preposition (English).
home_team_place_name_with_preposition_fr	character	Home team place name with preposition (French).
home_team_team_logo_light	character	Home team light logo URL.
home_team_team_logo_dark	character	Home team dark logo URL.
away_team_abbrev	character	Away team abbreviation.
away_team_slug	character	Away team URL slug.
away_team_common_name_default	character	Away team common name.
away_team_place_name_with_preposition_default	character	Away team place name with preposition (English).
away_team_place_name_with_preposition_fr	character	Away team place name with preposition (French).
away_team_team_logo_light	character	Away team light logo URL.
away_team_team_logo_dark	character	Away team dark logo URL.

Examples

```
try(nhl_edge_skater_skating_speed_detail(player_id = 8478402))
```

nhl_edge_skater_speed_top_10

NHL Edge Skater Speed Top 10

Description

Returns the NHL Edge top-10 "fastest skaters" leaderboard for a given positions and sort_by combination. Wraps https://api-web.nhle.com/v1/edge/skater-speed-top-10/{positions}/{sortBy}/.... When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_speed_top_10(positions, sort_by, season = NULL, game_type = 2)
```

Arguments

positions	Character positions filter accepted by the Edge API (e.g., "F" for forwards, "D" for defensemen).
sort_by	Character sort-by key accepted by the Edge API (e.g., "total").
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A fastRhockey_data tibble with the top-10 leaderboard, or NULL on failure / empty response.

Examples

```
try(nhl_edge_skater_speed_top_10(
    positions = "F",
    sort_by = "total"
))
```

nhl_edge_skater_zone_time

NHL Edge Skater Zone Time

Description

Returns the NHL Edge zone-time payload (offensive, defensive, neutral) for a single skater. Wraps https://api-web.nhle.com/v1/edge/skater-zone-time/{playerId}/.... When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_zone_time(player_id, season = NULL, game_type = 2)
```

Arguments

player_id	Integer NHL player ID (e.g., 8478402 for Connor McDavid).
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
strength_code	character	Strength state code (e.g., all, even, pp, pk).
offensive_zone_pctg	numeric	Percentage of time in the offensive zone.
offensive_zone_percentile	numeric	League percentile rank for offensive-zone time.
offensive_zone_league_avg	numeric	League average offensive-zone time percentage.
neutral_zone_pctg	numeric	Percentage of time in the neutral zone.
neutral_zone_percentile	numeric	League percentile rank for neutral-zone time.
neutral_zone_league_avg	numeric	League average neutral-zone time percentage.
defensive_zone_pctg	numeric	Percentage of time in the defensive zone.
defensive_zone_percentile	numeric	League percentile rank for defensive-zone time.
defensive_zone_league_avg	numeric	League average defensive-zone time percentage.

Examples

```
try(nhl_edge_skater_zone_time(player_id = 8478402))
```

`nhl_edge_skater_zone_time_top_10`

NHL Edge Skater Zone Time Top 10

Description

Returns the NHL Edge top-10 zone-time leaderboard for a given positions, strength, and sort_by combination. Wraps https://api-web.nhle.com/v1/edge/skater-zone-time-top-10/{positions}/{strength}/{so
When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_skater_zone_time_top_10(
  positions,
  strength,
  sort_by,
  season = NULL,
  game_type = 2
)
```

Arguments

positions	Character positions filter accepted by the Edge API (e.g., "F" for forwards, "D" for defensemen).
strength	Character strength filter accepted by the Edge API (e.g., "all", "ev", "pp", "sh").
sort_by	Character sort-by key accepted by the Edge API (e.g., "total").
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A fastRhockey_data tibble with the top-10 leaderboard, or NULL on failure / empty response.

Examples

```
try(nhl_edge_skater_zone_time_top_10(
    positions = "F",
    strength = "all",
    sort_by = "total"
))
```

---

nhl_edge_team_detail NHL Edge Team Detail

Description

Returns the NHL Edge advanced-metrics detail payload for a single team. Wraps https://api-web.nhle.com/v1/edge/te
When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_team_detail(team_id, season = NULL, game_type = 2)
```

Arguments

team_id	Integer NHL team ID (e.g., 10 for Toronto Maple Leafs).
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	Unique team identifier.
game_types	list	List of game types available for the team's data.

Examples

```
try(nhl_edge_team_detail(team_id = 10))
```

---

nhl_edge_team_landing NHL Edge Team Landing

Description

Returns the NHL Edge team landing payload with league-wide team metrics. Wraps https://api-web.nhle.com/v1/edge/
When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_team_landing(season = NULL, game_type = 2)
```

Arguments

season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique team identifier.
game_types	list	List of game types available for the team's data.

Examples

```
try(nhl_edge_team_landing())
```

`nhl_edge_team_shot_location_detail`

NHL Edge Team Shot Location Detail

Description

Returns the NHL Edge shot-location detail payload for a single team. Wraps `https://api-web.nhle.com/v1/edge/team-s`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_team_shot_location_detail(team_id, season = NULL, game_type = 2)
```

Arguments

`team_id`	Integer NHL team ID (e.g., `10` for Toronto Maple Leafs).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
area	character	Shot-location area on the ice.
sog	integer	Shots on goal from the area.
sog_rank	integer	League rank for shots on goal from the area.
goals	integer	Goals scored from the area.
goals_rank	integer	League rank for goals scored from the area.
shooting_pctg	numeric	Shooting percentage from the area.
shooting_pctg_rank	integer	League rank for shooting percentage from the area.

Examples

```
try(nhl_edge_team_shot_location_detail(team_id = 10))
```

---

nhl_edge_team_shot_location_top_10

NHL Edge Team Shot Location Top 10

Description

Returns the NHL Edge top-10 team shot-location leaderboard. Wraps https://api-web.nhle.com/v1/edge/team-shot-l
When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_team_shot_location_top_10(
  position,
  category,
  sort_by,
  season = NULL,
  game_type = 2
)
```

Arguments

position	Character position filter (e.g., "F", "D", "all").
category	Character shot-location category (e.g., "high", "medium", "low").
sort_by	Character metric to sort the leaderboard by (e.g., "total", "percentage").
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A fastRhockey_data tibble with the top-10 team leaderboard, or NULL on failure / empty response.

Examples

```
try(nhl_edge_team_shot_location_top_10(
  position = "F",
  category = "high",
  sort_by = "total"
))
```

nhl_edge_team_shot_speed_detail

NHL Edge Team Shot Speed Detail

Description

Returns the NHL Edge shot-speed detail payload for a single team. Wraps `https://api-web.nhle.com/v1/edge/team-sho`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_team_shot_speed_detail(team_id, season = NULL, game_type = 2)
```

Arguments

`team_id`	Integer NHL team ID (e.g., `10` for Toronto Maple Leafs).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_center_link	character	Link to the NHL game center page for the game.
game_date	character	Game date.
game_type	integer	Game type (1 = preseason, 2 = regular, 3 = playoffs).
is_home_team	logical	Whether the team was the home team.
time_in_period	character	Time elapsed in the period when the shot occurred.
player_id	integer	Unique player identifier.
player_slug	character	URL slug for the player.
player_first_name_default	character	Player first name (default language).
player_last_name_default	character	Player last name (default language).
player_last_name_cs	character	Player last name (Czech).
player_last_name_fi	character	Player last name (Finnish).
player_last_name_sk	character	Player last name (Slovak).
shot_speed_imperial	numeric	Shot speed in miles per hour.
shot_speed_metric	numeric	Shot speed in kilometers per hour.
period_descriptor_number	integer	Period number.
period_descriptor_period_type	character	Period type (e.g., REG, OT).
period_descriptor_max_regulation_periods	integer	Maximum number of regulation periods.
home_team_common_name_default	character	Home team common name (default language).
home_team_place_name_with_preposition_default	character	Home team place name with preposition (default).
home_team_place_name_with_preposition_fr	character	Home team place name with preposition (French).

home_team_team_logo_light	character	URL to the home team light logo.
home_team_team_logo_dark	character	URL to the home team dark logo.
away_team_common_name_default	character	Away team common name (default language).
away_team_place_name_with_preposition_default	character	Away team place name with preposition (default).
away_team_place_name_with_preposition_fr	character	Away team place name with preposition (French).
away_team_team_logo_light	character	URL to the away team light logo.
away_team_team_logo_dark	character	URL to the away team dark logo.

Examples

```
try(nhl_edge_team_shot_speed_detail(team_id = 10))
```

`nhl_edge_team_skating_distance_detail`

NHL Edge Team Skating Distance Detail

Description

Returns the NHL Edge skating-distance detail payload for a single team. Wraps `https://api-web.nhle.com/v1/edge/tea`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_team_skating_distance_detail(team_id, season = NULL, game_type = 2)
```

Arguments

`team_id`	Integer NHL team ID (e.g., `10` for Toronto Maple Leafs).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_center_link	character	Link to the NHL game center page for the game.
game_date	character	Game date.
is_home_team	logical	Whether the team was the home team.
toi_all	integer	Time on ice (all situations), in seconds.
toi_even	integer	Time on ice (even strength), in seconds.
toi_pp	integer	Time on ice (power play), in seconds.
toi_pk	integer	Time on ice (penalty kill), in seconds.

distance_skated_all_imperial	numeric	Distance skated (all situations), in miles.
distance_skated_all_metric	numeric	Distance skated (all situations), in kilometers.
distance_skated_even_imperial	numeric	Distance skated (even strength), in miles.
distance_skated_even_metric	numeric	Distance skated (even strength), in kilometers.
distance_skated_pp_imperial	numeric	Distance skated (power play), in miles.
distance_skated_pp_metric	numeric	Distance skated (power play), in kilometers.
distance_skated_pk_imperial	numeric	Distance skated (penalty kill), in miles.
distance_skated_pk_metric	numeric	Distance skated (penalty kill), in kilometers.
home_team_common_name_default	character	Home team common name (default language).
home_team_common_name_fr	character	Home team common name (French).
home_team_place_name_with_preposition_default	character	Home team place name with preposition (default).
home_team_place_name_with_preposition_fr	character	Home team place name with preposition (French).
home_team_team_logo_light	character	URL to the home team light logo.
home_team_team_logo_dark	character	URL to the home team dark logo.
away_team_common_name_default	character	Away team common name (default language).
away_team_place_name_with_preposition_default	character	Away team place name with preposition (default).
away_team_place_name_with_preposition_fr	character	Away team place name with preposition (French).
away_team_team_logo_light	character	URL to the away team light logo.
away_team_team_logo_dark	character	URL to the away team dark logo.

Examples

```
try(nhl_edge_team_skating_distance_detail(team_id = 10))
```

`nhl_edge_team_skating_distance_top_10`

NHL Edge Team Skating Distance Top 10

Description

Returns the NHL Edge top-10 team skating-distance leaderboard. Wraps `https://api-web.nhle.com/v1/edge/team-skat`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_team_skating_distance_top_10(
  positions,
  strength,
  sort_by,
  season = NULL,
  game_type = 2
)
```

Arguments

positions	Character position filter (e.g., "F", "D", "all").
strength	Character strength state (e.g., "all", "ev", "pp", "pk").
sort_by	Character metric to sort the leaderboard by (e.g., "total", "per_60").
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
team_abbrev	character	Team abbreviation.
team_slug	character	URL slug for the team.
team_common_name_default	character	Team common name (default lan
team_place_name_with_preposition_default	character	Team place name with prepositi
team_team_logo_light	character	URL to the team light logo.
team_team_logo_dark	character	URL to the team dark logo.
distance_total_imperial	numeric	Total distance skated, in miles.
distance_total_metric	numeric	Total distance skated, in kilomet
distance_per60_imperial	numeric	Distance skated per 60 minutes,
distance_per60_metric	numeric	Distance skated per 60 minutes,
distance_max_per_game_imperial	numeric	Maximum distance skated in a s
distance_max_per_game_metric	numeric	Maximum distance skated in a s
distance_max_per_game_overlay_game_date	character	Game date of the max-per-game
distance_max_per_game_overlay_game_type	integer	Game type of the max-per-game
distance_max_per_game_overlay_away_team_abbrev	character	Away team abbreviation in the n
distance_max_per_game_overlay_away_team_score	integer	Away team score in the max-per
distance_max_per_game_overlay_home_team_abbrev	character	Home team abbreviation in the n
distance_max_per_game_overlay_home_team_score	integer	Home team score in the max-per
distance_max_per_game_overlay_game_outcome_last_period_type	character	Last period type of the max-per-
distance_max_per_game_overlay_game_outcome_ot_periods	integer	Number of overtime periods in t
distance_max_per_game_overlay_period_descriptor_max_regulation_periods	integer	Maximum regulation periods for
distance_max_per_game_overlay_period_descriptor_number	integer	Period number for the max-per-g
distance_max_per_game_overlay_period_descriptor_period_type	character	Period type for the max-per-gam
distance_max_per_period_imperial	numeric	Maximum distance skated in a s
distance_max_per_period_metric	numeric	Maximum distance skated in a s
distance_max_per_period_overlay_game_date	character	Game date of the max-per-perio
distance_max_per_period_overlay_game_type	integer	Game type of the max-per-perio
distance_max_per_period_overlay_away_team_abbrev	character	Away team abbreviation in the n
distance_max_per_period_overlay_away_team_score	integer	Away team score in the max-per
distance_max_per_period_overlay_home_team_abbrev	character	Home team abbreviation in the n
distance_max_per_period_overlay_home_team_score	integer	Home team score in the max-per
distance_max_per_period_overlay_game_outcome_last_period_type	character	Last period type of the max-per-
distance_max_per_period_overlay_game_outcome_ot_periods	integer	Number of overtime periods in t

distance_max_per_period_overlay_period_descriptor_max_regulation_periods	integer	Maximum regulation periods for
distance_max_per_period_overlay_period_descriptor_number	integer	Period number for the max-per-p
distance_max_per_period_overlay_period_descriptor_period_type	character	Period type for the max-per-peri

Examples

```
try(nhl_edge_team_skating_distance_top_10(
  positions = "F",
  strength = "all",
  sort_by = "total"
))
```

`nhl_edge_team_skating_speed_detail`

NHL Edge Team Skating Speed Detail

Description

Returns the NHL Edge skating-speed detail payload for a single team. Wraps `https://api-web.nhle.com/v1/edge/team-`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_team_skating_speed_detail(team_id, season = NULL, game_type = 2)
```

Arguments

`team_id`	Integer NHL team ID (e.g., `10` for Toronto Maple Leafs).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_center_link	character	Link to the NHL game center page.
game_date	character	Game date.
game_type	integer	Game type code (2 = regular, 3 = playoffs).
is_home_team	logical	Whether the player's team was the home team.
time_in_period	character	Time in the period the top speed was recorded.
player_id	integer	Unique player identifier.
player_slug	character	Player URL slug.

player_first_name_default	character	Player first name.
player_last_name_default	character	Player last name.
skating_speed_imperial	numeric	Top skating speed in miles per hour.
skating_speed_metric	numeric	Top skating speed in kilometers per hour.
period_descriptor_number	integer	Period number.
period_descriptor_period_type	character	Period type (REG, OT, SO).
period_descriptor_max_regulation_periods	integer	Maximum number of regulation periods.
home_team_common_name_default	character	Home team common name.
home_team_place_name_with_preposition_default	character	Home team place name with preposition.
home_team_place_name_with_preposition_fr	character	Home team place name with preposition (French).
home_team_team_logo_light	character	Home team light logo URL.
home_team_team_logo_dark	character	Home team dark logo URL.
away_team_common_name_default	character	Away team common name.
away_team_place_name_with_preposition_default	character	Away team place name with preposition.
away_team_place_name_with_preposition_fr	character	Away team place name with preposition (French).
away_team_team_logo_light	character	Away team light logo URL.
away_team_team_logo_dark	character	Away team dark logo URL.

Examples

```
try(nhl_edge_team_skating_speed_detail(team_id = 10))
```

`nhl_edge_team_skating_speed_top_10`

NHL Edge Team Skating Speed Top 10

Description

Returns the NHL Edge top-10 team skating-speed leaderboard. Wraps `https://api-web.nhle.com/v1/edge/team-skati`
When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_team_skating_speed_top_10(
  positions,
  sort_by,
  season = NULL,
  game_type = 2
)
```

Arguments

`positions`	Character position filter (e.g., `"F"`, `"D"`, `"all"`).
`sort_by`	Character metric to sort the leaderboard by (e.g., `"total"`, `"top_speed"`).

season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A fastRhockey_data tibble with the top-10 team leaderboard, or NULL on failure / empty response.

Examples

```
try(nhl_edge_team_skating_speed_top_10(
  positions = "F",
  sort_by = "total"
))
```

---

nhl_edge_team_zone_time_details

NHL Edge Team Zone Time Details

Description

Returns the NHL Edge zone-time details payload for a single team. Wraps https://api-web.nhle.com/v1/edge/team-zo
When season is NULL (default) the /now endpoint is used to fetch the current season.

Usage

```
nhl_edge_team_zone_time_details(team_id, season = NULL, game_type = 2)
```

Arguments

team_id	Integer NHL team ID (e.g., 10 for Toronto Maple Leafs).
season	Optional 4-digit end-year (e.g., 2025 for the 2024-25 season), an 8-character API season (e.g., "20242025"), or NULL (default) for the current season via the /now endpoint.
game_type	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
strength_code	character	Game-strength state the row applies to.
offensive_zone_pctg	numeric	Percentage of time spent in the offensive zone.
offensive_zone_rank	integer	League rank for offensive zone time.
offensive_zone_league_avg	numeric	League-average offensive zone time percentage.

neutral_zone_pctg	numeric	Percentage of time spent in the neutral zone.
neutral_zone_rank	integer	League rank for neutral zone time.
neutral_zone_league_avg	numeric	League-average neutral zone time percentage.
defensive_zone_pctg	numeric	Percentage of time spent in the defensive zone.
defensive_zone_rank	integer	League rank for defensive zone time.
defensive_zone_league_avg	numeric	League-average defensive zone time percentage.

Examples

```
try(nhl_edge_team_zone_time_details(team_id = 10))
```

`nhl_edge_team_zone_time_top_10`

NHL Edge Team Zone Time Top 10

Description

Returns the NHL Edge top-10 team zone-time leaderboard. Wraps `https://api-web.nhle.com/v1/edge/team-zone-time`. When `season` is `NULL` (default) the `/now` endpoint is used to fetch the current season.

Usage

```
nhl_edge_team_zone_time_top_10(strength, sort_by, season = NULL, game_type = 2)
```

Arguments

`strength`	Character strength state (e.g., `"all"`, `"ev"`, `"pp"`, `"pk"`).
`sort_by`	Character metric to sort the leaderboard by (e.g., `"offensive"`, `"defensive"`, `"neutral"`).
`season`	Optional 4-digit end-year (e.g., `2025` for the 2024-25 season), an 8-character API season (e.g., `"20242025"`), or `NULL` (default) for the current season via the `/now` endpoint.
`game_type`	Integer game type. 1 = preseason, 2 = regular season (default), 3 = playoffs.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
offensive_zone_time	numeric	Percentage of time spent in the offensive zone.
neutral_zone_time	numeric	Percentage of time spent in the neutral zone.
defensive_zone_time	numeric	Percentage of time spent in the defensive zone.
team_abbrev	character	Team abbreviation.
team_slug	character	Team URL slug.

team_common_name_default	character	Team common name.
team_place_name_with_preposition_default	character	Team place name with preposition.
team_place_name_with_preposition_fr	character	Team place name with preposition (French).
team_team_logo_light	character	Team light logo URL.
team_team_logo_dark	character	Team dark logo URL.

Examples

```
try(nhl_edge_team_zone_time_top_10(
  strength = "all",
  sort_by = "offensive"
))
```

`nhl_gamecenter_landing`

NHL Gamecenter Landing

Description

Returns the gamecenter landing page data for a given game, including rosters, linescore, game state, and summary information.

Usage

```
nhl_gamecenter_landing(game_id)
```

Arguments

`game_id`	Integer or character game ID (e.g., 2024020001)

Value

A named list of data frames: `tvBroadcasts`.

tvBroadcasts

col_name	types	description
id	integer	Unique broadcast identifier.
market	character	Broadcast market (national/local).
countryCode	character	Country code of the broadcast.
network	character	Broadcasting network name.
sequenceNumber	integer	Broadcast sequence order number.

Examples

```
try(nhl_gamecenter_landing(game_id = 2024020001))
```

`nhl_gamecenter_right_rail`

NHL Gamecenter Right Rail

Description

Returns the gamecenter right rail data for a given game, including 3 stars, team leaders, and season series.

Usage

```
nhl_gamecenter_right_rail(game_id)
```

Arguments

`game_id`	Integer or character game ID (e.g., 2024020001)

Value

A named list of data frames: `seasonSeries`, `shotsByPeriod`, `teamGameStats`.

seasonSeries

col_name	types	description
id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
gameType	integer	Game type the row belongs to.
gameDate	character	Game date.
startTimeUTC	character	Game start time in UTC.
easternUTCOffset	character	Eastern time UTC offset.
venueUTCOffset	character	Venue local time UTC offset.
gameState	character	Current game state.
gameScheduleState	character	Schedule state of the game.
gameCenterLink	character	Link to the gamecenter page.
awayTeam.id	integer	Away team unique identifier.
awayTeam.abbrev	character	Away team abbreviation.
awayTeam.logo	character	Away team logo URL.
awayTeam.score	integer	Away team score.
homeTeam.id	integer	Home team unique identifier.
homeTeam.abbrev	character	Home team abbreviation.
homeTeam.logo	character	Home team logo URL.
homeTeam.score	integer	Home team score.
periodDescriptor.number	integer	Period number.
periodDescriptor.periodType	character	Period type (REG/OT/SO).
periodDescriptor.maxRegulationPeriods	integer	Maximum number of regulation periods.
gameOutcome.lastPeriodType	character	Period type in which the game ended.

shotsByPeriod

col_name	types	description
away	integer	Away team shots in the period.
home	integer	Home team shots in the period.
periodDescriptor.number	integer	Period number.
periodDescriptor.periodType	character	Period type (REG/OT/SO).
periodDescriptor.maxRegulationPeriods	integer	Maximum number of regulation periods.

teamGameStats

col_name	types	description
category	character	Statistic category name.
awayValue	character	Away team value for the category.
homeValue	character	Home team value for the category.

Examples

```
try(nhl_gamecenter_right_rail(game_id = 2024020001))
```

`nhl_game_boxscore` **NHL Game Boxscore**

Description

Retrieve boxscore data for a specific NHL game from the NHL web API (`api-web.nhle.com`).

Usage

```
nhl_game_boxscore(game_id)
```

Arguments

`game_id`	*(integer)* NHL game ID, e.g. `2024020001`.

Details

Uses the endpoint `https://api-web.nhle.com/v1/gamecenter/{game_id}/boxscore`.

Value

A named list of data frames: `game_info`, `team_box`, `skater_stats`, `goalie_stats`.

game_info

col_name	types	description
game_id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
game_type	integer	Game type code (2 = regular, 3 = playoffs).
game_date	character	Game date.
venue	character	Venue name.
game_state	character	Game state (e.g., FINAL, LIVE).
away_team_id	integer	Away team identifier.
away_team_abbrev	character	Away team abbreviation.
away_team_name	character	Away team name.
away_score	integer	Away team final score.
away_sog	integer	Away team shots on goal.
home_team_id	integer	Home team identifier.
home_team_abbrev	character	Home team abbreviation.
home_team_name	character	Home team name.
home_score	integer	Home team final score.
home_sog	integer	Home team shots on goal.
last_period_type	character	Type of the last period played (REG, OT, SO).

team_box

col_name	types	description
home_away	character	Home or away indicator.
team_id	integer	Unique team identifier.
team_abbrev	character	Team abbreviation.
team_name	character	Team name.
goals	integer	Goals scored.
shots_on_goal	integer	Shots on goal.
pim	integer	Penalty minutes.
hits	integer	Hits.
blocked_shots	integer	Blocked shots.
giveaways	integer	Giveaways.
takeaways	integer	Takeaways.
power_play_goals	integer	Power-play goals.
faceoff_win_pctg	numeric	Faceoff win percentage.
saves	integer	Saves made.
save_pctg	numeric	Save percentage.
goals_against	integer	Goals against.

skater_stats

col_name	types	description
home_away	character	Home or away indicator.
team_id	integer	Unique team identifier.
team_abbrev	character	Team abbreviation.
player_id	integer	Unique player identifier.

player_name	character	Player name.
sweater_number	integer	Jersey number.
position	character	Player position.
goals	integer	Goals scored.
assists	integer	Assists.
points	integer	Total points (goals + assists).
plus_minus	integer	Plus/minus rating.
pim	integer	Penalty minutes.
hits	integer	Hits.
power_play_goals	integer	Power-play goals.
shots_on_goal	integer	Shots on goal.
faceoff_winning_pctg	numeric	Faceoff win percentage.
toi	character	Time on ice.
blocked_shots	integer	Blocked shots.
shifts	integer	Number of shifts.
giveaways	integer	Giveaways.
takeaways	integer	Takeaways.

goalie_stats

col_name	types	description
home_away	character	Home or away indicator.
team_id	integer	Unique team identifier.
team_abbrev	character	Team abbreviation.
player_id	integer	Unique player identifier.
player_name	character	Player name.
sweater_number	integer	Jersey number.
even_strength_shots_against	character	Even-strength shots against (saves/total).
power_play_shots_against	character	Power-play shots against (saves/total).
shorthanded_shots_against	character	Shorthanded shots against (saves/total).
save_shots_against	character	Total shots against (saves/total).
save_pctg	numeric	Save percentage.
even_strength_goals_against	integer	Even-strength goals against.
power_play_goals_against	integer	Power-play goals against.
shorthanded_goals_against	integer	Shorthanded goals against.
pim	integer	Penalty minutes.
goals_against	integer	Goals against.
toi	character	Time on ice.
starter	logical	Whether the goalie started the game.
decision	character	Goalie decision (W, L, O).
shots_against	integer	Shots faced.
saves	integer	Saves made.

Examples

```
## Not run:
  box <- nhl_game_boxscore(2024020001)
```

```
  box$game_info
  box$skater_stats

## End(Not run)
```

`nhl_game_content` **NHL Game Content**

Description

Returns game summary content for a given game ID. Uses the new NHL API gamecenter landing endpoint (`api-web.nhle.com`).

Note: The original `statsapi.web.nhl.com` endpoint has been retired. This function now returns game summary data (teams, scoring, three stars) from the gamecenter landing page instead of the old highlights/content data.

Usage

```
nhl_game_content(game_id)
```

Arguments

`game_id`	Game unique ID (e.g., 2024020001)

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
game_type	integer	Game type code (2 = regular, 3 = playoffs).
game_date	character	Game date.
venue	character	Venue name.
away_team_abbrev	character	Away team abbreviation.
away_team_name	character	Away team name.
away_team_score	integer	Away team final score.
away_team_sog	integer	Away team shots on goal.
home_team_abbrev	character	Home team abbreviation.
home_team_name	character	Home team name.
home_team_score	integer	Home team final score.
home_team_sog	integer	Home team shots on goal.
game_state	character	Game state (e.g., FINAL, LIVE).
period	integer	Last period number played.
period_type	character	Last period type (REG, OT, SO).
star_1_player_id	integer	First star player identifier.

star_1_name	character	First star player name.
star_1_team_abbrev	character	First star player team abbreviation.
star_1_position	character	First star player position.
star_2_player_id	integer	Second star player identifier.
star_2_name	character	Second star player name.
star_2_team_abbrev	character	Second star player team abbreviation.
star_2_position	character	Second star player position.
star_3_player_id	integer	Third star player identifier.
star_3_name	character	Third star player name.
star_3_team_abbrev	character	Third star player team abbreviation.
star_3_position	character	Third star player position.

Examples

```
try(nhl_game_content(game_id = 2024020001))
```

`nhl_game_feed` **NHL Game Feed**

Description

Returns a named list with play-by-play data plus game metadata for a given NHL game. Uses the new NHL API at api-web.nhle.com.

Usage

```
nhl_game_feed(game_id, include_shifts = TRUE, raw = FALSE)
```

Arguments

`game_id`	Game unique ID (e.g. 2024020001)
`include_shifts`	Logical; whether to integrate shift data for on-ice player tracking. Default TRUE.
`raw`	Logical; if TRUE, return the unprocessed API response as a list instead of parsed/enriched data. Default FALSE.

Value

A named list of data frames: `pbp`, `game_info`, `rosters`. When `raw = TRUE`, returns the raw JSON response as a nested list.

pbp

See `nhl_game_pbp()` for the full play-by-play column dictionary; the pbp element returns the same one-row-per-event data frame.

game_info

col_name	types	description
game_id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
game_type	character	Game type code (PR, R, P, A).
game_date	character	Game date.
venue	character	Venue name.
home_team_abbr	character	Home team abbreviation.
away_team_abbr	character	Away team abbreviation.
home_score	integer	Final home team score.
away_score	integer	Final away team score.
game_state	character	Current state of the game.

rosters

col_name	types	description
player_id	integer	Unique player identifier.
full_name	character	Player full name.
first_name	character	Player first name.
last_name	character	Player last name.
team_abbr	character	Team abbreviation.
team_id	integer	Unique team identifier.
position_code	character	Player position code.
sweater_number	integer	Jersey number.

Examples

```
try(nhl_game_feed(game_id = 2024020001))
try(nhl_game_feed(game_id = 2024020001, raw = TRUE))
```

`nhl_game_ids_by_season`

NHL Game IDs by Season

Description

Aggregator helper that iterates every NHL team's season schedule (via `nhl_club_schedule()`) and returns a deduplicated tidy data frame of game IDs for the requested season and game types. Mirrors the `Helpers.game_ids_by_season` convenience helper from the `nhl-api-py` Python client.

Usage

```
nhl_game_ids_by_season(
  season,
  game_types = c(2L),
```

```
  team_abbr = NULL,
  sleep_rate = 0
)
```

Arguments

season	Integer four-digit *end year* of the season (e.g. 2025 for the 2024-25 season). Passed through to nhl_club_schedule() which uses the same end-year convention.
game_types	Integer vector of NHL game types to keep. 1 = preseason, 2 = regular season (default), 3 = playoffs.
team_abbr	Optional character three-letter team abbreviation (e.g. "TOR"). If supplied, only that team's schedule is fetched instead of iterating all 32 NHL clubs.
sleep_rate	Numeric seconds to Sys.sleep() between per-team API calls when iterating all teams. Defaults to 0 (no delay).

Value

A data frame (fastRhockey_data) with one row per unique game and the following columns (returns NULL on outer failure):

col_name	types	description
game_id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
game_type	integer	Game type (1=pre, 2=regular, 3=playoffs).
game_date	character	Game date.
home_team	character	Home team abbreviation.
away_team	character	Away team abbreviation.

Examples

```
try(nhl_game_ids_by_season(season = 2025, team_abbr = "TOR"))
```

---

nhl_game_pbp NHL Game Play-by-Play

Description

Returns detailed play-by-play data for a given NHL game, including event players, coordinates, on-ice skaters, strength states, shot distance/angle, and shift integration. Uses the new NHL API at api-web.nhle.com.

Usage

```
nhl_game_pbp(game_id, include_shifts = TRUE, raw = FALSE)
```

Arguments

game_id	Game unique ID (e.g. 2024020001)
include_shifts	Logical; whether to integrate shift data for on-ice player tracking. Default TRUE.
raw	Logical; if TRUE, return the unprocessed API response as a list instead of the parsed data frame. Default FALSE.

Value

A data frame (fastRhockey_data) with one row per event and the following columns (or the raw API response list when raw = TRUE):

col_name	types	description
event_type	character	Normalized event type code.
event	character	Human-readable event label.
secondary_type	character	Secondary type (shot type or penalty type).
event_team_abbr	character	Abbreviation of the team that owns the event.
event_team_type	character	Whether the event team is home or away.
description	glue	Text description of the event.
period	integer	Period number.
period_type	character	Period type (regular, overtime, shootout).
period_time	character	Time elapsed in the period (MM:SS).
period_seconds	numeric	Seconds elapsed in the period.
period_seconds_remaining	numeric	Seconds remaining in the period.
period_time_remaining	character	Time remaining in the period (MM:SS).
game_seconds	numeric	Seconds elapsed in the game.
game_seconds_remaining	numeric	Seconds remaining in the game.
home_score	integer	Home team score at the event.
away_score	integer	Away team score at the event.
event_player_1_name	character	Name of the primary event player.
event_player_1_type	character	Role of the primary event player.
event_player_1_id	integer	Player ID of the primary event player.
event_player_2_name	character	Name of the secondary event player.
event_player_2_type	character	Role of the secondary event player.
event_player_2_id	integer	Player ID of the secondary event player.
event_player_3_name	character	Name of the tertiary event player.
event_player_3_type	character	Role of the tertiary event player.
event_player_3_id	integer	Player ID of the tertiary event player.
event_goalie_name	character	Name of the goalie involved in the event.
event_goalie_id	integer	Player ID of the goalie involved in the event.
penalty_severity	character	Severity of the penalty.
penalty_minutes	integer	Penalty minutes assessed.
strength_state	glue	On-ice strength state (e.g. 5v5).
strength_code	character	Strength code (EV, PP, SH).
strength	character	Strength label (Even, Power Play, Shorthanded).
empty_net	logical	Whether the event occurred with an empty net.
extra_attacker	logical	Whether an extra attacker was on the ice.

x	numeric	Raw x coordinate of the event.
y	numeric	Raw y coordinate of the event.
x_fixed	numeric	Normalized x coordinate (home shoots right).
y_fixed	numeric	Normalized y coordinate (home shoots right).
shot_distance	numeric	Distance from the net for shot events.
shot_angle	numeric	Angle to the net for shot events.
home_skaters	integer	Number of home skaters on the ice.
away_skaters	integer	Number of away skaters on the ice.
home_on_1	character	Name of home on-ice skater 1.
home_on_2	character	Name of home on-ice skater 2.
home_on_3	character	Name of home on-ice skater 3.
home_on_4	character	Name of home on-ice skater 4.
home_on_5	character	Name of home on-ice skater 5.
home_on_6	character	Name of home on-ice skater 6.
home_on_7	character	Name of home on-ice skater 7.
away_on_1	character	Name of away on-ice skater 1.
away_on_2	character	Name of away on-ice skater 2.
away_on_3	character	Name of away on-ice skater 3.
away_on_4	character	Name of away on-ice skater 4.
away_on_5	character	Name of away on-ice skater 5.
away_on_6	character	Name of away on-ice skater 6.
away_on_7	character	Name of away on-ice skater 7.
home_goalie	character	Name of the home goalie on the ice.
away_goalie	character	Name of the away goalie on the ice.
num_on	integer	Number of players coming on for a change.
players_on	character	Names of players coming on for a change.
num_off	integer	Number of players going off for a change.
players_off	character	Names of players going off for a change.
game_id	integer	Unique game identifier.
season	character	Season (concluding year, YYYY).
season_type	character	Season type code (PR, R, P, A).
home_abbr	character	Home team abbreviation.
away_abbr	character	Away team abbreviation.
event_idx	integer	Sequential event index within the game.
event_id	integer	Event identifier.
pptReplayUrl	character	URL to the play replay, if available.
away_goalie_in	integer	Whether the away goalie is on the ice (1/0).
home_goalie_in	integer	Whether the home goalie is on the ice (1/0).
reason	character	Reason for a stoppage.
secondaryReason	character	Secondary reason for a stoppage.
ids_on	character	Player IDs coming on for a change.
ids_off	character	Player IDs going off for a change.
home_on_1_id	integer	Player ID of home on-ice skater 1.
away_on_1_id	integer	Player ID of away on-ice skater 1.
home_on_2_id	integer	Player ID of home on-ice skater 2.
away_on_2_id	integer	Player ID of away on-ice skater 2.
home_on_3_id	integer	Player ID of home on-ice skater 3.
away_on_3_id	integer	Player ID of away on-ice skater 3.

home_on_4_id	integer	Player ID of home on-ice skater 4.
away_on_4_id	integer	Player ID of away on-ice skater 4.
home_on_5_id	integer	Player ID of home on-ice skater 5.
away_on_5_id	integer	Player ID of away on-ice skater 5.
home_on_6_id	integer	Player ID of home on-ice skater 6.
away_on_6_id	integer	Player ID of away on-ice skater 6.
home_on_7_id	integer	Player ID of home on-ice skater 7.
away_on_7_id	integer	Player ID of away on-ice skater 7.
home_goalie_id	integer	Player ID of the home goalie on the ice.
away_goalie_id	integer	Player ID of the away goalie on the ice.
xg	numeric	Expected goals value for the event.

Examples

```
try(nhl_game_pbp(game_id = 2024020001))
try(nhl_game_pbp(game_id = 2024020001, raw = TRUE))
```

---

nhl_game_shifts NHL Game Shifts

Description

Returns information on game shifts for a given game id

Usage

```
nhl_game_shifts(game_id, detailed = FALSE)
```

Arguments

game_id	Game unique ID
detailed	If TRUE, return the per-player shift records (one row per player-shift with start_game_seconds / end_game_seconds / duration_seconds) instead of the aggregated one-row-per-change frame.

Value

A data frame (fastRhockey_data) with one row per shift change and the following columns:

col_name	types	description
event_team	character	Team making the line change.
period	integer	Period number.
period_time	character	Time in the period of the change (MM:SS).
period_seconds	numeric	Seconds elapsed in the period.
game_seconds	numeric	Seconds elapsed in the game.

num_on	integer	Number of players coming on the ice.
players_on	character	Names of players coming on the ice.
ids_on	character	Player IDs coming on the ice.
num_off	integer	Number of players going off the ice.
players_off	character	Names of players going off the ice.
ids_off	character	Player IDs going off the ice.
event	character	Event label ("Change").
event_type	character	Event type code ("CHANGE").
game_seconds_remaining	numeric	Seconds remaining in the game.

Source of truth is the legacy stats-API shiftcharts endpoint (`api.nhle.com/stats/rest/en/shiftcharts`). When that endpoint returns `{total: 0, data: []}` – which has become common for 2024-25 and 2025-26 regular-season games – we fall back to scraping the legacy HTML TOI reports at `nhl.com/scores/htmlreports/{season}/T{H|V}{gameno}.HTM`, which still publish per-shift records for the same games.

Examples

```
try(nhl_game_shifts(game_id = 2021020182))
```

`nhl_game_story` **NHL Game Story**

Description

Returns the game story / recap for a given game ID from the NHL web service.

Usage

```
nhl_game_story(game_id)
```

Arguments

`game_id`	Integer or character game ID (e.g., 2024020001)

Value

A named list with game story data (recap, scoring, penalties, etc.). The `tvBroadcasts` element is a data frame with the following columns:

tvBroadcasts

col_name	types	description
id	integer	Broadcast identifier.
market	character	Broadcast market (e.g. home/away).
countryCode	character	Country code of the broadcast.

network	character	Broadcasting network name.
sequenceNumber	integer	Order of the broadcast listing.

Examples

```
try(nhl_game_story(game_id = 2024020001))
```

`nhl_goalie_stats_leaders`

NHL Goalie Stats Leaders

Description

Returns league-wide goalie statistical leaders for a given season and game type. Supports multiple stat categories.

Usage

```
nhl_goalie_stats_leaders(
  season = NULL,
  game_type = 2,
  categories = NULL,
  limit = NULL
)
```

Arguments

`season`	Integer 4-digit year (e.g., 2024 for the 2024-25 season). If NULL, returns current season leaders.
`game_type`	Integer game type: 2 = regular season (default), 3 = playoffs
`categories`	Character vector of stat categories (e.g., "wins", "gaa", "savePctg", "shutouts"). If NULL, returns all available categories.
`limit`	Integer maximum number of leaders per category. If NULL, uses API default.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique player identifier.
sweater_number	integer	Jersey number.
headshot	character	Player headshot image URL.
team_abbrev	character	Team abbreviation.
team_logo	character	Team logo URL.

position	character	Player position.
value	numeric	Statistical value for the category.
first_name_default	character	Player first name (default locale).
last_name_default	character	Player last name (default locale).
team_name_default	character	Team name (default locale).
first_name_cs	character	Player first name (Czech locale).
first_name_sk	character	Player first name (Slovak locale).
last_name_cs	character	Player last name (Czech locale).
last_name_sk	character	Player last name (Slovak locale).
category	character	Stat leader category.
last_name_fi	character	Player last name (Finnish locale).
team_name_fr	character	Team name (French locale).

Examples

```
try(nhl_goalie_stats_leaders())
```

`nhl_goalie_summary_range`

NHL Goalie Summary (Season Range)

Description

Aggregator helper that calls `nhl_stats_goalies()` with `report_type = "summary"` for every season in `[start_season, end_season]` and concatenates the results into a single tidy frame. Mirrors the `Stats.goalie_stats_summary` convenience helper from the `nhl-api-py` Python client.

Usage

```
nhl_goalie_summary_range(start_season, end_season, game_type = 2, limit = 50)
```

Arguments

`start_season`	Integer four-digit *end year* of the first season (e.g. `2022` for the 2021-22 season).
`end_season`	Integer four-digit *end year* of the final season (inclusive). Must be `>= start_season`.
`game_type`	Integer game type: `2` = regular season (default), `3` = playoffs.
`limit`	Integer maximum number of rows per season request. Defaults to `50` to match `nhl_stats_goalies()`.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
assists	integer	Assists.
games_played	integer	Games played.
games_started	integer	Games started.
goalie_full_name	character	Goalie full name.
goals	integer	Goals scored.
goals_against	integer	Goals against.
goals_against_average	numeric	Goals against average.
last_name	character	Goalie last name.
losses	integer	Losses.
ot_losses	integer	Overtime losses.
penalty_minutes	integer	Penalty minutes.
player_id	integer	Unique player identifier.
points	integer	Total points (goals + assists).
save_pct	numeric	Save percentage.
saves	integer	Saves made.
season_id	integer	Season identifier.
shoots_catches	character	Shooting/catching hand.
shots_against	integer	Shots faced.
shutouts	integer	Shutouts.
team_abbrevs	character	Team abbreviation(s).
ties	logical	Ties (legacy; typically NA).
time_on_ice	integer	Time on ice in seconds.
wins	integer	Wins.
season	character	Season the row came from (e.g. 20232024).

Examples

```
try(nhl_goalie_summary_range(start_season = 2023, end_season = 2024))
```

`nhl_loaders` **NHL Data Loaders Overview**

Description

Loaders for season-level NHL datasets published as GitHub releases on `sportsdataverse/sportsdataverse-data`. Each helper is a thin wrapper around `.nhl_release_loader()` which validates the requested seasons, builds the per-asset URLs from a `(release_tag, file_prefix)` pair, downloads in parallel (with optional `progressr` progress + optional `DBI::DBIConnection` insertion), and tags the result with the `fastRhockey_data` S3 class. Adding a new dataset is one new row in the catalog table below.

Details

Loader catalog:

Function	Release tag	File prefix
load_nhl_pbp()	nhl_pbp_full	play_by_play
load_nhl_pbp_lite()	nhl_pbp_lite	play_by_play_lite
load_nhl_player_box()	nhl_player_boxscores	player_box
load_nhl_skater_box()	nhl_skater_boxscores	skater_box
load_nhl_goalie_box()	nhl_goalie_boxscores	goalie_box
load_nhl_team_box()	nhl_team_boxscores	team_box
load_nhl_schedule()	nhl_schedules	nhl_schedule
load_nhl_rosters()	nhl_rosters	rosters
load_nhl_game_rosters()	nhl_game_rosters	game_rosters
load_nhl_game_info()	nhl_game_info	game_info
load_nhl_scoring()	nhl_scoring	scoring
load_nhl_penalties()	nhl_penalties	penalties
load_nhl_three_stars()	nhl_three_stars	three_stars
load_nhl_scratches()	nhl_scratches	scratches
load_nhl_linescore()	nhl_linescore	linescore
load_nhl_shifts()	nhl_shifts	shifts
load_nhl_officials()	nhl_officials	officials
load_nhl_shots_by_period()	nhl_shots_by_period	shots_by_period
load_nhl_shootout()	nhl_shootout	shootout_summary

DB helpers:

Function	Purpose
update_nhl_db()	Idempotent loader → DB writer (delta only)
build_nhl_db()	Bulk-build a DB from release files
get_missing_nhl_games()	Show games missing from a DB target

---

nhl_location NHL Location

Description

Returns country/location configuration data from the NHL API.

Usage

```
nhl_location()
```

Value

Returns a list with location data.

Examples

```
try(nhl_location())
```

`nhl_meta` **NHL Meta**

Description

Returns NHL metadata (players, teams, season states, game types).

Three branches are supported:

- Both `year` and `series_letter` supplied — returns playoff-series metadata via `meta/playoff-series/{year}/{seri`
- Only `game_id` supplied — returns per-game metadata via `meta/game/{game_id}`.
- No arguments — returns general league meta via `meta`.

Usage

```
nhl_meta(game_id = NULL, year = NULL, series_letter = NULL)
```

Arguments

`game_id`	Optional game ID. If provided (and `year` / `series_letter` are not), returns metadata for that game.
`year`	Optional integer playoff year (e.g., `2024`). Must be supplied together with `series_letter` to fetch playoff-series metadata.
`series_letter`	Optional single-letter playoff series identifier (e.g., `"a"`). Must be supplied together with `year`.

Value

Returns a list with NHL metadata.

Examples

```
try(nhl_meta())
try(nhl_meta(game_id = 2024020001))
try(nhl_meta(year = 2024, series_letter = "a"))
```

nhl_partner_game_odds NHL Partner Game Odds

Description

Returns partner game odds data for a country code.

Usage

```
nhl_partner_game_odds(country_code = "US")
```

Arguments

country_code	Two-letter country code (e.g., "US", "CA"). Default "US".

Value

Returns a list with game odds data.

Examples

```
try(nhl_partner_game_odds())
```

nhl_player_career_stats NHL Player Career Stats

Description

Aggregator helper that combines biographical information from the NHL player landing endpoint with the player's season-by-season career totals. Returns a single multi-row "career-by-season" data frame. Mirrors the `Stats.player_career_stats` convenience helper from the `nhl-api-py` Python client.

Usage

```
nhl_player_career_stats(player_id)
```

Arguments

player_id	Integer player ID (e.g. `8478402` for Connor McDavid).

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_id	integer	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
position	character	Player position.
assists	integer	Assists.
game_type_id	integer	Game type the row belongs to.
games_played	integer	Games played.
goals	integer	Goals scored.
league_abbrev	character	League abbreviation.
pim	integer	Penalty minutes.
points	integer	Total points (goals + assists).
season	integer	Season (concluding year, YYYY).
sequence	integer	Sequence order of the season row.
game_winning_goals	integer	Game-winning goals.
plus_minus	integer	Plus/minus rating.
power_play_goals	integer	Power play goals.
shorthanded_goals	integer	Shorthanded goals.
shots	integer	Shots on goal.
avg_toi	character	Average time on ice.
faceoff_winning_pctg	numeric	Faceoff winning percentage.
ot_goals	integer	Overtime goals.
power_play_points	integer	Power play points.
shooting_pctg	numeric	Shooting percentage.
shorthanded_points	integer	Shorthanded points.
team_name_default	character	Team name (default locale).
team_name_cs	character	Team name (Czech locale).
team_name_de	character	Team name (German locale).
team_name_es	character	Team name (Spanish locale).
team_name_fi	character	Team name (Finnish locale).
team_name_sk	character	Team name (Slovak locale).
team_name_sv	character	Team name (Swedish locale).
team_name_fr	character	Team name (French locale).
team_common_name_default	character	Team common name (default locale).
team_common_name_cs	character	Team common name (Czech locale).
team_common_name_de	character	Team common name (German locale).
team_common_name_es	character	Team common name (Spanish locale).
team_common_name_fi	character	Team common name (Finnish locale).
team_common_name_sk	character	Team common name (Slovak locale).
team_common_name_sv	character	Team common name (Swedish locale).
team_place_name_with_preposition_default	character	Team place name with preposition.
team_place_name_with_preposition_fr	character	Team place name with preposition (FR).

Examples

```
try(nhl_player_career_stats(player_id = 8478402))
```

`nhl_player_game_log` **NHL Player Game Log**

Description

Returns game-by-game stats for an NHL player. Supports both current season and historical season lookups.

Usage

```
nhl_player_game_log(player_id, season = NULL, game_type = 2)
```

Arguments

`player_id`	Integer player ID (e.g., 8478402 for Connor McDavid)
`season`	Integer 4-digit year (e.g., 2024 for the 2024-25 season). If NULL, returns the current season game log.
`game_type`	Integer game type: 2 = regular season (default), 3 = playoffs

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
team_abbrev	character	Player's team abbreviation.
home_road_flag	character	Home or road indicator.
game_date	character	Game date.
goals	integer	Goals scored.
assists	integer	Assists.
points	integer	Total points (goals + assists).
plus_minus	integer	Plus/minus rating.
power_play_goals	integer	Power play goals.
power_play_points	integer	Power play points.
game_winning_goals	integer	Game-winning goals.
ot_goals	integer	Overtime goals.
shots	integer	Shots on goal.
shifts	integer	Number of shifts.
shorthanded_goals	integer	Shorthanded goals.
shorthanded_points	integer	Shorthanded points.
pim	integer	Penalty minutes.
toi	character	Time on ice.

opponent_abbrev	character	Opponent team abbreviation.
common_name_default	character	Player's team common name.
opponent_common_name_default	character	Opponent team common name.
player_id	numeric	Unique player identifier.

Examples

```
try(nhl_player_game_log(player_id = 8478402))
```

`nhl_player_info` **NHL Player Info**

Description

Returns biographical and career information for an NHL player. Uses the NHL API (`api-web.nhle.com`).

Usage

```
nhl_player_info(player_id)
```

Arguments

`player_id`	Integer player ID (e.g., 8476899)

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_id	integer	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
full_name	character	Player full name.
team_abbr	character	Current team abbreviation.
team_name	character	Current team name.
sweater_number	integer	Player sweater (jersey) number.
position	character	Player position.
shoots_catches	character	Handedness (shoots or catches).
height_inches	integer	Player height in inches.
weight_pounds	integer	Player weight in pounds.
birth_date	character	Player date of birth.
birth_city	character	City of birth.
birth_state	character	State or province of birth.
birth_country	character	Country of birth.
draft_year	integer	Year the player was drafted.

draft_round	integer	Draft round.
draft_pick	integer	Draft pick within the round.
draft_overall	integer	Overall draft selection number.
draft_team_abbr	character	Abbreviation of the drafting team.
is_active	logical	Whether the player is currently active.
headshot_url	character	URL of the player headshot image.

Examples

```
try(nhl_player_info(player_id = 8476899))
```

`nhl_player_spotlight` **NHL Player Spotlight**

Description

Returns the current NHL player spotlight — featured players highlighted by the league.

Usage

```
nhl_player_spotlight()
```

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_id	integer	Unique player identifier.
player_slug	character	URL slug for the player.
position	character	Player position.
sweater_number	integer	Player sweater (jersey) number.
team_id	integer	Unique team identifier.
headshot	character	URL of the player headshot image.
team_tri_code	character	Three-letter team code.
team_logo	character	URL of the team logo image.
sort_id	integer	Sort order identifier for the spotlight.
name_default	character	Player name (default localization).
name_cs	character	Player name (Czech localization).
name_fi	character	Player name (Finnish localization).
name_sk	character	Player name (Slovak localization).

Examples

```
try(nhl_player_spotlight())
```

`nhl_player_stats` **NHL Player Stats**

Description

Returns season-by-season stats for a given player ID. Uses the new NHL API player landing endpoint (`api-web.nhle.com`).

Note: The original `statsapi.web.nhl.com` endpoint has been retired. This function now returns the `seasonTotals` data from the player landing page, which includes year-by-year stats across all leagues (NHL, AHL, junior, etc.).

Usage

```
nhl_player_stats(player_id)
```

Arguments

`player_id`	Player unique ID (e.g., 8476899)

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_type_id	integer	Game type identifier (2 regular, 3 playoffs).
games_played	integer	Games played in the season.
goals_against_avg	numeric	Goalie goals-against average.
league_abbrev	character	League abbreviation.
save_pctg	numeric	Goalie save percentage.
season	integer	Season (concluding year, YYYY).
sequence	integer	Sequence order of the season row.
team_name_default	character	Team name (default localization).
goals_against	integer	Goals against.
losses	integer	Losses.
shutouts	integer	Shutouts.
ties	integer	Ties.
time_on_ice	character	Time on ice.
wins	integer	Wins.
shots_against	integer	Shots faced.
team_name_cs	character	Team name (Czech localization).
team_name_de	character	Team name (German localization).
team_name_es	character	Team name (Spanish localization).
team_name_fi	character	Team name (Finnish localization).
team_name_sk	character	Team name (Slovak localization).
team_name_sv	character	Team name (Swedish localization).
team_common_name_default	character	Team common name (default localization).
team_common_name_cs	character	Team common name (Czech localization).

team_common_name_de	character	Team common name (German localization).
team_common_name_es	character	Team common name (Spanish localization).
team_common_name_fi	character	Team common name (Finnish localization).
team_common_name_sk	character	Team common name (Slovak localization).
team_common_name_sv	character	Team common name (Swedish localization).
team_place_name_with_preposition_default	character	Team place name with preposition (default).
ot_losses	integer	Overtime losses.
assists	integer	Assists.
games_started	integer	Games started (goalies).
goals	integer	Goals scored.
pim	integer	Penalty minutes.
team_name_fr	character	Team name (French localization).
team_place_name_with_preposition_fr	character	Team place name with preposition (French).
team_common_name_fr	character	Team common name (French localization).
player_id	integer	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
position	character	Player position.

Examples

```
try(nhl_player_stats(player_id = 8476899))
```

`nhl_playoff_bracket` **NHL Playoff Bracket**

Description

Returns the complete playoff bracket for a given year.

Usage

```
nhl_playoff_bracket(year)
```

Arguments

`year`	Integer 4-digit year (e.g., 2024 for the 2024 playoffs).

Value

A named list of data frames: `series`.

series

col_name	types	description
seriesUrl	character	Relative URL of the series page.

seriesTitle	character	Full title of the series.
seriesAbbrev	character	Abbreviated series title.
seriesLetter	character	Series letter identifier.
playoffRound	integer	Playoff round number.
topSeedRank	integer	Seed rank of the top-seeded team.
topSeedRankAbbrev	character	Abbreviated seed rank of the top-seeded team.
topSeedWins	integer	Series wins by the top-seeded team.
bottomSeedRank	integer	Seed rank of the bottom-seeded team.
bottomSeedRankAbbrev	character	Abbreviated seed rank of the bottom-seeded team.
bottomSeedWins	integer	Series wins by the bottom-seeded team.
winningTeamId	integer	Unique identifier of the series-winning team.
losingTeamId	integer	Unique identifier of the series-losing team.
seriesLogo	character	URL of the series logo image.
seriesLogoFr	character	URL of the series logo image (French).
conferenceAbbrev	character	Conference abbreviation.
conferenceName	character	Conference name.
topSeedTeam.id	integer	Top-seeded team unique identifier.
topSeedTeam.abbrev	character	Top-seeded team abbreviation.
topSeedTeam.logo	character	Top-seeded team logo URL.
topSeedTeam.darkLogo	character	Top-seeded team dark logo URL.
topSeedTeam.name.default	character	Top-seeded team name (default localization).
topSeedTeam.name.fr	character	Top-seeded team name (French localization).
topSeedTeam.commonName.default	character	Top-seeded team common name (default).
topSeedTeam.placeNameWithPreposition.default	character	Top-seeded team place name with preposition.
topSeedTeam.placeNameWithPreposition.fr	character	Top-seeded team place name with preposition (FR).
bottomSeedTeam.id	integer	Bottom-seeded team unique identifier.
bottomSeedTeam.abbrev	character	Bottom-seeded team abbreviation.
bottomSeedTeam.logo	character	Bottom-seeded team logo URL.
bottomSeedTeam.darkLogo	character	Bottom-seeded team dark logo URL.
bottomSeedTeam.name.default	character	Bottom-seeded team name (default localization).
bottomSeedTeam.name.fr	character	Bottom-seeded team name (French localization).
bottomSeedTeam.commonName.default	character	Bottom-seeded team common name (default).
bottomSeedTeam.placeNameWithPreposition.default	character	Bottom-seeded team place name with preposition.
bottomSeedTeam.placeNameWithPreposition.fr	character	Bottom-seeded team place name with preposition (FR).

Examples

```
try(nhl_playoff_bracket(year = 2024))
```

`nhl_playoff_carousel` **NHL Playoff Carousel**

Description

Returns playoff series carousel data for a given season.

Usage

```
nhl_playoff_carousel(season = NULL)
```

Arguments

season	Integer 4-digit year (e.g., 2024 for the 2024-25 season). If NULL, uses most recent season.

Value

A named list of data frames: rounds.

rounds

col_name	types	description
roundNumber	integer	Playoff round number.
roundLabel	character	Full label for the playoff round.
roundAbbrev	character	Abbreviated label for the playoff round.
series	list	Nested list of series within the round.

Examples

```
try(nhl_playoff_carousel(season = 2024))
```

---

nhl_playoff_schedule NHL Playoff Schedule

Description

Returns the playoff schedule for a specific round/series.

Usage

```
nhl_playoff_schedule(season, series_letter)
```

Arguments

season	Integer 4-digit year (e.g., 2024 for the 2024-25 season).
series_letter	Character series letter (e.g., "a", "b", "c", "d").

Value

A named list of data frames: games.

games

col_name	types	description
id	integer	Unique game identifier.
season	integer	Season (concluding year, YYYY).
gameType	integer	Game type identifier (3 for playoffs).
gameNumber	integer	Game number within the series.
ifNecessary	logical	Whether the game is played only if necessary.
neutralSite	logical	Whether the game is at a neutral site.
startTimeUTC	character	Scheduled start time in UTC.
easternUTCOffset	character	UTC offset for US Eastern time.
venueUTCOffset	character	UTC offset at the venue.
venueTimezone	character	Time zone of the venue.
gameState	character	Current game state.
gameScheduleState	character	Schedule state of the game.
tvBroadcasts	list	Nested list of TV broadcast details.
gameCenterLink	character	Relative link to the game center page.
venue.default	character	Venue name (default localization).
awayTeam.id	integer	Away team unique identifier.
awayTeam.abbrev	character	Away team abbreviation.
awayTeam.score	integer	Away team score.
awayTeam.commonName.default	character	Away team common name (default localization).
awayTeam.commonName.fr	character	Away team common name (French localization).
awayTeam.placeName.default	character	Away team place name (default localization).
awayTeam.placeNameWithPreposition.default	character	Away team place name with preposition (default).
awayTeam.placeNameWithPreposition.fr	character	Away team place name with preposition (French).
homeTeam.id	integer	Home team unique identifier.
homeTeam.abbrev	character	Home team abbreviation.
homeTeam.score	integer	Home team score.
homeTeam.commonName.default	character	Home team common name (default localization).
homeTeam.commonName.fr	character	Home team common name (French localization).
homeTeam.placeName.default	character	Home team place name (default localization).
homeTeam.placeNameWithPreposition.default	character	Home team place name with preposition (default).
homeTeam.placeNameWithPreposition.fr	character	Home team place name with preposition (French).
periodDescriptor.number	integer	Period number for the game state.
periodDescriptor.periodType	character	Period type (e.g., REG, OT).
periodDescriptor.maxRegulationPeriods	integer	Maximum number of regulation periods.
seriesStatus.topSeedWins	integer	Series wins by the top-seeded team.
seriesStatus.bottomSeedWins	integer	Series wins by the bottom-seeded team.
gameOutcome.lastPeriodType	character	Period type in which the game ended.
gameOutcome.otPeriods	integer	Number of overtime periods played.

Examples

```
try(nhl_playoff_schedule(season = 2024, series_letter = "a"))
```

nhl_postal_lookup NHL Postal Lookup

Description

Returns broadcast region / geo-lookup information for a given postal (or ZIP) code from the NHL web service endpoint `postal-lookup/{postalCode}`. Used internally by NHL.com to determine local broadcast rights.

Usage

```
nhl_postal_lookup(postal_code)
```

Arguments

`postal_code`	Character. Postal or ZIP code to look up (e.g., `"10001"` for New York City).

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
stateProvince	character	State or province for the postal code.
networkType	character	Broadcast network type for the region.
county	character	County for the postal code.
postalCode	character	Postal or ZIP code looked up.
country	character	Country for the postal code.
city	character	City for the postal code.
teamName.default	character	Local broadcast team name (default).
teamName.fr	character	Local broadcast team name (French).

Examples

```
try(nhl_postal_lookup(postal_code = "10001"))
```

nhl_ppt_replay NHL PPT Replay

Description

Returns event-level play-by-play replay metadata (including video clip references) for a specific event in a given NHL game from the `ppt-replay/{gameId}/{eventNumber}` endpoint.

Usage

```
nhl_ppt_replay(game_id, event_number)
```

Arguments

game_id	Integer or character game ID (e.g., 2023020001).
event_number	Integer event / play number within the game.

Value

Returns a list with event replay metadata (clip IDs, video URLs, event context).

Examples

```
try(nhl_ppt_replay(game_id = 2023020001, event_number = 1))
```

---

nhl_ppt_replay_goal NHL PPT Replay (Goal)

Description

Returns goal-specific play-by-play replay metadata (including video clip references) for a goal event in a given NHL game from the `ppt-replay/goal/{gameId}/{eventNumber}` endpoint.

Usage

```
nhl_ppt_replay_goal(game_id, event_number)
```

Arguments

game_id	Integer or character game ID (e.g., 2023020001).
event_number	Integer event / play number within the game that corresponds to a goal.

Value

Returns a list with goal replay metadata (clip IDs, video URLs, scoring context).

Examples

```
try(nhl_ppt_replay_goal(game_id = 2023020001, event_number = 1))
```

nhl_records **NHL Records API Endpoint Overview**

Description

Wrappers around the NHL Records backend at `records.nhl.com/site/api/...`. These cover all 442 documented record-keeping endpoints (franchises, players, draft, trophies, awards, attendance, venues, officials, combine). All 25 wrappers route through `.nhl_records_api()` in `helpers_nhl_records.R` which standardizes the `cayenneExp` filtering, `sort` + `limit` + `start` pagination, and the `{data: [...], total: N}` tabular response shape.

Details

Franchise:

Function	Endpoint family	Purpose
`nhl_records_franchise()`	`franchise`	Franchise listing
`nhl_records_franchise_detail()`	`franchise-detail`	Franchise details
`nhl_records_franchise_totals()`	`franchise-team-totals`	All-time team totals
`nhl_records_franchise_team_totals()`	`franchise-team-totals`	Team totals (alt)
`nhl_records_franchise_season_results()`	`franchise-season-results`	Per-season results
`nhl_records_franchise_playoff_appearances()`	`franchise-playoff-appearances`	Playoff appearances

Player:

Function	Endpoint family	Purpose
`nhl_records_player()`	`player`	Players listing
`nhl_records_player_byteam()`	`player`	Players filtered by team
`nhl_records_player_stats()`	`player-stats`	Player stats
`nhl_records_skater_real_time_stats_career()`	`skater-real-time-stats/career`	Career real-time skater stats
`nhl_records_skater_real_time_stats_season()`	`skater-real-time-stats/season`	Season real-time skater stats
`nhl_records_goalie_career_stats()`	`goalie-career-stats`	Career goalie stats
`nhl_records_goalie_season_stats()`	`goalie-season-stats`	Season goalie stats
`nhl_records_goalie_shutout_streak()`	`goalie-shutout-streak`	Goalie shutout-streak records

Draft:

Function	Endpoint family	Purpose
`nhl_records_draft()`	`draft`	Draft listing
`nhl_records_draft_lottery_odds()`	`draft-lottery-odds`	Lottery odds
`nhl_records_draft_lottery_picks()`	`draft-lottery-picks`	Lottery pick results
`nhl_records_draft_prospect()`	`draft-prospect`	Draft-eligible prospects
`nhl_records_combine()`	`draft-combine`	Draft combine measurements

Honors and miscellany:

Function	Endpoint family	Purpose
nhl_records_trophy()	trophy	Trophy listing
nhl_records_award_details()	trophy/{id}	Trophy / award winners
nhl_records_hof_players()	hof-player	Hall of Fame
nhl_records_officials()	officials	On-ice officials
nhl_records_attendance()	attendance	Attendance records
nhl_records_venue()	venue	Arena / venue listing

`nhl_records_attendance`

NHL Records - Season Attendance

Description

Returns historical NHL season attendance from the NHL Records API (`https://records.nhl.com/site/api/attendance`

Usage

```
nhl_records_attendance(cayenne_exp = NULL)
```

Arguments

`cayenne_exp`	Optional Cayenne filter expression string.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique attendance record identifier.
playoff_attendance	integer	Total playoff attendance.
regular_attendance	integer	Total regular-season attendance.
season_id	integer	8-digit season identifier.
total_attendance	integer	Total attendance for the season.

Examples

```
try(nhl_records_attendance())
```

`nhl_records_award_details`

NHL Records - Award Details

Description

Returns detailed NHL award winners from the NHL Records API (`https://records.nhl.com/site/api/award-details`). The endpoint accepts a Cayenne filter on `seasonId` (other paths such as `franchiseId` and `award-details/{id}` return errors).

Usage

```
nhl_records_award_details(season_id = NULL, cayenne_exp = NULL)
```

Arguments

`season_id`	Optional integer 8-digit season ID (e.g., `20232024`). When supplied, becomes the cayenne filter `seasonId={season_id}`. Ignored when `cayenne_exp` is also supplied.
`cayenne_exp`	Optional Cayenne filter expression string passed via the `cayenneExp` query parameter.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique award detail identifier.
awarded_posthumously	logical	Whether the award was given posthumously.
coach_id	integer	Coach identifier, if a coach award.
created_on	character	Timestamp the record was created.
detail_summary	logical	Detail summary flag.
full_name	character	Full name of the award winner.
general_manager_id	integer	General manager identifier, if applicable.
image_url	character	URL to the award image.
is_rookie	logical	Whether the winner was a rookie.
player_id	integer	Unique player identifier.
player_image_caption	logical	Player image caption flag.
player_image_url	character	URL to the player image.
season_id	integer	8-digit season identifier.
status	character	Award status.
summary	character	Award summary text.
team_id	integer	Unique team identifier.
trophy_category_id	integer	Trophy category identifier.
trophy_id	integer	Trophy identifier.
value	integer	Award value or statistical measure.
vote_count	integer	Number of votes received.

Examples

```
try(nhl_records_award_details())
try(nhl_records_award_details(season_id = 20232024))
```

`nhl_records_combine` **NHL Records - Draft Combine Measurements**

Description

Returns NHL Scouting Combine measurements from the NHL Records API (`https://records.nhl.com/site/api/combi`

Usage

```
nhl_records_combine(cayenne_exp = NULL)
```

Arguments

`cayenne_exp`	Optional Cayenne filter expression string.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique combine record identifier.
amateur_club_name	character	Amateur club the player played for.
amateur_league	character	Amateur league the player played in.
draft_year	integer	Draft year for the player.
event	character	Combine measurement event name.
first_name	character	Player first name.
last_name	character	Player last name.
player_id	integer	Unique player identifier.
position_code	character	Player position code.
value	numeric	Measured value for the combine event.

Examples

```
try(nhl_records_combine())
```

`nhl_records_draft` **NHL Records - Draft Listing**

Description

Returns the NHL Entry Draft listing from the NHL Records API (`https://records.nhl.com/site/api/draft`). Supports Cayenne filtering and pagination.

Usage

```
nhl_records_draft(cayenne_exp = NULL, limit = NULL, start = NULL)
```

Arguments

`cayenne_exp`	Optional Cayenne filter expression string (e.g. `"draftYear=2015"`).
`limit`	Optional integer page size.
`start`	Optional integer pagination offset.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique draft record identifier.
age_in_days	integer	Player age in days.
age_in_days_for_year	integer	Player age in days for the draft year.
age_in_years	integer	Player age in years.
amateur_club_name	character	Amateur club the player played for.
amateur_league	character	Amateur league the player played in.
birth_date	character	Player birth date.
birth_place	character	Player birth place.
country_code	character	Player country code.
cs_player_id	integer	Central Scouting player identifier.
draft_date	character	Date the player was drafted.
draft_master_id	integer	Draft master record identifier.
draft_year	integer	Year of the draft.
drafted_by_team_id	integer	Identifier of the drafting team.
first_name	character	Player first name.
height	integer	Player height in inches.
last_name	character	Player last name.
notes	logical	Notes flag for the pick.
overall_pick_number	integer	Overall pick number in the draft.
pick_in_round	integer	Pick number within the round.
player_id	integer	Unique player identifier.
player_name	character	Player full name.
position	character	Player position.

removed_outright	character	Removed-outright indicator.
removed_outright_why	logical	Reason the pick was removed outright.
round_number	integer	Draft round number.
shoots_catches	character	Player shooting/catching hand.
supplemental_draft	character	Supplemental draft indicator.
team_pick_history	character	History of the team's pick.
tri_code	character	Three-letter team code.
weight	integer	Player weight in pounds.

Examples

```
try(nhl_records_draft(cayenne_exp = "draftYear=2020", limit = 5))
```

`nhl_records_draft_lottery_odds`

NHL Records - Draft Lottery Odds

Description

Returns NHL draft lottery odds from the NHL Records API (`https://records.nhl.com/site/api/draft-lottery-odds`)

Usage

```
nhl_records_draft_lottery_odds(cayenne_exp = NULL)
```

Arguments

`cayenne_exp`	Optional Cayenne filter expression string.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique lottery odds record identifier.
draft_year	integer	Draft year the odds apply to.
format_content	character	Description of the lottery format.
odds_content	character	Description of the lottery odds.
result_notes	character	Notes on the lottery results.

Examples

```
try(nhl_records_draft_lottery_odds())
```

nhl_records_draft_lottery_picks

NHL Records - Draft Lottery Picks

Description

Returns historical NHL draft lottery picks/results from the NHL Records API (https://records.nhl.com/site/api/draf

Usage

```
nhl_records_draft_lottery_picks(cayenne_exp = NULL)
```

Arguments

cayenne_exp	Optional Cayenne filter expression string.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	Unique lottery pick record identifier.
draft_team_id	integer	Team identifier holding the resulting pick.
draft_year	integer	Draft year the lottery applies to.
effect_on_draft_order	character	Description of the lottery's effect on order.
lottery_team_id	integer	Team identifier participating in the lottery.
phase	character	Lottery phase identifier.
player_id	integer	Unique player identifier of the pick.
player_notes	character	Notes about the selected player.
sequence	integer	Lottery sequence/draw order.

Examples

```
try(nhl_records_draft_lottery_picks())
```

nhl_records_draft_prospect

NHL Records - Draft Prospect Listing

Description

Returns the draft prospect listing from the NHL Records API (https://records.nhl.com/site/api/draft-prospect). Optionally filter to a single prospect via prospect_id (switches resource to draft-prospect/{prospect_id}).

Usage

```
nhl_records_draft_prospect(prospect_id = NULL, cayenne_exp = NULL)
```

Arguments

prospect_id	Optional integer prospect ID. If supplied, the resource becomes draft-prospect/{prospect_id}.
cayenne_exp	Optional Cayenne filter expression string. Ignored when prospect_id is supplied.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	Unique prospect record identifier.
birth_city	character	Prospect birth city.
birth_country3code	character	Prospect birth country three-letter code.
birth_date	character	Prospect date of birth.
birth_state_prov_code	character	Prospect birth state/province code.
category_id	integer	Prospect category identifier.
created_on	character	Record creation timestamp.
cs_player_id	integer	Central Scouting player identifier.
draft_status_code	character	Draft eligibility status code.
ep_player_id	integer	EliteProspects player identifier.
first_name	character	Prospect first name.
headshot_id	integer	Headshot image identifier.
height	integer	Prospect height (inches).
hometown	character	Prospect hometown.
last_club_name	character	Most recent club name.
last_league_abbr	character	Most recent league abbreviation.
last_name	character	Prospect last name.
nationality_code	character	Prospect nationality code.
news_articles	character	Associated news articles.
playerid	integer	Unique player identifier.
position_desc	character	Player position description.
profile	character	Prospect profile text.
quotes	character	Quotes about the prospect.
scouting_report	character	Scouting report text.
shoots_catches	character	Shooting/catching handedness.
stats_text	character	Statistical summary text.
video	character	Associated video content.
weight	integer	Prospect weight (pounds).

Examples

```
try(nhl_records_draft_prospect())
```

`nhl_records_franchise` **NHL Records - Franchise Listing**

Description

Returns the franchise listing from the NHL Records API (`https://records.nhl.com/site/api/franchise`). Optionally filter to a single franchise via `franchise_id`, which is translated into the Cayenne filter `id={franchise_id}` (the records API does **not** accept a path-suffix `franchise/{id}` form — it returns 404).

Usage

```
nhl_records_franchise(franchise_id = NULL, lang = "en")
```

Arguments

`franchise_id`	Optional integer franchise ID.
`lang`	Character language code. Default `"en"`. Currently unused server-side but reserved for future use.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique franchise identifier.
first_season_id	integer	Season identifier of the first season.
full_name	character	Full franchise name.
last_season_id	integer	Season identifier of the last season.
most_recent_team_id	integer	Most recent team identifier.
team_abbrev	character	Team abbreviation.
team_common_name	character	Team common (nickname) name.
team_place_name	character	Team place (location) name.

Examples

```
try(nhl_records_franchise())
try(nhl_records_franchise(franchise_id = 5))
```

nhl_records_franchise_detail

NHL Records - Franchise Detail

Description

Returns detailed franchise metadata from the NHL Records API (https://records.nhl.com/site/api/franchise-detai
Optionally filter by franchise ID or a cayenneExp expression.

Usage

```
nhl_records_franchise_detail(franchise_id = NULL, cayenne_exp = NULL)
```

Arguments

franchise_id	Optional integer franchise ID. When supplied it is translated into a cayenneExp=mostRecentTeamId={fra filter unless cayenne_exp is already provided.
cayenne_exp	Optional Cayenne filter expression string. Takes precedence over franchise_id when both are supplied.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	Unique franchise detail identifier.
active	logical	Whether the franchise is active.
captain_history	character	Franchise captain history text.
coaching_history	character	Franchise coaching history text.
date_awarded	character	Date the franchise was awarded.
directory_url	character	Franchise directory URL.
first_season_id	integer	Season identifier of the first season.
general_manager_history	character	Franchise general manager history text.
hero_image_url	character	Franchise hero image URL.
most_recent_team_id	integer	Most recent team identifier.
retired_numbers_summary	character	Summary of retired jersey numbers.
team_abbrev	character	Team abbreviation.
team_full_name	character	Full team name.

Examples

```
try(nhl_records_franchise_detail())
```

`nhl_records_franchise_playoff_appearances`

NHL Records - Franchise Playoff Appearances

Description

Returns franchise playoff appearance counts from the NHL Records API (`https://records.nhl.com/site/api/franchis`

Usage

```
nhl_records_franchise_playoff_appearances(
  franchise_id = NULL,
  cayenne_exp = NULL
)
```

Arguments

`franchise_id`	Optional integer franchise ID. When supplied it is translated into a `cayenneExp=franchiseId={franchi` filter unless `cayenne_exp` is already provided.
`cayenne_exp`	Optional Cayenne filter expression string. Takes precedence over `franchise_id` when both are supplied.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique record identifier.
first_season_id	integer	Season identifier of the first season.
franchise_id	integer	Unique franchise identifier.
franchise_name	character	Franchise name.
playoff_seasons	integer	Number of seasons reaching the playoffs.
stanley_cup_appearances	integer	Number of Stanley Cup Final appearances.
stanley_cup_wins	integer	Number of Stanley Cup championships.
years	integer	Number of years the franchise existed.

Examples

```
try(nhl_records_franchise_playoff_appearances())
```

`nhl_records_franchise_season_results`

NHL Records - Franchise Season Results

Description

Returns franchise season-by-season results from the NHL Records API (`https://records.nhl.com/site/api/franchise`

Usage

```
nhl_records_franchise_season_results(franchise_id = NULL, cayenne_exp = NULL)
```

Arguments

`franchise_id`	Optional integer franchise ID. When supplied it is translated into a `cayenneExp=franchiseId={franchi` filter unless `cayenne_exp` is already provided.
`cayenne_exp`	Optional Cayenne filter expression string. Takes precedence over `franchise_id` when both are supplied.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique season result record identifier.
conference_abbrev	character	Conference abbreviation.
conference_name	character	Conference name.
conference_sequence	integer	Conference standings position.
decision	character	Series/season decision indicator.
division_abbrev	character	Division abbreviation.
division_name	character	Division name.
division_sequence	integer	Division standings position.
final_playoff_round	integer	Final playoff round reached.
franchise_id	integer	Unique franchise identifier.
game_type_id	integer	Game type identifier (regular/playoffs).
games_played	integer	Games played in the season.
goals	integer	Goals scored.
goals_against	integer	Goals against.
home_losses	integer	Losses at home.
home_overtime_losses	integer	Overtime losses at home.
home_ties	integer	Ties at home.
home_wins	integer	Wins at home.
in_playoffs	logical	Whether the season reached the playoffs.
league_sequence	integer	League standings position.
losses	integer	Total losses.
overtime_losses	integer	Total overtime losses.
penalty_minutes	integer	Penalty minutes.

playoff_round	integer	Playoff round identifier.
points	integer	Standings points earned.
road_losses	integer	Losses on the road.
road_overtime_losses	integer	Overtime losses on the road.
road_ties	integer	Ties on the road.
road_wins	integer	Wins on the road.
season_id	integer	Season identifier.
series_abbrev	character	Playoff series abbreviation.
series_title	character	Playoff series title.
shutouts	integer	Shutouts recorded.
team_id	integer	Unique team identifier.
team_name	character	Team name.
ties	integer	Total ties.
tri_code	character	Team three-letter code.
wins	integer	Total wins.

Examples

```
try(nhl_records_franchise_season_results())
```

`nhl_records_franchise_team_totals`

NHL Records - Franchise Team Totals

Description

Returns per-team-name totals from the NHL Records API (`https://records.nhl.com/site/api/franchise-team-total`). Useful for relocated franchises where multiple team names map to one franchise.

Usage

```
nhl_records_franchise_team_totals(franchise_id = NULL, cayenne_exp = NULL)
```

Arguments

`franchise_id`	Optional integer franchise ID. When supplied it is translated into a `cayenneExp=franchiseId={franchi` filter unless `cayenne_exp` is already provided.
`cayenne_exp`	Optional Cayenne filter expression string. Takes precedence over `franchise_id` when both are supplied.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique record identifier.
active_franchise	integer	Indicator of whether the franchise is active.
active_team	logical	Indicator of whether the team is active.
cups	integer	Number of Stanley Cup championships.
first_season_id	integer	Season ID of the team's first season.
franchise_id	integer	Unique franchise identifier.
game_type_id	integer	Game type the totals belong to.
game_win_pctg	numeric	Game-winning percentage.
games_played	integer	Total games played.
goals_against	integer	Goals against.
goals_for	integer	Goals for.
home_losses	integer	Losses at home.
home_overtime_losses	integer	Overtime losses at home.
home_ties	integer	Ties at home.
home_wins	integer	Wins at home.
last_season_id	integer	Season ID of the team's last season.
losses	integer	Total losses.
overtime_losses	integer	Total overtime losses.
penalty_minutes	integer	Penalty minutes.
playoff_seasons	integer	Number of playoff seasons.
point_pctg	numeric	Points percentage.
points	integer	Total standings points.
road_losses	integer	Losses on the road.
road_overtime_losses	integer	Overtime losses on the road.
road_ties	integer	Ties on the road.
road_wins	integer	Wins on the road.
series_losses	integer	Playoff series losses.
series_played	integer	Playoff series played.
series_win_pctg	numeric	Playoff series win percentage.
series_wins	integer	Playoff series wins.
shootout_losses	integer	Shootout losses.
shootout_wins	integer	Shootout wins.
shutouts	integer	Shutouts recorded.
team_id	integer	Unique team identifier.
team_name	character	Team name.
ties	integer	Total ties.
tri_code	character	Team three-letter code.
wins	integer	Total wins.

Examples

```
try(nhl_records_franchise_team_totals())
```

`nhl_records_franchise_totals`

NHL Records - Franchise Totals

Description

Returns all-time franchise totals from the NHL Records API (`https://records.nhl.com/site/api/franchise-totals`). Optionally filter by franchise ID or a `cayenneExp` expression.

Usage

```
nhl_records_franchise_totals(franchise_id = NULL, cayenne_exp = NULL)
```

Arguments

`franchise_id`	Optional integer franchise ID. When supplied it is translated into a `cayenneExp=franchiseId={franchi` filter unless `cayenne_exp` is already provided.
`cayenne_exp`	Optional Cayenne filter expression string. Takes precedence over `franchise_id` when both are supplied.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique record identifier.
active_franchise	integer	Indicator of whether the franchise is active.
cups	integer	Number of Stanley Cup championships.
first_season_id	integer	Season ID of the franchise's first season.
franchise_id	integer	Unique franchise identifier.
game_type_id	integer	Game type the totals belong to.
game_win_pctg	numeric	Game-winning percentage.
games_played	integer	Total games played.
goals_against	integer	Goals against.
goals_for	integer	Goals for.
home_losses	integer	Losses at home.
home_overtime_losses	integer	Overtime losses at home.
home_ties	integer	Ties at home.
home_wins	integer	Wins at home.
last_season_id	integer	Season ID of the franchise's last season.
losses	integer	Total losses.
overtime_losses	integer	Total overtime losses.
penalty_minutes	integer	Penalty minutes.
playoff_seasons	integer	Number of playoff seasons.
point_pctg	numeric	Points percentage.
points	integer	Total standings points.
road_losses	integer	Losses on the road.

road_overtime_losses	integer	Overtime losses on the road.
road_ties	integer	Ties on the road.
road_wins	integer	Wins on the road.
series_losses	integer	Playoff series losses.
series_played	integer	Playoff series played.
series_win_pctg	numeric	Playoff series win percentage.
series_wins	integer	Playoff series wins.
shootout_losses	integer	Shootout losses.
shootout_wins	integer	Shootout wins.
shutouts	integer	Shutouts recorded.
team_abbrev	character	Team abbreviation.
team_id	integer	Unique team identifier.
team_name	character	Team name.
ties	integer	Total ties.
wins	integer	Total wins.

Examples

```
try(nhl_records_franchise_totals())
```

`nhl_records_goalie_career_stats`

NHL Records - Goalie Career Stats

Description

Returns career goalie statistics from the NHL Records API (`https://records.nhl.com/site/api/goalie-career-stats`).

Usage

```
nhl_records_goalie_career_stats(cayenne_exp = NULL, limit = NULL, start = NULL)
```

Arguments

`cayenne_exp`	Optional Cayenne filter expression string (e.g. `"playerId=8471679"`).
`limit`	Optional integer page size.
`start`	Optional integer pagination offset.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique record identifier.
active_player	logical	Indicator of whether the player is active.

first_name	character	Player first name.
first_season_for_game_type	integer	First season ID for the game type.
franchise_id	integer	Unique franchise identifier.
game_seven_games_played	logical	Game seven games played.
game_seven_losses	logical	Game seven losses.
game_seven_wins	logical	Game seven wins.
game_type_id	integer	Game type the totals belong to.
games_played	integer	Total games played.
goals_against	integer	Goals against.
goals_against_average	numeric	Goals against average.
last_name	character	Player last name.
last_season_for_game_type	integer	Last season ID for the game type.
losses	integer	Total losses.
overtime_games_played	integer	Overtime games played.
overtime_goals_against	integer	Overtime goals against.
overtime_goals_against_average	logical	Overtime goals against average.
overtime_losses	logical	Overtime losses.
overtime_save_pctg	numeric	Overtime save percentage.
overtime_shots_against	integer	Overtime shots against.
overtime_ties	integer	Overtime ties.
overtime_time_on_ice	integer	Overtime time on ice (seconds).
overtime_wins	integer	Overtime wins.
player_id	integer	Unique player identifier.
position_code	character	Player position code.
save_pctg	numeric	Save percentage.
saves	integer	Saves made.
seasons_played	integer	Number of seasons played.
shots_against	integer	Shots faced.
shutouts	integer	Shutouts recorded.
team_abbrevs	character	Team abbreviations.
team_names	character	Team names.
ties	integer	Total ties.
time_on_ice	integer	Total time on ice (seconds).
time_on_ice_min_sec	character	Total time on ice (MM:SS).
wins	integer	Total wins.

Examples

```
try(nhl_records_goalie_career_stats(limit = 5))
```

`nhl_records_goalie_season_stats`

NHL Records - Goalie Season Stats

Description

Returns season-by-season goalie statistics from the NHL Records API (`https://records.nhl.com/site/api/goalie-sea`

Usage

```
nhl_records_goalie_season_stats(cayenne_exp = NULL, limit = NULL, start = NULL)
```

Arguments

`cayenne_exp`	Optional Cayenne filter expression string.
`limit`	Optional integer page size.
`start`	Optional integer pagination offset.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique record identifier.
active_player	logical	Indicator of whether the player is active.
first_name	character	Player first name.
franchise_id	integer	Unique franchise identifier.
game_seven_games_played	logical	Game seven games played.
game_seven_losses	logical	Game seven losses.
game_seven_wins	logical	Game seven wins.
game_type	integer	Game type the totals belong to.
games_played	integer	Total games played.
games_started	integer	Games started.
goals_against	integer	Goals against.
goals_against_average	numeric	Goals against average.
last_name	character	Player last name.
losses	integer	Total losses.
number_of_games_in_season	integer	Number of games in the season.
overtime_games_played	integer	Overtime games played.
overtime_goals_against	integer	Overtime goals against.
overtime_losses	logical	Overtime losses.
overtime_ties	integer	Overtime ties.
overtime_wins	integer	Overtime wins.
player_id	integer	Unique player identifier.
position_code	character	Player position code.
rookie_flag	logical	Indicator of whether the player was a rookie.
save_pctg	numeric	Save percentage.
saves	integer	Saves made.
season_id	integer	Season identifier.
shots_against	integer	Shots faced.
shutouts	integer	Shutouts recorded.
team_abbrevs	character	Team abbreviations.
team_names	character	Team names.

ties	integer	Total ties.
time_on_ice	integer	Total time on ice (seconds).
time_on_ice_min_sec	character	Total time on ice (MM:SS).
wins	integer	Total wins.

Examples

```
try(nhl_records_goalie_season_stats(limit = 5))
```

`nhl_records_goalie_shutout_streak`

NHL Records - Goalie Shutout Streaks

Description

Returns goalie shutout streak records from the NHL Records API (`https://records.nhl.com/site/api/goalie-shutout`

Usage

```
nhl_records_goalie_shutout_streak(
  cayenne_exp = NULL,
  limit = NULL,
  start = NULL
)
```

Arguments

`cayenne_exp`	Optional Cayenne filter expression string.
`limit`	Optional integer page size.
`start`	Optional integer pagination offset.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique record identifier.
active_player	logical	Indicator of whether the player is active.
active_streak	logical	Indicator of whether the streak is active.
duration_min_sec	character	Streak duration (MM:SS).
duration_seconds	integer	Streak duration in seconds.
end_date	character	Date the streak ended.
first_name	character	Player first name.
franchise_id	integer	Unique franchise identifier.
game_type_id	integer	Game type the streak belongs to.

last_name	character	Player last name.
player_id	integer	Unique player identifier.
saves	logical	Saves made during the streak.
season_id	integer	Season identifier.
start_date	character	Date the streak started.
team_abbrev	character	Team abbreviation.
team_id	integer	Unique team identifier.
team_name	character	Team name.

Examples

```
try(nhl_records_goalie_shutout_streak(limit = 5))
```

`nhl_records_hof_players`

NHL Records - Hall of Fame Players

Description

Returns Hall of Fame inductees from the NHL Records API (`https://records.nhl.com/site/api/hof/players`). Optionally filter by office ID (switches resource to `hof/players/{office_id}`).

Usage

```
nhl_records_hof_players(office_id = NULL)
```

Arguments

`office_id`	Optional integer office/category ID. If supplied, the resource becomes `hof/players/{office_id}`.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique record identifier.
date_inducted	character	Date the inductee entered the Hall of Fame.
induction_cat_id	integer	Induction category identifier.
misc_full_name	character	Full name of the inductee.
office_id	integer	Office/category identifier.
official_id	logical	Official identifier.
player_id	integer	Unique player identifier.

Examples

```
try(nhl_records_hof_players())
```

`nhl_records_officials` **NHL Records - On-Ice Officials**

Description

Returns NHL on-ice official listings from the NHL Records API (`https://records.nhl.com/site/api/officials`). Optionally filter by type (e.g. `"referee"`, `"linesman"`), which switches the resource to `officials/{type}`.

Usage

```
nhl_records_officials(type = NULL)
```

Arguments

`type`	Optional character official type. If supplied, the resource becomes `officials/{type}`.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique official record identifier.
active	logical	Whether the official is currently active.
association_url	character	URL to the official's association profile.
birth_city	character	Birth city of the official.
birth_date	character	Birth date of the official.
coach_id	integer	Associated coach identifier, if any.
country_code	character	Country code of the official.
deceased	logical	Whether the official is deceased.
deceased_date	character	Date of death, if applicable.
first_name	character	First name of the official.
first_playoff_game_id	integer	Game ID of the official's first playoff game.
first_regular_game_id	integer	Game ID of the official's first regular game.
general_manager_id	logical	Associated general manager identifier.
headshot_url	character	URL to the official's headshot image.
last_name	character	Last name of the official.
nationality_code	character	Nationality code of the official.
official_type	character	Type of official (e.g. referee, linesman).
officials_schema_id	integer	Officials schema identifier.
player_id	integer	Associated player identifier, if any.
referree_association_id	integer	Referee association identifier.
state_province_code	character	State or province code of the official.
sweater_number	integer	Sweater number worn by the official.
thumb_url	character	URL to the official's thumbnail image.

Examples

```
try(nhl_records_officials())
```

`nhl_records_player` **NHL Records - Player Listing**

Description

Returns the player listing from the NHL Records API (`https://records.nhl.com/site/api/player`). Optionally filter to a single player via `player_id` (switches resource to `player/{player_id}`) or pass an arbitrary Cayenne expression.

Usage

```
nhl_records_player(player_id = NULL, cayenne_exp = NULL)
```

Arguments

`player_id`	Optional integer player ID. If supplied, the resource becomes `player/{player_id}`.
`cayenne_exp`	Optional Cayenne filter expression string. Ignored when `player_id` is supplied (single-player endpoint).

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique player identifier.
accrued_seasons	integer	Number of accrued NHL seasons.
add_names	character	Additional names for the player.
age_sign_waiver	integer	Age at which the player signed a waiver.
age_signel_fa	integer	Age at which the player signed as a free agent.
alert	character	Alert flag or note.
birth_city	character	Birth city of the player.
birth_country	character	Birth country of the player.
birth_date	character	Birth date of the player.
birth_state_province	character	Birth state or province of the player.
career_team_id	integer	Primary career team identifier.
central_registry_position	character	Position per the central registry.
club_elec_arb	character	Club election to arbitration indicator.
current_team_id	integer	Current team identifier.
date_of_death	character	Date of death, if applicable.
dda_id	integer	DDA identifier.
deceased	logical	Whether the player is deceased.
ep_player_id	integer	EliteProspects player identifier.

fa_group_after_season	logical	Free agent group after the season.
first_name	character	First name of the player.
first_signed_by_team_id	integer	Team that first signed the player.
free_agent_group	character	Free agent group classification.
full_name	character	Full name of the player.
group5election	character	Group 5 free agency election indicator.
group5seasons_earned	integer	Group 5 seasons earned.
group6proration	logical	Group 6 proration indicator.
group6seasons_earned	integer	Group 6 seasons earned.
groups_earned_thru_season	integer	Season through which groups were earned.
height	integer	Player height in inches.
hof_induction_year	integer	Hockey Hall of Fame induction year.
home_town	character	Home town of the player.
iihf_hof_induction_year	integer	IIHF Hall of Fame induction year.
in_hockey_hof	logical	Whether the player is in the Hockey Hall of Fame.
in_iihf_hof	integer	Whether the player is in the IIHF Hall of Fame.
in_top100alltime	logical	Whether the player is in the all-time top 100.
in_us_hockey_hof	logical	Whether the player is in the US Hockey Hall of Fame.
is_defected	character	Whether the player defected.
is_deleted	character	Whether the record is deleted.
is_junior	character	Whether the player is a junior.
is_retired	logical	Whether the player is retired.
is_rookie	character	Whether the player is a rookie.
is_suspended	character	Whether the player is suspended.
last_amateur_league_id	integer	Last amateur league identifier.
last_amateur_team_id	integer	Last amateur team identifier.
last_nhl_team_id	integer	Last NHL team identifier.
last_name	character	Last name of the player.
loan_cap_exception	character	Loan cap exception indicator.
long_term_injury	character	Long-term injury indicator.
message	character	Status message.
middle_name	character	Middle name of the player.
nationality	character	Nationality of the player.
nhl_experience	integer	Years of NHL experience.
on_roster	character	Whether the player is on a roster.
platform_year	integer	Platform year for contract purposes.
position	character	Player position.
pr_name	character	Public relations display name.
pr_stat	integer	Public relations status code.
pro_year_reduction	integer	Professional year reduction.
reentry_waivers	character	Re-entry waivers indicator.
roster_special_code	character	Roster special status code.
salary_arbitration_exp	integer	Salary arbitration experience.
shoots_catches	character	Handedness (shoots or catches).
sweater_number	integer	Sweater number worn by the player.
update_timestamp	character	Timestamp of the last record update.
us_hof_induction_year	integer	US Hockey Hall of Fame induction year.
vet_cap_excptn	character	Veteran cap exception indicator.

waiver_amount	integer	Waiver amount.
waiver_draft	character	Waiver draft indicator.
waiver_status	character	Waiver status.
weight	integer	Player weight in pounds.
years_pro	integer	Number of professional years played.

Examples

```
try(nhl_records_player())
```

`nhl_records_player_byteam`

NHL Records - Players by Team

Description

Returns every player who has suited up for a given team via the NHL Records API (`https://records.nhl.com/site/api/p`

Usage

```
nhl_records_player_byteam(team_id, cayenne_exp = NULL)
```

Arguments

`team_id`	Integer team ID (required).
`cayenne_exp`	Optional Cayenne filter expression string.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique player identifier.
accrued_seasons	integer	Number of accrued NHL seasons.
add_names	logical	Additional names for the player.
age_sign_waiver	integer	Age at which the player signed a waiver.
age_signel_fa	integer	Age at which the player signed as a free agent.
alert	character	Alert flag or note.
birth_city	character	Birth city of the player.
birth_country	character	Birth country of the player.
birth_date	character	Birth date of the player.
birth_state_province	character	Birth state or province of the player.
career_team_id	logical	Primary career team identifier.
central_registry_position	character	Position per the central registry.
club_elec_arb	character	Club election to arbitration indicator.

current_team_id	integer	Current team identifier.
date_of_death	logical	Date of death, if applicable.
dda_id	integer	DDA identifier.
deceased	logical	Whether the player is deceased.
ep_player_id	integer	EliteProspects player identifier.
fa_group_after_season	logical	Free agent group after the season.
first_name	character	First name of the player.
first_signed_by_team_id	integer	Team that first signed the player.
free_agent_group	character	Free agent group classification.
full_name	character	Full name of the player.
group5election	character	Group 5 free agency election indicator.
group5seasons_earned	integer	Group 5 seasons earned.
group6proration	logical	Group 6 proration indicator.
group6seasons_earned	integer	Group 6 seasons earned.
groups_earned_thru_season	integer	Season through which groups were earned.
height	integer	Player height in inches.
hof_induction_year	logical	Hockey Hall of Fame induction year.
home_town	character	Home town of the player.
iihf_hof_induction_year	logical	IIHF Hall of Fame induction year.
in_hockey_hof	logical	Whether the player is in the Hockey Hall of Fame.
in_iihf_hof	integer	Whether the player is in the IIHF Hall of Fame.
in_top100alltime	logical	Whether the player is in the all-time top 100.
in_us_hockey_hof	logical	Whether the player is in the US Hockey Hall of Fame.
is_defected	character	Whether the player defected.
is_deleted	character	Whether the record is deleted.
is_junior	character	Whether the player is a junior.
is_retired	logical	Whether the player is retired.
is_rookie	character	Whether the player is a rookie.
is_suspended	character	Whether the player is suspended.
last_amateur_league_id	integer	Last amateur league identifier.
last_amateur_team_id	integer	Last amateur team identifier.
last_nhl_team_id	integer	Last NHL team identifier.
last_name	character	Last name of the player.
loan_cap_exception	character	Loan cap exception indicator.
long_term_injury	character	Long-term injury indicator.
message	character	Status message.
middle_name	character	Middle name of the player.
nationality	character	Nationality of the player.
nhl_experience	integer	Years of NHL experience.
on_roster	character	Whether the player is on a roster.
platform_year	integer	Platform year for contract purposes.
position	character	Player position.
pr_name	character	Public relations display name.
pr_stat	integer	Public relations status code.
pro_year_reduction	integer	Professional year reduction.
reentry_waivers	character	Re-entry waivers indicator.
roster_special_code	logical	Roster special status code.
salary_arbitration_exp	integer	Salary arbitration experience.

shoots_catches	character	Handedness (shoots or catches).
sweater_number	integer	Sweater number worn by the player.
update_timestamp	character	Timestamp of the last record update.
us_hof_induction_year	logical	US Hockey Hall of Fame induction year.
vet_cap_excptn	character	Veteran cap exception indicator.
waiver_amount	integer	Waiver amount.
waiver_draft	character	Waiver draft indicator.
waiver_status	character	Waiver status.
weight	integer	Player weight in pounds.
years_pro	integer	Number of professional years played.

Examples

```
try(nhl_records_player_byteam(team_id = 10))
```

`nhl_records_player_stats`

NHL Records - Player Career Stats

Description

Returns career player stats from the NHL Records API (`https://records.nhl.com/site/api/player-stats`). Supports Cayenne filtering and pagination.

Usage

```
nhl_records_player_stats(cayenne_exp = NULL, limit = NULL, start = NULL)
```

Arguments

`cayenne_exp`	Optional Cayenne filter expression string (e.g. `"playerId=8478402"`).
`limit`	Optional integer page size.
`start`	Optional integer pagination offset.

Value

A `fastRhockey_data` tibble of player career stats, or `NULL` on failure.

Examples

```
try(nhl_records_player_stats(cayenne_exp = "playerId=8478402"))
```

`nhl_records_skater_real_time_stats_career`

NHL Records - Skater Real-Time Stats Career

Description

Returns career skater real-time stats (hits, giveaways, takeaways, blocks, faceoffs, time on ice) from the NHL Records API (`https://records.nhl.com/site/api/skater-real-time-stats-career`).

Usage

```
nhl_records_skater_real_time_stats_career(
  cayenne_exp = NULL,
  limit = NULL,
  start = NULL
)
```

Arguments

`cayenne_exp`	Optional Cayenne filter expression string.
`limit`	Optional integer page size.
`start`	Optional integer pagination offset.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique record identifier.
active_player	logical	Whether the player is currently active.
blocked_shots	integer	Career blocked shots.
faceoff_win_pctg	logical	Career faceoff win percentage.
faceoffs_lost	integer	Career faceoffs lost.
faceoffs_taken	integer	Career faceoffs taken.
faceoffs_won	integer	Career faceoffs won.
first_name	character	First name of the player.
first_season_for_game_type	integer	First season for the game type.
franchise_id	integer	Franchise identifier.
game_type_id	integer	Game type identifier (regular/playoffs).
games_played	integer	Career games played.
giveaways	integer	Career giveaways.
hits	integer	Career hits.
last_name	character	Last name of the player.
last_season_for_game_type	integer	Last season for the game type.
missed_shots	integer	Career missed shots.
player_id	integer	Unique player identifier.

position_code	character	Player position code.
seasons_played	integer	Number of seasons played.
shifts	integer	Career shifts.
takeaways	integer	Career takeaways.
team_abbrevs	character	Team abbreviations the player suited up for.
time_on_ice	integer	Career time on ice.

Examples

```
try(nhl_records_skater_real_time_stats_career(limit = 5))
```

`nhl_records_skater_real_time_stats_season`

NHL Records - Skater Real-Time Stats by Season

Description

Returns season-by-season skater real-time stats (hits, giveaways, takeaways, blocks, faceoffs, time on ice) from the NHL Records API (`https://records.nhl.com/site/api/skater-real-time-stats-season`).

Usage

```
nhl_records_skater_real_time_stats_season(
  cayenne_exp = NULL,
  limit = NULL,
  start = NULL
)
```

Arguments

`cayenne_exp`	Optional Cayenne filter expression string.
`limit`	Optional integer page size.
`start`	Optional integer pagination offset.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique record identifier.
active_player	logical	Whether the player is currently active.
blocked_shots	integer	Blocked shots in the season.
faceoff_win_pctg	logical	Faceoff win percentage for the season.
faceoffs_lost	integer	Faceoffs lost in the season.
faceoffs_taken	integer	Faceoffs taken in the season.

faceoffs_won	integer	Faceoffs won in the season.
first_name	character	First name of the player.
franchise_id	integer	Franchise identifier.
game_type_id	integer	Game type identifier (regular/playoffs).
games_in_schedule	integer	Games in the schedule.
games_played	integer	Games played in the season.
giveaways	integer	Giveaways in the season.
hits	integer	Hits in the season.
last_name	character	Last name of the player.
missed_shots	integer	Missed shots in the season.
player_id	integer	Unique player identifier.
position_code	character	Player position code.
rookie_flag	logical	Whether the season was a rookie season.
season_id	integer	Season identifier.
shifts	integer	Shifts in the season.
takeaways	integer	Takeaways in the season.
team_abbrevs	character	Team abbreviations for the season.
team_names	character	Team names for the season.
time_on_ice	integer	Time on ice in the season.

Examples

```
try(nhl_records_skater_real_time_stats_season(limit = 5))
```

---

nhl_records_trophy NHL Records - Trophy Listing

Description

Returns the NHL trophy listing from the NHL Records API (`https://records.nhl.com/site/api/trophy`).

Usage

```
nhl_records_trophy(cayenne_exp = NULL)
```

Arguments

cayenne_exp	Optional Cayenne filter expression string.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique trophy identifier.

brief_description	character	Brief description of the trophy.
category_id	integer	Trophy category identifier.
created_on	character	Date the trophy record was created.
description	character	Full description of the trophy.
footnote	logical	Footnote associated with the trophy.
home_page_url	character	URL to the trophy's home page.
image_url	character	URL to the trophy's image.
name	character	Full name of the trophy.
short_name	character	Short name of the trophy.

Examples

```
try(nhl_records_trophy())
```

`nhl_records_venue` **NHL Records - Venue Listing**

Description

Returns the NHL arena/venue listing from the NHL Records API (`https://records.nhl.com/site/api/venue`).

Usage

```
nhl_records_venue(cayenne_exp = NULL)
```

Arguments

`cayenne_exp`	Optional Cayenne filter expression string.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique venue record identifier.
building_id	integer	Building identifier for the venue.
city	character	City where the venue is located.
country_code	character	Country code of the venue.
outdoor	logical	Whether the venue is an outdoor rink.
postal_code	character	Postal code of the venue.
short_country_code	character	Short country code of the venue.
state_province_code	character	State or province code of the venue.
venue_id	integer	Unique venue identifier.
venue_name	character	Name of the venue.

Examples

```
try(nhl_records_venue())
```

`nhl_roster_season` **NHL Roster Season**

Description

Returns the list of seasons for which roster data is available for a given team.

Usage

```
nhl_roster_season(team_abbr)
```

Arguments

`team_abbr`	Three-letter team abbreviation (e.g., "TOR", "BOS")

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
season	integer	Season for which roster data is available (8-digit, e.g. 20102011).
team_abbr	character	Three-letter team abbreviation.

Examples

```
try(nhl_roster_season(team_abbr = "TOR"))
```

`nhl_schedule` **NHL Schedule**

Description

Returns NHL schedule data for a given day or season. Uses the NHL API (`api-web.nhle.com`).

Usage

```
nhl_schedule(
  day = NULL,
  season = NULL,
  team_abbr = NULL,
  include_data_flags = FALSE,
  game_type = c("both", "regular", "playoffs")
)
```

Arguments

day	Character date in "YYYY-MM-DD" format. If provided, returns games for that specific day.
season	Integer four-digit year for the *end year* of the season (e.g., 2026 for the 2025-26 season), matching most_recent_nhl_season(). If provided instead of day, returns the full season schedule.
team_abbr	Character three-letter team abbreviation (e.g., "TOR"). Required when season is used. If NULL, loops through all teams.
include_data_flags	Logical (default FALSE). When TRUE, after building the live schedule the result is left-joined against the pre-compiled nhl_games_in_data_repo index from sportsdataverse-data to add per-game data-availability flags (PBP, team_box, player_box, skater_box, goalie_box, game_info, game_rosters, scoring, penalties, scratches, linescore, three_stars, shifts, officials, shots_by_period, shootout). Games not yet compiled get FALSE. This requires a network call to the data repo and adds a small delay.
game_type	Character, one of "both" (default), "regular", or "playoffs". Applies only in season mode; silently ignored when day is supplied. Default "both" returns regular-season and playoff games for the requested season in a single tibble.

Value

A data frame (fastRhockey_data) with the following columns. When include_data_flags = TRUE it additionally carries one logical column per pre-compiled dataset.

col_name	types	description
game_id	integer	Unique game identifier.
season_full	character	Full 8-digit season identifier.
game_type	character	Game type code (PR/R/P/A).
game_date	character	Game date.
game_time	character	Scheduled game start time (UTC).
home_team_abbr	character	Home team abbreviation.
away_team_abbr	character	Away team abbreviation.
home_team_name	character	Home team full name (place + common, e.g. Tampa Bay Lightning).
away_team_name	character	Away team full name (place + common, e.g. Boston Bruins).
home_score	integer	Home team final score.
away_score	integer	Away team final score.
game_state	character	Current state of the game.
venue	character	Name of the venue.

Examples

```
try(nhl_schedule(day = "2024-01-15"))
try(nhl_schedule(season = 2025, team_abbr = "TOR"))
try(nhl_schedule(season = 2024, team_abbr = "TOR", game_type = "playoffs"))
try(nhl_schedule(day = "2024-01-15", include_data_flags = TRUE))
```

`nhl_schedule_calendar` **NHL Schedule Calendar**

Description

Returns the schedule calendar showing which dates have games.

Usage

```
nhl_schedule_calendar(date = NULL)
```

Arguments

`date`	Character date in "YYYY-MM-DD" format. If NULL, returns current.

Value

A named list of data frames: `teams`.

teams

col_name	types	description
id	integer	Unique team identifier.
seasonId	integer	Season identifier (8-digit).
abbrev	character	Team abbreviation.
logo	character	URL of the team logo.
darkLogo	character	URL of the team dark-mode logo.
french	logical	Whether the team uses French naming.
commonName.default	character	Team common name (default language).
commonName.fr	character	Team common name (French).
name.default	character	Team name (default language).
name.fr	character	Team name (French).
placeNameWithPreposition.default	character	Place name with preposition (default).
placeNameWithPreposition.fr	character	Place name with preposition (French).
placeName.default	character	Place name (default language).
placeName.fr	character	Place name (French).

Examples

```
try(nhl_schedule_calendar())
```

nhl_scoreboard NHL Scoreboard

Description

Returns the current league-wide scoreboard with today's games, or — when `date` is supplied — the scoreboard for a specific date.

Usage

```
nhl_scoreboard(date = NULL)
```

Arguments

`date`	Optional character string in `"YYYY-MM-DD"` format. When `NULL` (default) the function hits `scoreboard/now`; when a date is provided it hits `scoreboard/{date}`.

Value

A named list of data frames: `gamesByDate`.

gamesByDate

col_name	types	description
date	character	Date for which the games are listed.
games	list	Nested list of games scheduled on the date.

Examples

```
try(nhl_scoreboard())
try(nhl_scoreboard(date = "2024-01-15"))
```

nhl_scores NHL Scores

Description

Returns scores for all games on a given date.

Usage

```
nhl_scores(date = NULL)
```

Arguments

`date`	Character date in "YYYY-MM-DD" format. If NULL, returns current scores.

Value

Returns a data frame with game scores.

Examples

```
try(nhl_scores())
```

`nhl_seasons` **NHL Seasons**

Description

Returns a list of all NHL seasons with their metadata.

Usage

```
nhl_seasons()
```

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
season_id	integer	Season identifier (e.g., 20232024).

Examples

```
try(nhl_seasons())
```

`nhl_skater_stats_leaders`
NHL Skater Stats Leaders

Description

Returns league-wide skater statistical leaders for a given season and game type. Supports multiple stat categories.

Usage

```
nhl_skater_stats_leaders(
  season = NULL,
  game_type = 2,
  categories = NULL,
  limit = NULL
)
```

Arguments

season	Integer 4-digit year (e.g., 2024 for the 2024-25 season). If NULL, returns current season leaders.
game_type	Integer game type: 2 = regular season (default), 3 = playoffs
categories	Character vector of stat categories (e.g., "goals", "assists", "points", "plusMinus", "penaltyMins"). If NULL, returns all available categories.
limit	Integer maximum number of leaders per category. If NULL, uses API default.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	Unique player identifier.
sweater_number	integer	Jersey number.
headshot	character	URL to the player headshot image.
team_abbrev	character	Team abbreviation.
team_logo	character	URL to the team logo image.
position	character	Player position.
value	numeric	Statistical value for the category.
first_name_default	character	Player first name (default).
last_name_default	character	Player last name (default).
team_name_default	character	Team name (default).
category	character	Stat leader category.
first_name_cs	character	Player first name (Czech).
first_name_de	character	Player first name (German).
first_name_es	character	Player first name (Spanish).
first_name_fi	character	Player first name (Finnish).
first_name_sk	character	Player first name (Slovak).
first_name_sv	character	Player first name (Swedish).
last_name_cs	character	Player last name (Czech).
last_name_sk	character	Player last name (Slovak).
last_name_fi	character	Player last name (Finnish).
team_name_fr	character	Team name (French).

Examples

```
try(nhl_skater_stats_leaders())
```

nhl_skater_summary_range

NHL Skater Summary (Season Range)

Description

Aggregator helper that calls nhl_stats_skaters() with report_type = "summary" for every season in [start_season, end_season] and concatenates the results into a single tidy frame. Mirrors the Stats.skater_stats_summary convenience helper from the nhl-api-py Python client.

Usage

```
nhl_skater_summary_range(start_season, end_season, game_type = 2, limit = 50)
```

Arguments

start_season	Integer four-digit *end year* of the first season (e.g. 2022 for the 2021-22 season).
end_season	Integer four-digit *end year* of the final season (inclusive). Must be >= start_season.
game_type	Integer game type: 2 = regular season (default), 3 = playoffs.
limit	Integer maximum number of rows per season request. Defaults to 50 to match nhl_stats_skaters().

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
assists	integer	Assists.
ev_goals	integer	Even-strength goals.
ev_points	integer	Even-strength points.
faceoff_win_pct	numeric	Faceoff win percentage.
game_winning_goals	integer	Game-winning goals.
games_played	integer	Games played.
goals	integer	Goals scored.
last_name	character	Player last name.
ot_goals	integer	Overtime goals.
penalty_minutes	integer	Penalty minutes.
player_id	integer	Unique player identifier.
plus_minus	integer	Plus/minus rating.
points	integer	Total points (goals + assists).
points_per_game	numeric	Points per game.
position_code	character	Player position code.
pp_goals	integer	Power-play goals.
pp_points	integer	Power-play points.
season_id	integer	Season identifier.
sh_goals	integer	Short-handed goals.

sh_points	integer	Short-handed points.
shooting_pct	numeric	Shooting percentage.
shoots_catches	character	Handedness (shoots/catches).
shots	integer	Shots on goal.
skater_full_name	character	Player full name.
team_abbrevs	character	Team abbreviation(s).
time_on_ice_per_game	numeric	Average time on ice per game.
season	character	Season the row came from (e.g., "20232024").

Returns `NULL` on outer failure.

Examples

```
try(nhl_skater_summary_range(start_season = 2023, end_season = 2024))
```

`nhl_smartlinks` **NHL Smart Links**

Description

Returns NHL "smart link" routing metadata from the NHL web service endpoint `smartlinks`. Used by NHL.com's link router to resolve short handles into destination URLs.

Usage

```
nhl_smartlinks(handle = NULL)
```

Arguments

`handle`	Optional character handle. If provided, the lookup is narrowed to a single smart link via the `handle` query parameter.

Value

Returns a list with smart link routing data.

Examples

```
try(nhl_smartlinks())
```

`nhl_standings` **NHL Standings**

Description

Returns current or historical NHL standings. Uses the new NHL API (`api-web.nhle.com`).

Usage

```
nhl_standings(date = NULL)
```

Arguments

`date`	Character date in "YYYY-MM-DD" format. If NULL, returns current standings.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
team_abbr	character	Team abbreviation.
team_name	character	Team name.
team_common_name	character	Team common name.
team_logo	character	URL to the team logo image.
conference_name	character	Conference name.
division_abbrev	character	Division abbreviation.
division_name	character	Division name.
place_name	character	Place (city) name.
conference_sequence	integer	Rank within the conference.
division_sequence	integer	Rank within the division.
league_sequence	integer	Rank within the league.
wildcard_sequence	integer	Wildcard standing rank.
games_played	integer	Games played.
wins	integer	Wins.
losses	integer	Losses.
ot_losses	integer	Overtime losses.
points	integer	Standings points.
point_pctg	numeric	Points percentage.
regulation_wins	integer	Regulation wins.
regulation_plus_ot_wins	integer	Regulation plus overtime wins.
goals_for	integer	Goals scored for.
goals_against	integer	Goals allowed against.
goal_differential	integer	Goal differential.
home_wins	integer	Home wins.
home_losses	integer	Home losses.
home_ot_losses	integer	Home overtime losses.
road_wins	integer	Road wins.

road_losses	integer	Road losses.
road_ot_losses	integer	Road overtime losses.
l10_wins	integer	Wins in last 10 games.
l10_losses	integer	Losses in last 10 games.
l10_ot_losses	integer	Overtime losses in last 10 games.
streak_code	character	Current streak code (W/L/OT).
streak_count	integer	Length of current streak.
shootout_wins	integer	Shootout wins.
shootout_losses	integer	Shootout losses.

Examples

```
try(nhl_standings())
try(nhl_standings(date = "2024-03-01"))
```

---

nhl_standings_season NHL Standings Season List

Description

Returns the list of seasons for which standings data is available.

Usage

```
nhl_standings_season()
```

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Season identifier (e.g., 20232024).
conferences_in_use	logical	Whether conferences were in use that season.
divisions_in_use	logical	Whether divisions were in use that season.
point_for_o_tloss_in_use	logical	Whether a point for overtime losses was in use.
regulation_wins_in_use	logical	Whether regulation wins were tracked.
row_in_use	logical	Whether regulation/overtime wins (ROW) were in use.
standings_end	character	End date of the standings period.
standings_start	character	Start date of the standings period.
ties_in_use	logical	Whether ties were in use that season.
wildcard_in_use	logical	Whether wildcard standings were in use.

Examples

```
try(nhl_standings_season())
```

nhl_stats_config NHL Stats API — Config

Description

Returns the Stats REST API configuration payload (`https://api.nhle.com/stats/rest/{lang}/config`). This endpoint is non-tabular: the raw parsed list is returned as-is rather than wrapped in a `fastRhockey_data` tibble.

Usage

```
nhl_stats_config(lang = "en")
```

Arguments

`lang`	Character language code. Default `"en"`.

Value

A parsed list of configuration values, or `NULL` on failure.

Examples

```
try(nhl_stats_config())
```

nhl_stats_content_module NHL Stats API — Content Module

Description

Returns an NHL.com CMS content module from the Stats REST API (`https://api.nhle.com/stats/rest/{lang}/conte`

Usage

```
nhl_stats_content_module(template_key, lang = "en")
```

Arguments

`template_key`	Character (required). The content module template key (NHL.com internal identifier).
`lang`	Character language code. Default `"en"`.

Value

A `fastRhockey_data` tibble of content module rows, or `NULL` on failure.

Examples

```
try(nhl_stats_content_module(template_key = "example"))
```

---

nhl_stats_country NHL Stats API — Country Lookup

Description

Returns the country lookup list from the NHL Stats REST API (`https://api.nhle.com/stats/rest/{lang}/country`). Used for player nationality mapping.

Usage

```
nhl_stats_country(lang = "en")
```

Arguments

`lang`	Character language code. Default `"en"`.

Value

A `fastRhockey_data` tibble of countries, or `NULL` on failure.

Examples

```
try(nhl_stats_country())
```

---

nhl_stats_draft NHL Stats API — Draft Summaries

Description

Queries the NHL Stats REST API for draft-year summaries (draft year and number of rounds). Optionally filter to a specific draft year via `draft_year`.

Usage

```
nhl_stats_draft(draft_year = NULL, limit = 100, start = 0, lang = "en")
```

Arguments

`draft_year`	Integer draft year (e.g., 2024). If NULL, returns all draft years (1963-present).
`limit`	Integer maximum number of results. Default 100.
`start`	Integer start index for pagination. Default 0.
`lang`	Character language code. Default "en".

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique draft summary identifier.
draft_year	integer	Draft year.
rounds	integer	Number of rounds in the draft.

Examples

```
try(nhl_stats_draft())
try(nhl_stats_draft(draft_year = 2024))
```

`nhl_stats_franchise` NHL Stats API — Franchise Listing

Description

Returns the franchise listing from the NHL Stats REST API (`https://api.nhle.com/stats/rest/{lang}/franchise`). Parallels the `nhl-api-py` `Teams.franchises()` helper.

Usage

```
nhl_stats_franchise(lang = "en", limit = 100, start = 0, cayenne_exp = NULL)
```

Arguments

`lang`	Character language code. Default `"en"`.
`limit`	Integer maximum number of results. Default 100.
`start`	Integer pagination start index. Default 0.
`cayenne_exp`	Optional Cayenne filter expression string passed via the `cayenneExp` query parameter (e.g., `"id=1"`).

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique franchise identifier.
full_name	character	Full franchise name.
team_common_name	character	Team common (nickname) name.
team_place_name	character	Team place (city/location) name.

Examples

```
try(nhl_stats_franchise())
```

`nhl_stats_game_listing`

NHL Stats API — Game Listing

Description

Returns the game listing from the NHL Stats REST API (`https://api.nhle.com/stats/rest/{lang}/game`). Supports server-side filtering via a Cayenne expression.

Usage

```
nhl_stats_game_listing(lang = "en", limit = 100, start = 0, cayenne_exp = NULL)
```

Arguments

`lang`	Character language code. Default `"en"`.
`limit`	Integer maximum number of results. Default 100.
`start`	Integer pagination start index. Default 0.
`cayenne_exp`	Optional Cayenne filter expression string passed via the `cayenneExp` query parameter (e.g., `"season=20242025"`).

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique game identifier.
eastern_start_time	character	Game start time in Eastern time.
game_date	character	Game date.
game_number	integer	Game number within the schedule.
game_schedule_state_id	integer	Schedule state identifier.
game_state_id	integer	Game state identifier.
game_type	integer	Game type identifier.
home_score	integer	Home team score.
home_team_id	integer	Home team identifier.
period	integer	Period reached in the game.
season	integer	Season (concluding year, YYYY).
visiting_score	integer	Visiting team score.
visiting_team_id	integer	Visiting team identifier.

Examples

```
try(nhl_stats_game_listing())
```

`nhl_stats_glossary` **NHL Stats API — Glossary**

Description

Returns the glossary of stat definitions from the NHL Stats REST API (`https://api.nhle.com/stats/rest/{lang}/glos`
Useful to look up what a given abbreviation or statistic (e.g., `PIM`) means.

Usage

```
nhl_stats_glossary(lang = "en")
```

Arguments

`lang`	Character language code. Default `"en"`.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique glossary entry identifier.
abbreviation	character	Statistic abbreviation.
definition	character	Definition of the statistic.
first_season_for_stat	integer	First season the stat was tracked.
full_name	character	Full name of the statistic.
language_code	character	Language code of the entry.
last_updated	character	Timestamp the entry was last updated.

Examples

```
try(nhl_stats_glossary())
```

nhl_stats_goalies **NHL Stats API — Goalie Stats**

Description

Queries the NHL Stats REST API for goalie statistics.

Usage

```
nhl_stats_goalies(
  report_type = "summary",
  season = NULL,
  game_type = 2,
  limit = 50,
  start = 0,
  sort = NULL,
  direction = "DESC",
  lang = "en"
)
```

Arguments

report_type	Character report type. Default "summary". Common types: "summary", "bios", "advanced", "daysrest", "penaltyShots", "savesByStrength", "shootout", "startedVsRelieved"
season	Character season in "YYYYYYYY" format (e.g., "20242025"). If NULL, uses current season.
game_type	Integer game type: 2 = regular season (default), 3 = playoffs
limit	Integer maximum number of results. Default 50.
start	Integer start index for pagination. Default 0.
sort	Character sort column. Default varies by report.
direction	Character sort direction: "DESC" or "ASC". Default "DESC".
lang	Character language code. Default "en".

Value

Returns a data frame with goalie statistics.

Examples

```
try(nhl_stats_goalies())
```

nhl_stats_goalie_leaders

NHL Stats API — Goalie Leaders

Description

Returns a goalie leaderboard for a given statistic attribute from the NHL Stats REST API (https://api.nhle.com/stats/re

Usage

```
nhl_stats_goalie_leaders(attribute, lang = "en", cayenne_exp = NULL)
```

Arguments

attribute	Character (required). The stat attribute to rank by. Known valid values: "savePctg", "gaa", "shutouts". Note that "wins", "saves", "shotsAgainst", and "goalsAgainst" return 500 errors. The endpoint also does **not** accept start / limit query parameters — passing them produces a 500.
lang	Character language code. Default "en".
cayenne_exp	Optional Cayenne filter expression string passed via the cayenneExp query parameter (e.g., "seasonId=20242025").

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
save_pctg	numeric	Save percentage.
player_id	integer	Unique player identifier.
player_current_team_id	integer	Player's current team identifier.
player_first_name	character	Player first name.
player_full_name	character	Player full name.
player_last_name	character	Player last name.
player_position_code	character	Player position code.
player_sweater_number	integer	Player jersey number.
team_id	integer	Unique team identifier.
team_franchise_id	integer	Team franchise identifier.
team_full_name	character	Full team name.
team_league_id	integer	League identifier.
team_logos	list	Team logo assets.
team_raw_tricode	character	Raw team tri-code.
team_tri_code	character	Team tri-code abbreviation.

Examples

```
try(nhl_stats_goalie_leaders(attribute = "savePctg"))
```

nhl_stats_goalie_milestones

NHL Stats API — Goalie Milestones

Description

Returns goalie milestone achievements from the NHL Stats REST API (`https://api.nhle.com/stats/rest/{lang}/mile`

Usage

```
nhl_stats_goalie_milestones(
  lang = "en",
  cayenne_exp = NULL,
  limit = 100,
  start = 0
)
```

Arguments

`lang`	Character language code. Default `"en"`.
`cayenne_exp`	Optional Cayenne filter expression string passed via the `cayenneExp` query parameter.
`limit`	Integer maximum number of results. Default 100.
`start`	Integer pagination start index. Default 0.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique milestone record identifier.
current_team_id	integer	Player's current team identifier.
first_name	character	Player first name.
game_type_id	integer	Game type identifier.
games_played	integer	Games played.
last_name	character	Player last name.
milestone	character	Milestone category.
milestone_amount	integer	Amount remaining to reach the milestone.
player_full_name	character	Player full name.
player_id	integer	Unique player identifier.
so	integer	Shutouts.
team_abbrev	character	Team abbreviation.
team_common_name	character	Team common (nickname) name.
team_full_name	character	Full team name.
team_place_name	character	Team place (city/location) name.
toi_minutes	integer	Time on ice in minutes.

wins	integer	Wins.

Examples

```
try(nhl_stats_goalie_milestones())
```

`nhl_stats_misc` **NHL Stats API — Miscellaneous Endpoints**

Description

Generic dispatcher for the NHL Stats REST API (`https://api.nhle.com/stats/rest/{lang}/{endpoint}`). Pass any valid endpoint name as `endpoint` and the helper will issue the request and return the parsed `data` element as a `data.frame`. For non-tabular endpoints, the raw parsed list is returned instead.

Usage

```
nhl_stats_misc(endpoint = "glossary", game_id = NULL, lang = "en")
```

Arguments

`endpoint`	Character endpoint path. Known valid values include: • **Tabular:** `"franchise"`, `"glossary"`, `"country"`, `"config"`, `"players"`, `"team"`, `"game"`, `"componentSeason"`, `"milestones/skaters"`, `"milestones/goalies"`, `"leaders/skaters/{attribute}"`, `"leaders/goalies/{attribute}"` • **Reference / lookup:** `"gameType"`, `"shiftcharts"` (use the dedicated `game_id` argument for this one), `"content/module/{templateKey}"`, `"team/id/{id}"` • **Health check:** `"ping"` Note: dedicated wrappers exist for `season`, `draft`, `skater/{report}`, `goalie/{report}`, and `team/{report}` — see `nhl_stats_seasons()`, `nhl_stats_draft()`, `nhl_stats_skaters()`, `nhl_stats_goalies()`, and `nhl_stats_teams()`.
`game_id`	Optional game ID (required for `endpoint = "shiftcharts"`).
`lang`	Character language code. Default `"en"`.

Value

A data frame (`fastRhockey_data`) for tabular endpoints, or the raw parsed list for non-tabular ones. For the default `"glossary"` endpoint the columns are:

col_name	types	description
id	integer	Unique glossary entry identifier.
abbreviation	character	Stat abbreviation.
definition	character	Definition of the stat or term.
first_season_for_stat	integer	First season the stat was tracked (YYYYYYYY).

full_name	character	Full name of the stat or term.
language_code	character	Language code of the entry.
last_updated	character	Timestamp the entry was last updated.

Examples

```
try(nhl_stats_misc(endpoint = "glossary"))
try(nhl_stats_misc(endpoint = "franchise"))
try(nhl_stats_misc(endpoint = "country"))
```

---

nhl_stats_ping — NHL Stats API — Ping

Description

Health-check endpoint for the NHL Stats REST API (`https://api.nhle.com/stats/rest/ping`). This endpoint is non-tabular and is not language-scoped: the raw parsed payload is returned as-is rather than wrapped in a `fastRhockey_data` tibble.

Usage

```
nhl_stats_ping()
```

Value

A parsed list with the health-check payload, or `NULL` on failure.

Examples

```
try(nhl_stats_ping())
```

---

nhl_stats_players — NHL Stats API — Players Listing

Description

Returns the player listing from the NHL Stats REST API (`https://api.nhle.com/stats/rest/{lang}/players`). This is a full player roster dump; use `cayenne_exp` to filter (e.g., `"playerId=8478402"`).

Usage

```
nhl_stats_players(lang = "en", limit = 100, start = 0, cayenne_exp = NULL)
```

Arguments

lang	Character language code. Default "en".
limit	Integer maximum number of results. Default 100.
start	Integer pagination start index. Default 0.
cayenne_exp	Optional Cayenne filter expression string passed via the cayenneExp query parameter.

Value

A fastRhockey_data tibble of players, or NULL on failure.

Examples

```
try(nhl_stats_players())
```

---

nhl_stats_rest NHL Stats REST API Endpoint Overview

Description

Wrappers around the NHL Stats REST backend at api.nhle.com/stats/rest/{lang}/.... These cover the documented Cayenne-filterable endpoints for skater / goalie / team stats, draft stats, franchise + player listings, glossary, country, config, leaders, and milestones. Most pages use the consistent {data: [...], total: N} shape and accept cayenneExp, sort, limit, start query parameters.

Details

Skater / goalie / team stats:

Function	Endpoint	Purpose
nhl_stats_skaters()	skater/summary	Skater season stats
nhl_stats_goalies()	goalie/summary	Goalie season stats
nhl_stats_teams()	team/summary	Team season stats
nhl_stats_misc()	miscellaneousSkaterStats	Misc skater stats + draft + season list
nhl_stats_skater_leaders()	leaders/skaters/{attribute}	Skater leaderboards by attribute
nhl_stats_goalie_leaders()	leaders/goalies/{attribute}	Goalie leaderboards by attribute
nhl_stats_skater_milestones()	skater/milestones	Skater milestone achievements
nhl_stats_goalie_milestones()	goalie/milestones	Goalie milestone achievements

Franchise / player listings:

Function	Endpoint	Purpose
nhl_stats_franchise()	franchise	Franchise listing

nhl_stats_players()	players	Players listing (requires cayenne_exp)
nhl_stats_team_listing()	team	Top-level team listing
nhl_stats_game_listing()	game	Top-level game listing

Metadata helpers:

Function	Endpoint	Purpose
nhl_stats_glossary()	glossary	Stat-definition glossary
nhl_stats_country()	country	Country lookup
nhl_stats_config()	config	Configuration payload
nhl_stats_ping()	ping	Health check
nhl_stats_content_module()	(NHL CMS)	NHL.com content modules

Notes

- The leaders/{skaters,goalies}/{attribute} endpoint does **not** accept start / limit query parameters (returns 500 if you pass them).
- Valid goalie leader attributes are restricted to savePctg, gaa, and shutouts.

---

nhl_stats_seasons NHL Stats API — Seasons List

Description

Returns a list of all seasons from the Stats REST API.

Usage

```
nhl_stats_seasons(lang = "en")
```

Arguments

lang	Character language code. Default "en".

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
id	integer	Season identifier (YYYYYYYY).
all_star_game_in_use	integer	Whether an All-Star Game was held this season.
conferences_in_use	integer	Whether conferences were in use this season.
divisions_in_use	integer	Whether divisions were in use this season.
end_date	character	Season end date.
entry_draft_in_use	integer	Whether an entry draft was in use this season.

formatted_season_id	character	Human-readable season string (e.g. "2023-24").
minimum_playoff_minutes_for_goalie_stats_leaders	integer	Minimum playoff minutes to qualify for goalie stats leade
minimum_regular_games_for_goalie_stats_leaders	integer	Minimum regular-season games to qualify for goalie stats
nhl_stanley_cup_owner	integer	Whether the NHL owned the Stanley Cup this season.
number_of_games	integer	Number of games per team this season.
olympics_participation	integer	Whether NHL players participated in the Olympics this se
point_for_ot_loss_in_use	integer	Whether the overtime-loss point was in use this season.
preseason_startdate	character	Preseason start date.
regular_season_end_date	character	Regular-season end date.
row_in_use	integer	Whether the regulation/overtime/shootout format was in u
season_ordinal	integer	Ordinal sequence number of the season.
start_date	character	Season start date.
supplemental_draft_in_use	integer	Whether a supplemental draft was in use this season.
ties_in_use	integer	Whether ties were in use this season.
total_playoff_games	integer	Total number of playoff games this season.
total_regular_season_games	integer	Total number of regular-season games this season.
wildcard_in_use	integer	Whether the wild-card playoff format was in use this seaso

Examples

```
try(nhl_stats_seasons())
```

`nhl_stats_skaters` **NHL Stats API — Skater Stats**

Description

Queries the NHL Stats REST API for skater statistics. Supports various report types and filtering.

Usage

```
nhl_stats_skaters(
  report_type = "summary",
  season = NULL,
  game_type = 2,
  limit = 50,
  start = 0,
  sort = NULL,
  direction = "DESC",
  lang = "en"
)
```

Arguments

report_type	Character report type. Default "summary". Common types: "summary", "bios", "faceoffpercentages", "faceoffwins", "goalsForAgainst", "realtime", "penalties", "penaltykill", "powerplay", "puckPossessions", "summaryshooting", "percentages", "scoringRates", "scoringpergame", "shootout", "shottype", "timeonice"
season	Character season in "YYYYYYYY" format (e.g., "20242025"). If NULL, uses current season.
game_type	Integer game type: 2 = regular season (default), 3 = playoffs
limit	Integer maximum number of results. Default 50.
start	Integer start index for pagination. Default 0.
sort	Character sort column. Default varies by report.
direction	Character sort direction: "DESC" or "ASC". Default "DESC".
lang	Character language code. Default "en".

Value

Returns a data frame with skater statistics.

Examples

```
try(nhl_stats_skaters())
```

---

nhl_stats_skater_leaders

NHL Stats API — Skater Leaders

Description

Returns a skater leaderboard for a given statistic attribute from the NHL Stats REST API (`https://api.nhle.com/stats/re`
Distinct from the api-web `skater-stats-leaders` endpoint.

Usage

```
nhl_stats_skater_leaders(attribute, lang = "en", cayenne_exp = NULL)
```

Arguments

attribute	Character (required). The stat attribute to rank by. Known valid values include `"points"`, `"goals"`, `"assists"`. Note that this endpoint does **not** accept `start` / `limit` query parameters — passing them produces a 500. Use `cayenne_exp` to filter.
lang	Character language code. Default `"en"`.
cayenne_exp	Optional Cayenne filter expression string passed via the `cayenneExp` query parameter (e.g., `"seasonId=20242025"`).

Value

A data frame (`fastRhockey_data`) of skater leaders, or `NULL` on failure. When ranking by `"assists"` the columns are:

col_name	types	description
assists	integer	Assists (the ranked attribute).
player_id	integer	Unique player identifier.
player_current_team_id	logical	Player's current team identifier.
player_first_name	character	Player first name.
player_full_name	character	Player full name.
player_last_name	character	Player last name.
player_position_code	character	Player position code.
player_sweater_number	integer	Player jersey number.
team_id	integer	Unique team identifier.
team_franchise_id	integer	Team franchise identifier.
team_full_name	character	Team full name.
team_league_id	integer	League identifier of the team.
team_logos	list	Team logo metadata.
team_raw_tricode	character	Team raw three-letter code.
team_tri_code	character	Team three-letter code.

Examples

```
try(nhl_stats_skater_leaders(attribute = "assists"))
```

`nhl_stats_skater_milestones`

NHL Stats API — Skater Milestones

Description

Returns skater milestone achievements from the NHL Stats REST API (`https://api.nhle.com/stats/rest/{lang}/mile`

Usage

```
nhl_stats_skater_milestones(
  lang = "en",
  cayenne_exp = NULL,
  limit = 100,
  start = 0
)
```

Arguments

lang	Character language code. Default "en".
cayenne_exp	Optional Cayenne filter expression string passed via the cayenneExp query parameter.
limit	Integer maximum number of results. Default 100.
start	Integer pagination start index. Default 0.

Value

A data frame (fastRhockey_data) of skater milestones, or NULL on failure, with the following columns:

col_name	types	description
id	integer	Unique milestone record identifier.
assists	integer	Assists.
current_team_id	integer	Player's current team identifier.
first_name	character	Player first name.
game_type_id	integer	Game type identifier (regular season / playoffs).
games_played	integer	Games played.
goals	integer	Goals scored.
last_name	character	Player last name.
milestone	character	Milestone category.
milestone_amount	integer	Milestone threshold amount.
player_full_name	character	Player full name.
player_id	integer	Unique player identifier.
points	integer	Total points (goals + assists).
team_abbrev	character	Team abbreviation.
team_common_name	character	Team common name.
team_full_name	character	Team full name.
team_place_name	character	Team place (city) name.

Examples

```
try(nhl_stats_skater_milestones())
```

---

nhl_stats_teams NHL Stats API — Team Stats

Description

Queries the NHL Stats REST API for team-level statistics.

Usage

```
nhl_stats_teams(
  report_type = "summary",
  season = NULL,
  game_type = 2,
  limit = 50,
  start = 0,
  sort = "points",
  direction = "DESC",
  lang = "en"
)
```

Arguments

report_type	Character report type. Default "summary". Common types: "summary", "penalties", "penaltykill", "penaltykilltime", "powerplay", "powerplaytime", "realtime", "faceoffpercentages", "faceoffwins", "goalsForAgainst", "goalsBy Period", "daysrest", "outshootoutshotby", "percentages", "scoretrailfirst", "shootout", "shottype"
season	Character season in "YYYYYYYY" format (e.g., "20242025"). If NULL, uses current season.
game_type	Integer game type: 2 = regular season (default), 3 = playoffs
limit	Integer maximum number of results. Default 50.
start	Integer start index for pagination. Default 0.
sort	Character sort column. Default "points".
direction	Character sort direction: "DESC" or "ASC". Default "DESC".
lang	Character language code. Default "en".

Value

Returns a data frame with team statistics.

Examples

```
try(nhl_stats_teams())
```

---

nhl_stats_team_listing

NHL Stats API — Team Listing

Description

Returns the top-level team listing from the NHL Stats REST API. When `team_id` is `NULL` (default) this hits `https://api.nhle.com/stats/rest/{lang}/team` and returns the full league-wide listing; when `team_id` is supplied it hits `https://api.nhle.com/stats/rest/{lang}/team/id/{team_id}` and returns a single-team payload. Distinct from `nhl_stats_teams()`, which hits the per-report stats endpoints.

Usage

```
nhl_stats_team_listing(team_id = NULL, lang = "en", limit = 100, start = 0)
```

Arguments

team_id	Optional integer team id. If supplied, the by-id endpoint is used and pagination params are ignored.
lang	Character language code. Default "en".
limit	Integer maximum number of results. Default 100. Ignored when team_id is supplied.
start	Integer pagination start index. Default 0. Ignored when team_id is supplied.

Value

A data frame (fastRhockey_data) of teams, or NULL on failure, with the following columns:

col_name	types	description
id	integer	Unique team identifier.
franchise_id	integer	Team franchise identifier.
full_name	character	Team full name.
league_id	integer	League identifier of the team.
raw_tricode	character	Team raw three-letter code.
tri_code	character	Team three-letter code.

Examples

```
try(nhl_stats_team_listing())
try(nhl_stats_team_listing(team_id = 10))
```

---

nhl_teams NHL Teams

Description

Returns current NHL team information. Uses the NHL API standings endpoint to get up-to-date team info.

Usage

```
nhl_teams(season = NULL)
```

Arguments

season	Integer four-digit year (e.g., 2024). If NULL, returns current teams.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
team_abbr	character	Team abbreviation.
team_name	character	Team name.
team_common_name	character	Team common name.
team_logo	character	URL to the team logo image.
conference_abbr	character	Conference abbreviation.
conference_name	character	Conference name.
division_abbr	character	Division abbreviation.
division_name	character	Division name.
place_name	character	Team place/city name.
games_played	integer	Games played.
wins	integer	Wins.
losses	integer	Losses.
ot_losses	integer	Overtime losses.
points	integer	Total points.
point_pctg	numeric	Points percentage.
goals_for	integer	Goals for.
goals_against	integer	Goals against.
goal_differential	integer	Goal differential.
streak_code	character	Current streak code (W/L/OT).
streak_count	integer	Length of the current streak.

Examples

```
try(nhl_teams())
```

`nhl_teams_info` **NHL Teams Info**

Description

Returns NHL team information for a given team abbreviation. Uses the new NHL API via nhl_teams.

Breaking change: The old `team_id` (integer) parameter has been replaced by `team_abbr` (3-letter string, e.g., "TBL") because the new NHL API no longer exposes numeric team IDs as a primary identifier.

Usage

```
nhl_teams_info(team_abbr)
```

Arguments

`team_abbr`	Three-letter team abbreviation (e.g., "TBL", "TOR", "SEA")

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
team_abbr	character	Team abbreviation.
team_name	character	Team name.
team_common_name	character	Team common name.
team_logo	character	URL to the team logo image.
conference_abbr	character	Conference abbreviation.
conference_name	character	Conference name.
division_abbr	character	Division abbreviation.
division_name	character	Division name.
place_name	character	Team place/city name.
games_played	integer	Games played.
wins	integer	Wins.
losses	integer	Losses.
ot_losses	integer	Overtime losses.
points	integer	Total points.
point_pctg	numeric	Points percentage.
goals_for	integer	Goals for.
goals_against	integer	Goals against.
goal_differential	integer	Goal differential.
streak_code	character	Current streak code (W/L/OT).
streak_count	integer	Length of the current streak.

Examples

```
try(nhl_teams_info(team_abbr = "TBL"))
```

`nhl_teams_roster` **NHL Team Roster**

Description

Returns the roster for a given NHL team. Uses the NHL API (`api-web.nhle.com`).

Usage

```
nhl_teams_roster(team_abbr, season = NULL)
```

Arguments

`team_abbr`	Character three-letter team abbreviation (e.g., "TOR").
`season`	Integer four-digit year (e.g., 2024 for the 2024-25 season). If NULL, returns the current roster.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_id	integer	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
full_name	character	Player full name.
sweater_number	integer	Jersey number.
position_code	character	Player position code (F/D/G).
shoots_catches	character	Handedness (shoots/catches).
height_inches	integer	Height in inches.
weight_pounds	integer	Weight in pounds.
birth_date	character	Player birth date.
birth_city	character	Player birth city.
birth_country	character	Player birth country.
headshot_url	character	URL to the player's headshot image.
team_abbr	character	Team abbreviation.

Examples

```
try(nhl_teams_roster(team_abbr = "TOR"))
try(nhl_teams_roster(team_abbr = "TOR", season = 2024))
```

`nhl_teams_stats` **NHL Teams Stats**

Description

Returns NHL team player-level stats (skaters and goalies) for a given team abbreviation and season. Uses the new NHL API club-stats endpoint (`api-web.nhle.com`).

Breaking change: The old `team_id` (integer) parameter has been replaced by `team_abbr` (3-letter string). The `season` parameter now accepts a 4-digit year (e.g., 2024 for the 2024-25 season).

Usage

```
nhl_teams_stats(team_abbr, season = NULL, game_type = 2)
```

Arguments

`team_abbr`	Three-letter team abbreviation (e.g., "TBL", "TOR", "SEA")
`season`	Integer 4-digit year (e.g., 2024 for the 2024-25 season). If NULL, returns current season stats.
`game_type`	Integer game type: 2 = regular season (default), 3 = playoffs

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_id	integer	Unique player identifier.
headshot	character	URL to the player's headshot image.
position_code	character	Player position code.
games_played	integer	Games played.
goals	integer	Goals scored.
assists	integer	Assists.
points	integer	Total points (goals + assists).
plus_minus	integer	Plus/minus rating.
penalty_minutes	integer	Penalty minutes.
power_play_goals	integer	Power-play goals.
shorthanded_goals	integer	Short-handed goals.
game_winning_goals	integer	Game-winning goals.
overtime_goals	integer	Overtime goals.
shots	integer	Shots on goal.
shooting_pctg	numeric	Shooting percentage.
avg_time_on_ice_per_game	numeric	Average time on ice per game.
avg_shifts_per_game	numeric	Average shifts per game.
faceoff_win_pctg	numeric	Faceoff win percentage.
first_name_default	character	Player first name (default language).
last_name_default	character	Player last name (default language).
last_name_cs	character	Player last name (Czech localization).
last_name_fi	character	Player last name (Finnish localization).
last_name_sk	character	Player last name (Slovak localization).
player_type	character	Player type ("skater" or "goalie").
games_started	integer	Games started (goalies).
wins	integer	Wins (goalies).
losses	integer	Losses (goalies).
overtime_losses	integer	Overtime losses (goalies).
goals_against_average	numeric	Goals-against average (goalies).
save_percentage	numeric	Save percentage (goalies).
shots_against	integer	Shots faced (goalies).
saves	integer	Saves made (goalies).
goals_against	integer	Goals against (goalies).
shutouts	integer	Shutouts (goalies).
time_on_ice	integer	Total time on ice (goalies).
first_name_cs	character	Player first name (Czech localization).
first_name_sk	character	Player first name (Slovak localization).
team_abbr	character	Team abbreviation.
season	character	Season identifier.
game_type	integer	Game type (2 = regular season, 3 = playoffs).

Examples

```
try(nhl_teams_stats(team_abbr = "TBL"))
```

`nhl_team_prospects` **NHL Team Prospects**

Description

Returns prospect information for a given team.

Usage

```
nhl_team_prospects(team_abbr)
```

Arguments

`team_abbr`	Three-letter team abbreviation (e.g., "TOR", "BOS")

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique player identifier.
headshot	character	URL to the prospect's headshot image.
position_code	character	Player position code.
shoots_catches	character	Handedness (shoots/catches).
height_in_inches	integer	Height in inches.
weight_in_pounds	integer	Weight in pounds.
height_in_centimeters	integer	Height in centimeters.
weight_in_kilograms	integer	Weight in kilograms.
birth_date	character	Player birth date.
birth_country	character	Player birth country.
sweater_number	integer	Jersey number.
first_name_default	character	First name (default localization).
first_name_cs	character	First name (Czech localization).
first_name_sk	character	First name (Slovak localization).
last_name_default	character	Last name (default localization).
last_name_cs	character	Last name (Czech localization).
last_name_sk	character	Last name (Slovak localization).
birth_city_default	character	Birth city (default localization).
birth_city_cs	character	Birth city (Czech localization).
birth_city_de	character	Birth city (German localization).
birth_city_fi	character	Birth city (Finnish localization).
birth_city_fr	character	Birth city (French localization).
birth_city_sk	character	Birth city (Slovak localization).
birth_city_sv	character	Birth city (Swedish localization).
birth_state_province_default	character	Birth state/province (default localization).

birth_state_province_fr	character	Birth state/province (French localization).
birth_state_province_sk	character	Birth state/province (Slovak localization).
birth_state_province_sv	character	Birth state/province (Swedish localization).
prospect_group	character	Prospect position group the player belongs to.
team_abbr	character	Team abbreviation.

Examples

```
try(nhl_team_prospects(team_abbr = "TOR"))
```

---

nhl_team_scoreboard NHL Team Scoreboard

Description

Returns current scoreboard information for a specific team, including upcoming and recent games.

Usage

```
nhl_team_scoreboard(team_abbr)
```

Arguments

team_abbr	Three-letter team abbreviation (e.g., "TOR", "BOS")

Value

A named list of data frames: gamesByDate.

gamesByDate

col_name	types	description
date	character	Date the games are scheduled for.
games	list	List of games scheduled on that date.

Examples

```
try(nhl_team_scoreboard(team_abbr = "TOR"))
```

nhl_team_summary_range

NHL Team Summary (Season Range)

Description

Aggregator helper that calls nhl_stats_teams() with report_type = "summary" for every season in [start_season, end_season] and concatenates the results into a single tidy frame. Mirrors the Stats.team_summary convenience helper from the nhl-api-py Python client.

Usage

```
nhl_team_summary_range(start_season, end_season, game_type = 2, limit = 50)
```

Arguments

start_season	Integer four-digit *end year* of the first season (e.g. 2022 for the 2021-22 season).
end_season	Integer four-digit *end year* of the final season (inclusive). Must be >= start_season.
game_type	Integer game type: 2 = regular season (default), 3 = playoffs.
limit	Integer maximum number of rows per season request. Defaults to 50 to match nhl_stats_teams().

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
faceoff_win_pct	numeric	Faceoff win percentage.
games_played	integer	Games played.
goals_against	integer	Goals against.
goals_against_per_game	numeric	Goals against per game.
goals_for	integer	Goals for.
goals_for_per_game	numeric	Goals for per game.
losses	integer	Losses.
ot_losses	integer	Overtime losses.
penalty_kill_net_pct	numeric	Net penalty kill percentage.
penalty_kill_pct	numeric	Penalty kill percentage.
point_pct	numeric	Points percentage.
points	integer	Total points.
power_play_net_pct	numeric	Net power play percentage.
power_play_pct	numeric	Power play percentage.
regulation_and_ot_wins	integer	Wins in regulation and overtime.
season_id	integer	Season identifier.
shots_against_per_game	numeric	Shots against per game.
shots_for_per_game	numeric	Shots for per game.
team_full_name	character	Full team name.

team_id	integer	Unique team identifier.
team_shutouts	integer	Team shutouts.
ties	logical	Ties (legacy; typically unused).
wins	integer	Wins.
wins_in_regulation	integer	Wins in regulation.
wins_in_shootout	integer	Wins in shootout.
season	character	Season the row came from (YYYYYYYY).

Examples

```
try(nhl_team_summary_range(start_season = 2023, end_season = 2024))
```

`nhl_tv_schedule` **NHL TV Schedule**

Description

Returns the TV schedule for NHL games on a given date.

Usage

```
nhl_tv_schedule(date = NULL)
```

Arguments

`date`	Character date in "YYYY-MM-DD" format. If NULL, returns current.

Value

A named list of data frames: `broadcasts`.

broadcasts

col_name	types	description
startTime	character	Broadcast start time (UTC).
endTime	character	Broadcast end time (UTC).
durationSeconds	integer	Broadcast duration in seconds.
title	character	Broadcast title.
description	character	Broadcast description.
houseNumber	character	Internal broadcast house number identifier.
broadcastType	character	Type of broadcast.
broadcastStatus	character	Broadcast status.
broadcastImageUrl	character	URL to the broadcast image.

Examples

```
try(nhl_tv_schedule())
```

nhl_web **NHL Web API Endpoint Overview**

Description

Wrappers around the modern NHL Web API at `api-web.nhle.com/v1/...`. These cover game feeds, schedules, standings, rosters, gamecenter, draft, scoreboard, scores, meta, location, partner-game, where-to-watch, smartlinks, postal-lookup, ppt-replay, and WSC PBP.

All responses are clean JSON parsed with `jsonlite::fromJSON()` and wrapped in the `fastRhockey_data` S3 class via `make_fastRhockey_data()`.

Details

Game-level:

Function	Endpoint family	Purpose
nhl_game_feed()	gamecenter/{id}/play-by-play	Full PBP + rosters + game info
nhl_game_boxscore()	gamecenter/{id}/boxscore	Player + team boxscore tables
nhl_game_shifts()	stats/rest/en/shiftcharts	Per-shift records (with HTML fallback for empty endpo
nhl_game_story()	wsc/game-story/{id}	Narrative-format recap
nhl_game_content()	gamecenter/{id}/...	Media + content
nhl_gamecenter_landing()	gamecenter/{id}/landing	Game-center landing payload
nhl_wsc_pbp()	wsc/play-by-play/{id}	WSC narrative-format play-by-play
nhl_ppt_replay()	ppt-replay/...	Event-level replay metadata
nhl_ppt_replay_goal()	ppt-replay/goal/...	Goal-specific replay metadata

Schedule / scores:

Function	Endpoint family	Purpose
nhl_schedule()	schedule/{date}	Daily / season schedule
nhl_schedule_calendar()	schedule-calendar/{date}	Calendar view
nhl_club_schedule()	club-schedule/{team}/season	Per-club schedule
nhl_scoreboard()	scoreboard/{date}/now	Live + daily scoreboard
nhl_scores()	score/{date}	Scores
nhl_tv_schedule()	network/tv-schedule	TV broadcast schedule
nhl_where_to_watch()	where-to-watch/{date}	Region-aware watch info

Standings / seasons:

Function	Endpoint family	Purpose
nhl_standings()	standings/{date}	Current / historical standings
nhl_standings_season()	standings-season	Season list
nhl_seasons()	seasons + rankings	Seasons + draft rankings
nhl_playoff_carousel()	playoff-series/carousel/...	Playoff carousel

nhl_playoff_schedule()	playoff-series/{year}/{seriesLetter}	Playoff schedule

Teams:

Function	Endpoint family	Purpose
nhl_teams()	teams	Team info
nhl_teams_info()	(via nhl_teams)	Team info by abbreviation
nhl_teams_roster()	roster/{team}/current	Current roster
nhl_roster_season()	roster/{team}/{season}	Roster by season
nhl_team_prospects()	prospects/{team}	Team prospects
nhl_team_scoreboard()	scoreboard/{team}/now	Team-specific scoreboard
nhl_team_summary_range()	(helper)	Multi-season team summary
nhl_conferences()	(derived from standings)	Conferences
nhl_conferences_info()	(derived)	Conference details
nhl_divisions()	(derived)	Divisions
nhl_divisions_info()	(derived)	Division details

Players:

Function	Endpoint family	Purpose
nhl_player_info()	player/{id}/landing	Player biographical info
nhl_player_game_log()	player/{id}/game-log	Player game logs
nhl_player_spotlight()	player-spotlight	Featured player spotlight
nhl_skater_summary_range()	(helper)	Multi-season skater summary
nhl_goalie_summary_range()	(helper)	Multi-season goalie summary
nhl_all_players_by_season()	(helper)	All rostered players across teams for a season

Aggregators:

Function	Endpoint family	Purpose
nhl_game_ids_by_season()	(helper)	All game IDs across teams for a season

Meta / location / smart-links:

Function	Endpoint family	Purpose
nhl_meta()	meta + playoff-series + per-game meta	League / game / series metadata
nhl_postal_lookup()	postal-lookup/{zip}	Broadcast region by postal code
nhl_smartlinks()	NHL.com smart-link router	Smart-link resolver

nhl_where_to_watch NHL Where to Watch

Description

Returns streaming/broadcast availability information.

Usage

```
nhl_where_to_watch()
```

Value

Returns a list with streaming availability data.

Examples

```
try(nhl_where_to_watch())
```

nhl_wsc_pbp NHL WSC Play-by-Play

Description

Returns the narrative-format (Web Services Content) play-by-play feed for a given NHL game ID from the NHL web service.

This endpoint is distinct from `nhl_game_pbp()`, which hits the `gamecenter/{id}/play-by-play` endpoint and returns a tabular play-event feed. `nhl_wsc_pbp()` hits `wsc/play-by-play/{gameId}` and returns the narrative-format payload used by NHL.com's story / recap pages (closer in shape to `nhl_game_story()`).

Usage

```
nhl_wsc_pbp(game_id)
```

Arguments

game_id	Integer or character game ID (e.g., 2023020001).

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	integer	Unique play event identifier.
eventId	integer	Event identifier within the game.
period	integer	Period number.
timeInPeriod	character	Elapsed time in the period (MM:SS).
secondsRemaining	integer	Seconds remaining in the period.
situationCode	character	On-ice situation code.
typeCode	integer	Numeric event type code.
typeDescKey	character	Event type description key.
homeTeamDefendingSide	character	Side of the ice the home team is defending.
sortOrder	integer	Sort order of the event.
utc	character	UTC timestamp of the event.
eventOwnerTeamId	integer	Team identifier that owns the event.
losingPlayerId	integer	Player identifier who lost the faceoff.
winningPlayerId	integer	Player identifier who won the faceoff.
xCoord	integer	X coordinate of the event on the ice.
yCoord	integer	Y coordinate of the event on the ice.
zoneCode	character	Zone code where the event occurred.
hittingPlayerId	integer	Player identifier delivering the hit.
hitteePlayerId	integer	Player identifier receiving the hit.
playerId	integer	Player identifier involved in the event.
shotType	character	Type of shot.
shootingPlayerId	integer	Player identifier taking the shot.
goalieInNetId	integer	Goalie identifier in net for the event.
awaySOG	integer	Away team shots on goal at the event.
homeSOG	integer	Home team shots on goal at the event.
reason	character	Reason associated with the event.
blockingPlayerId	integer	Player identifier blocking the shot.
goalModifier	character	Goal modifier description.
strength	character	Strength state of the goal.
scoringPlayerId	integer	Player identifier scoring the goal.
assist1PlayerId	integer	Player identifier for the primary assist.
assist2PlayerId	integer	Player identifier for the secondary assist.
awayScore	integer	Away team score at the event.
homeScore	integer	Home team score at the event.
strengthCode	integer	Numeric strength state code.
goalCode	integer	Numeric goal code.
scoringPlayerTotal	integer	Season goal total for the scorer.
assist1PlayerTotal	integer	Season assist total for the primary assister.
assist2PlayerTotal	integer	Season assist total for the secondary assister.
penaltyTypeCode	character	Penalty type code.
descKey	character	Penalty description key.
duration	integer	Penalty duration in minutes.
committedByPlayerId	integer	Player identifier who committed the penalty.
drawnByPlayerId	integer	Player identifier who drew the penalty.

Examples

```
try(nhl_wsc_pbp(game_id = 2023020001))
```

---

nhl_xg **NHL Expected Goals (xG) Pipeline Overview**

Description

Expected-goals computation for NHL play-by-play data. Three XGBoost models (5v5, special teams, penalty shots) are downloaded from `sportsdataverse/fastRhockey-nhl-data/main/models/` on package load (see `zzz.R`'s `.onLoad()`) and cached in `tools::R_user_dir("fastRhockey", "cache")` so they're fetched once.

Details

Helpers:

Function	Purpose
`helper_nhl_prepare_xg_data()`	Build the model feature frame (event filtering, era dummies, skater counts, rebound / rus
`helper_nhl_calculate_xg()`	Run the three XGBoost predictions and append an `xg` column to the PBP frame.

Era dummies:

The training corpus runs 2010-2024; the features keep one-hot era indicators so the same models generalize past the training cutoff:

Indicator	Seasons
`era_2011_2013`	20102011, 20112012, 20122013
`era_2014_2018`	20132014 ... 20172018
`era_2019_2021`	20182019, 20192020, 20202021
`era_2022_2024`	20212022, 20222023, 20232024
`era_2025_on`	seasons after 20232024

Required PBP columns:

The input `pbp` data frame must include `event_type`, `secondary_type`, `period_type`, `period`, `game_seconds`, `x`, `y`, `x_fixed`, `event_team_abbr`, `home_abbr`, `away_abbr`, `home_skaters`, `away_skaters`, `shot_distance`, `shot_angle`, `empty_net`, `strength_state`, `event_id`, and `season`. `nhl_game_pbp()` / `nhl_game_feed()` produce all of them.

Dependencies:

The `xgboost` suggested package is required. The pipeline fails gracefully (returns `pbp` unchanged with an `xg = NA_real_` column) if `xgboost` is absent.

ohl — OHL (Ontario Hockey League) Endpoint Overview

Description

Thin exported wrappers around the HockeyTech feeds for the OHL.

See Also

Other OHL Functions: most_recent_ohl_season(), ohl_game_corsi(), ohl_game_shifts(), ohl_game_summary(), ohl_leaders(), ohl_pbp(), ohl_player_stats(), ohl_player_toi(), ohl_schedule(), ohl_season_id(), ohl_standings(), ohl_team_roster(), ohl_teams()

ohl_game_corsi — OHL Game Corsi/Fenwick (player-level on-ice)

Description

Player-level on-ice Corsi and Fenwick for an OHL game.

Usage

```
ohl_game_corsi(game_id)
```

Arguments

game_id	Numeric OHL game identifier.

Value

A fastRhockey_data data frame, one row per player.

See Also

Other OHL Functions: most_recent_ohl_season(), ohl(), ohl_game_shifts(), ohl_game_summary(), ohl_leaders(), ohl_pbp(), ohl_player_stats(), ohl_player_toi(), ohl_schedule(), ohl_season_id(), ohl_standings(), ohl_team_roster(), ohl_teams()

Examples

```
try(ohl_game_corsi(game_id = 27225))
```

ohl_game_shifts OHL Game Shifts

Description

All player shift stints for an OHL game (one row per stint).

Usage

```
ohl_game_shifts(game_id)
```

Arguments

game_id	Numeric OHL game identifier.

Value

A fastRhockey_data data frame, one row per shift stint.

See Also

Other OHL Functions: most_recent_ohl_season(), ohl, ohl_game_corsi(), ohl_game_summary(), ohl_leaders(), ohl_pbp(), ohl_player_stats(), ohl_player_toi(), ohl_schedule(), ohl_season_id(), ohl_standings(), ohl_team_roster(), ohl_teams()

Examples

```
try(ohl_game_shifts(game_id = 27225))
```

ohl_game_summary OHL Game Summary

Description

OHL game summary – named list of data frames (details, scoring, penalties, shots_by_period, three_stars).

Usage

```
ohl_game_summary(game_id)
```

Arguments

game_id	Numeric OHL game identifier.

Value

A named list of data frames.

See Also

Other OHL Functions: most_recent_ohl_season(), ohl, ohl_game_corsi(), ohl_game_shifts(), ohl_leaders(), ohl_pbp(), ohl_player_stats(), ohl_player_toi(), ohl_schedule(), ohl_season_id(), ohl_standings(), ohl_team_roster(), ohl_teams()

Examples

```
try(ohl_game_summary(game_id = 27225))
```

---

ohl_leaders OHL Statistical Leaders

Description

OHL statistical leaders for a season from the HockeyTech feed.

Usage

```
ohl_leaders(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per player entry.

See Also

Other OHL Functions: most_recent_ohl_season(), ohl, ohl_game_corsi(), ohl_game_shifts(), ohl_game_summary(), ohl_pbp(), ohl_player_stats(), ohl_player_toi(), ohl_schedule(), ohl_season_id(), ohl_standings(), ohl_team_roster(), ohl_teams()

Examples

```
try(ohl_leaders())
```

ohl_pbp OHL Play-by-Play

Description

OHL play-by-play for a single game (one row per event, fully enriched with coordinate transforms, on-ice players, Corsi geometry).

Usage

```
ohl_pbp(game_id)
```

Arguments

game_id	Numeric OHL game identifier.

Value

A fastRhockey_data data frame, one row per play-by-play event.

See Also

Other OHL Functions: most_recent_ohl_season(), ohl, ohl_game_corsi(), ohl_game_shifts(), ohl_game_summary(), ohl_leaders(), ohl_player_stats(), ohl_player_toi(), ohl_schedule(), ohl_season_id(), ohl_standings(), ohl_team_roster(), ohl_teams()

Examples

```
try(ohl_pbp(game_id = 27225))
```

ohl_player_stats OHL Player Stats

Description

OHL player season stats across all seasons.

Usage

```
ohl_player_stats(player_id)
```

Arguments

player_id	Numeric or character OHL player identifier.

Value

A `fastRhockey_data` data frame, one row per season-stat entry.

See Also

Other OHL Functions: `most_recent_ohl_season()`, `ohl`, `ohl_game_corsi()`, `ohl_game_shifts()`, `ohl_game_summary()`, `ohl_leaders()`, `ohl_pbp()`, `ohl_player_toi()`, `ohl_schedule()`, `ohl_season_id()`, `ohl_standings()`, `ohl_team_roster()`, `ohl_teams()`

Examples

```
try(ohl_player_stats(player_id = 1))
```

---

ohl_player_toi OHL Player Time On Ice

Description

Per-player time-on-ice totals for an OHL game.

Usage

```
ohl_player_toi(game_id)
```

Arguments

`game_id`	Numeric OHL game identifier.

Value

A `fastRhockey_data` data frame, one row per player.

See Also

Other OHL Functions: `most_recent_ohl_season()`, `ohl`, `ohl_game_corsi()`, `ohl_game_shifts()`, `ohl_game_summary()`, `ohl_leaders()`, `ohl_pbp()`, `ohl_player_stats()`, `ohl_schedule()`, `ohl_season_id()`, `ohl_standings()`, `ohl_team_roster()`, `ohl_teams()`

Examples

```
try(ohl_player_toi(game_id = 27225))
```

ohl_schedule OHL Schedule

Description

OHL schedule from the HockeyTech feed (one row per game).

Usage

```
ohl_schedule(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional.
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per game.

See Also

Other OHL Functions: most_recent_ohl_season(), ohl, ohl_game_corsi(), ohl_game_shifts(), ohl_game_summary(), ohl_leaders(), ohl_pbp(), ohl_player_stats(), ohl_player_toi(), ohl_season_id(), ohl_standings(), ohl_team_roster(), ohl_teams()

Examples

```
try(ohl_schedule())
```

ohl_season_id OHL Season IDs

Description

All seasons for the OHL with end-year and game-type labels, from the HockeyTech modulekit/seasons feed.

Usage

```
ohl_season_id()
```

Value

A fastRhockey_data data frame with columns: season_id, season_name, season_short, career, playoff, start_date, end_date, season_yr, game_type_label.

See Also

Other OHL Functions: most_recent_ohl_season(), ohl, ohl_game_corsi(), ohl_game_shifts(), ohl_game_summary(), ohl_leaders(), ohl_pbp(), ohl_player_stats(), ohl_player_toi(), ohl_schedule(), ohl_standings(), ohl_team_roster(), ohl_teams()

Examples

```
try(ohl_season_id())
```

---

ohl_standings **OHL Standings**

Description

OHL standings from the HockeyTech feed (one row per team).

Usage

```
ohl_standings(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per team.

See Also

Other OHL Functions: most_recent_ohl_season(), ohl, ohl_game_corsi(), ohl_game_shifts(), ohl_game_summary(), ohl_leaders(), ohl_pbp(), ohl_player_stats(), ohl_player_toi(), ohl_schedule(), ohl_season_id(), ohl_team_roster(), ohl_teams()

Examples

```
try(ohl_standings())
```

ohl_teams OHL Teams

Description

OHL teams for a given season from the HockeyTech feed.

Usage

```
ohl_teams(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per team.

See Also

Other OHL Functions: most_recent_ohl_season(), ohl, ohl_game_corsi(), ohl_game_shifts(), ohl_game_summary(), ohl_leaders(), ohl_pbp(), ohl_player_stats(), ohl_player_toi(), ohl_schedule(), ohl_season_id(), ohl_standings(), ohl_team_roster()

Examples

```
try(ohl_teams())
```

ohl_team_roster OHL Team Roster

Description

OHL roster for a given team and season from the HockeyTech feed.

Usage

```
ohl_team_roster(team_id, season = NULL, season_id = NULL)
```

Arguments

team_id	Numeric or character OHL team identifier.
season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A `fastRhockey_data` data frame, one row per player.

See Also

Other OHL Functions: `most_recent_ohl_season()`, `ohl`, `ohl_game_corsi()`, `ohl_game_shifts()`, `ohl_game_summary()`, `ohl_leaders()`, `ohl_pbp()`, `ohl_player_stats()`, `ohl_player_toi()`, `ohl_schedule()`, `ohl_season_id()`, `ohl_standings()`, `ohl_teams()`

Examples

```
try(ohl_team_roster(team_id = 1))
```

---

phf — PHF (Premier Hockey Federation) Endpoint Overview — DEPRECATED

Description

Wrappers for the now-defunct Premier Hockey Federation (PHF, formerly NWHL). The PHF ceased operations in mid-2023, so these functions are kept in the package for historical access to cached data but are formally **deprecated** in v1.0.0 and emit `lifecycle::deprecate_stop()`. Tests for these functions check for the `lifecycle_error_deprecated` class.

Details

Game-level:

Function	Purpose
`phf_game_all()`	Per-game payload (all sections)
`phf_game_raw()`	Raw API response
`phf_game_details()`	Game details only
`phf_game_summary()`	Game summary only
`phf_pbp()`	Per-game play-by-play + loader entry point
`phf_player_box()`	Per-game player boxscore
`phf_team_box()`	Per-game team boxscore

Season-level:

Function	Purpose
`phf_schedule()`	Season schedule
`phf_standings()`	Standings
`phf_team_roster()`	Team rosters
`phf_team_stats()`	Team season stats
`phf_player_stats()`	Player season stats
`phf_leaders()`	League leaders

phf_league_info()	League info

Deprecation

All PHF wrappers call `lifecycle::deprecate_stop()` and raise errors. Use the still-active pwhl family for current women's pro hockey.

`phf_game_all` **PHF Game All**

Description

phf_game_all: pull in the raw data for a game_id from the PHF/NWHL API

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_game_all(game_id)
```

Arguments

`game_id`	The unique ID code for the game that you are interested in viewing the data for

Value

A named list of data frames: plays, team_box, skaters, goalies, game_details, scoring_summary, shootout_summary, penalty_summary, officials, team_staff, timeouts

Examples

```
try(phf_game_all(game_id = 612254))
```

phf_game_details PHF Game Details

Description

phf_game_details: pull in the raw data for a game_id from the PHF/NWHL API

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_game_details(game_id)
```

Arguments

game_id	The unique ID code for the game that you are interested in viewing the data for

Value

A data frame with game team details

Examples

```
try(phf_game_details(game_id = 612254))
```

phf_game_raw PHF Game Raw

Description

phf_game_raw: pull in the raw data for a game_id from the PHF/NWHL API

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_game_raw(game_id)
```

Arguments

game_id	The unique ID code for the game that you are interested in viewing the data for

Value

A list of data frames

Examples

```
try(phf_game_raw(game_id = 612254))
```

`phf_game_summary` **PHF Game Summary**

Description

phf_game_summary: pull in the raw data for a game_id from the PHF/NWHL API

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_game_summary(game_id)
```

Arguments

`game_id`	The unique ID code for the game that you are interested in viewing the data for

Value

A named list of data frames: scoring_summary,shootout_summary, penalty_summary, officials, team_staff, timeouts

Examples

```
try(phf_game_summary(game_id = 612254))
```

`phf_leaders` **PHF Player Leaderboards**

Description

PHF Player Leaderboards

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_leaders(
  player_type,
  season = most_recent_phf_season(),
  season_type = "Regular Season"
)
```

Arguments

player_type	Player type: skaters, goalies
season	Season (YYYY) to pull the team stats from, the concluding year in XXXX-YY format
season_type	Season type: Regular Season or Playoffs

Value

A data frame of stat leaders

Examples

```
try(phf_leaders(player_type = "skaters", season = 2022, season_type="Regular Season"))
try(phf_leaders(player_type = "goalies", season = 2022, season_type="Regular Season"))
```

---

phf_league_info PHF League Information

Description

PHF League Information per year

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_league_info(season = most_recent_phf_season())
```

Arguments

season	Season (YYYY) to pull the league info and IDs for. Season is the concluding year in XXXX-YY format

Value

A named list of data frames: seasons, divisions, teams, league, officials, brackets

Examples

```
try(phf_league_info(season = 2023))
try(phf_league_info(season = 2016))
```

`phf_pbp` *phf_pbp*

Description

phf_pbp: pull in the raw data for a game_id from the PHF/NWHL API

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_pbp(game_id)
```

Arguments

`game_id`	The unique ID code for the game that you are interested in viewing the data for

Value

A data frame of play by play information

Examples

```
try(phf_pbp(game_id = 268127))
```

`phf_player_box` **PHF Player Boxscore**

Description

phf_player_box: loads the player boxscore

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_player_box(game_id)
```

Arguments

game_id	The unique ID code for the game that you are interested in viewing the data for

Value

A named list of data frames: skaters, goalies

Examples

```
try(phf_player_box(game_id = 420339))
```

---

phf_player_stats PHF Player Stats

Description

phf_player_stats: loads the player stats

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_player_stats(player_id)
```

Arguments

player_id	The unique ID code for the player that you are interested in viewing the data for

Value

A named list of data frames: career, game_log

Examples

```
try(phf_player_stats(player_id = 431611))
try(phf_player_stats(player_id = 532475))
```

phf_schedule PHF Schedule

Description

PHF Schedule lookup

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_schedule(season = NULL)
```

Arguments

season	Season (YYYY) to pull the schedule from, the concluding year in XXXX-YY format

Value

A data frame with schedule data

Examples

```
try(phf_schedule(season = 2023))
```

phf_standings PHF Standings

Description

phf_standings: pull in the standings data for a game_id from the PHF/NWHL API

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_standings(season = most_recent_phf_season())
```

Arguments

season	Season (YYYY) to pull the standings from, the concluding year in XXXX-YY format

Value

A data frame of standings data

Examples

```
try(phf_standings(season = most_recent_phf_season()))
```

`phf_team_box` **PHF Team Boxscore**

Description

phf_team_box: loads the team boxscore and shot/score data for a game into one data frame through just one function

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_team_box(game_id)
```

Arguments

`game_id`	The unique ID code for the game that you are interested in viewing the data for

Value

A dataframe of team-level box score information

Examples

```
try(phf_team_box(game_id = 420339))
```

phf_team_roster PHF Team Roster

Description

PHF Team Roster lookup

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_team_roster(team, season = most_recent_phf_season())
```

Arguments

team	Team name with nickname (e.g. Boston Pride, Buffalo Beauts)
season	Season (YYYY) to pull the team stats from, the concluding year in XXXX-YY format

Value

A named list of data frames: roster, team_staff

Examples

```
try(phf_team_roster(team = "Minnesota Whitecaps", season = 2023))
try(phf_team_roster(team = "Buffalo Beauts", season = 2023))
try(phf_team_roster(team = "Buffalo Beauts", season = 2016))
```

phf_team_stats PHF Team Stats

Description

PHF Team Stats lookup

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
phf_team_stats(team, season = most_recent_phf_season())
```

Arguments

team	Team name with nickname (e.g. Boston Pride, Buffalo Beauts)
season	Season (YYYY) to pull the team stats from, the concluding year in XXXX-YY format

Value

A named list of data frames: skaters, goalies

Examples

```
try(phf_team_stats(team = "Boston Pride", season = 2022))
```

---

progressively Progressively

Description

This function helps add progress-reporting to any function - given function `f()` and progressr `p()`, it will return a new function that calls `f()` and then (on-exiting) will call `p()` after every iteration.

Usage

```
progressively(f, p = NULL)
```

Arguments

f	a function to add progressr functionality to.
p	a progressr function as created by `progressr::progressor()`

Details

This is inspired by purrr's `safely`, `quietly`, and `possibly` function decorators.

Value

a function that does the same as `f` but it calls `p()` after iteration.

pwhl **PWHL (Professional Women's Hockey League) Endpoint Overview**

Description

Wrappers around the HockeyTech feeds that back the PWHL stats portal, grouped by what they return. Three feed flavors are used internally (`statviewfeed`, `modulekit`, `gc`) — see `pwhl_helpers.R` for the `.pwhl_api()` / `.pwhl_modulekit_url()` / `.pwhl_gc_url()` helpers that build the JSONP URLs and strip the Angular callbacks.

Details

Game-level:

Function	Feed	Purpose
`pwhl_schedule()`	statviewfeed	Season schedule
`pwhl_scorebar()`	modulekit	Recent + upcoming scorebar
`pwhl_game_info()`	statviewfeed	Per-game metadata
`pwhl_game_summary()`	gc	Per-game summary (rosters, periods, three stars)
`pwhl_pbp()`	statviewfeed	Play-by-play
`pwhl_player_box()`	statviewfeed	Per-game player boxscore

Team-level:

Function	Feed	Purpose
`pwhl_teams()`	statviewfeed	Team listing
`pwhl_team_roster()`	statviewfeed	Active roster
`pwhl_standings()`	statviewfeed	Current standings

Player-level:

Function	Feed	Purpose
`pwhl_player_info()`	modulekit	Player profile
`pwhl_player_stats()`	modulekit	Career / season stats
`pwhl_player_game_log()`	modulekit	Game-by-game player log
`pwhl_player_search()`	modulekit	Search by name
`pwhl_stats()`	statviewfeed	League-wide stats
`pwhl_leaders()`	modulekit	League leaders (top scorers / goalies)
`pwhl_streaks()`	modulekit	Player streaks

League-level:

Function	Feed	Purpose

pwhl_season_id()	modulekit (with hardcoded fallback)	Map (season, game_type) -> HockeyTech season_i
pwhl_transactions()	modulekit	Player transactions
pwhl_playoff_bracket()	modulekit	Playoff bracket
most_recent_pwhl_season()	(computed)	Most-recent PWHL season (end-year)

Season Convention

PWHL functions use the **end year** of the season (e.g. 2026 for the 2025-26 season), matching most_recent_pwhl_season().

---

pwhl_game_corsi — PWHL Game Corsi/Fenwick (player-level on-ice)

Description

Player-level on-ice shot-attempt metrics for a PWHL game. Corsi = shot + blocked_shot + goal; Fenwick excludes blocked shots. Missed shots are not present in the HockeyTech feed, so both are proxies (corsi_includes_missed = FALSE). TOI is left-joined from pwhl_game_shifts() so every on-ice player is retained even when shift data is absent (resulting in NA toi_seconds).

Usage

```
pwhl_game_corsi(game_id)
```

Arguments

game_id	PWHL game id (integer or character).

Value

A fastRhockey_data data frame with one row per on-ice player:

col_name	types	description
player_id	character	Player unique identifier.
corsi_for	integer	On-ice shot attempts for (shot + blocked_shot + goal).
corsi_against	integer	On-ice shot attempts against.
corsi_for_pct	numeric	Corsi for percentage (NA when total = 0).
fenwick_for	integer	On-ice unblocked shot attempts for (shot + goal).
fenwick_against	integer	On-ice unblocked shot attempts against.
fenwick_for_pct	numeric	Fenwick for percentage (NA when total = 0).
corsi_includes_missed	logical	Always FALSE (no missed-shot events in the HockeyTech feed).
toi_seconds	integer	Total time on ice in seconds (NA if not in shift data).
corsi_for_per60	numeric	Corsi For per 60 minutes (NA when toi_seconds is 0 or NA).

Author(s)

Saiem Gilani

See Also

Other PWHL Functions: pwhl_game_shifts(), pwhl_player_toi()

Examples

```
try(pwhl_game_corsi(game_id = 42))
```

---

pwhl_game_info **PWHL Game Information**

Description

PWHL Game Information

Usage

```
pwhl_game_info(game_id)
```

Arguments

game_id	Game ID that you want game information for

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
game_id	integer	Unique game identifier.
game_season	numeric	Season (concluding year, YYYY).
game_type	character	Game type the row belongs to.
game_date	character	Game date.
home_team	character	Home team name.
away_team	character	Away team name.
home_team_id	integer	Home team identifier.
away_team_id	integer	Away team identifier.
home_score	integer	Home team final score.
away_score	integer	Away team final score.
game_duration	character	Game duration.
game_venue	character	Venue where the game was played.
game_report	character	URL to the game report.
game_boxscore	character	URL to the text box score.
game_season_id	character	Season identifier used by the PWHL feed.

Examples

```
try(pwhl_game_info(game_id = 27))
```

`pwhl_game_shifts` **PWHL Game Shifts**

Description

All player shifts for a PWHL game (one row per stint), from HockeyTech. Calls the HockeyTech `modulekit/gameshifts` endpoint and returns one row per player-shift stint via the internal `.parse_hockeytech_shifts()` helper.

Usage

```
pwhl_game_shifts(game_id)
```

Arguments

`game_id`	PWHL game id (integer or character).

Value

A `fastRhockey_data` data frame with one row per shift stint:

col_name	types	description
game_id	numeric	Game identifier (echoed from argument).
player_id	numeric	Player unique identifier.
first_name	character	Player first name.
last_name	character	Player last name.
jersey_number	character	Player jersey number.
home	integer	1 if home player, 0 if visitor.
period	integer	Period of the shift.
start_time	character	Shift start time (MM:SS countdown clock).
end_time	character	Shift end time (MM:SS countdown clock).
length	character	Shift length string.
start_s	integer	Shift start in countdown seconds.
end_s	integer	Shift end in countdown seconds.
goal_on_shift	integer	1 if a goal occurred during this shift, else 0.
penalty_on_shift	integer	1 if a penalty occurred during this shift, else 0.

Author(s)

Saiem Gilani

See Also

Other PWHL Functions: `pwhl_game_corsi()`, `pwhl_player_toi()`

Examples

```
try(pwhl_game_shifts(game_id = 42))
```

`pwhl_game_summary` **PWHL Game Summary**

Description

Retrieves a detailed game summary from the PWHL game center feed, including scoring summary, penalty summary, shots by period, and three stars.

Usage

```
pwhl_game_summary(game_id)
```

Arguments

`game_id`	Game ID to retrieve the summary for.

Value

A named list of data frames: `details`, `scoring`, `penalties`, `shots_by_period`, `three_stars`.

details

col_name	types	description
game_id	numeric	Unique game identifier.
date	character	Game date.
status	character	Game status.
venue	character	Venue where the game was played.
attendance	character	Reported attendance.
home_team	character	Home team name.
home_team_id	numeric	Home team identifier.
home_score	numeric	Home team final score.
away_team	character	Away team name.
away_team_id	numeric	Away team identifier.
away_score	numeric	Away team final score.

scoring

col_name	types	description
period	character	Period in which the goal was scored.
time	character	Time of the goal.
team	character	Team that scored.
team_id	numeric	Identifier of the scoring team.

scorer	character	Name of the goal scorer.
scorer_id	numeric	Identifier of the goal scorer.
assist_1	character	Name of the primary assister.
assist_2	character	Name of the secondary assister.
goal_type	character	Type of goal.

penalties

col_name	types	description
period	character	Period in which the penalty occurred.
time	character	Time of the penalty.
team	character	Penalized team.
team_id	numeric	Identifier of the penalized team.
player	character	Penalized player name.
player_id	numeric	Identifier of the penalized player.
infraction	character	Penalty infraction description.
minutes	numeric	Penalty minutes.

shots_by_period

col_name	types	description
period	character	Period number.
home_shots	numeric	Home team shots in the period.
away_shots	numeric	Away team shots in the period.

three_stars

col_name	types	description
star	numeric	Star ranking (1 to 3).
player_id	numeric	Identifier of the selected player.
first_name	character	Player first name.
last_name	character	Player last name.
team_id	numeric	Identifier of the player's team.

Examples

```
try(pwhl_game_summary(game_id = 27))
```

`pwhl_leaders` **PWHL League Leaders**

Description

Retrieves PWHL league leaders (top scorers or top goalies) for a season.

Usage

```
pwhl_leaders(
  position = "skaters",
  season = most_recent_pwhl_season(),
  game_type = "regular",
  limit = 100
)
```

Arguments

`position`	Either "skaters" (default) or "goalies".
`season`	Season (YYYY) to pull leaders from. Defaults to `most_recent_pwhl_season()`.
`game_type`	Game type: "regular" (default), "preseason", or "playoffs".
`limit`	Maximum number of leaders to return. Default 100.

Value

A data frame (`fastRhockey_data`) with the following columns, or NULL if unavailable:

col_name	types	description
player_id	character	Unique player identifier.
shortname	character	Player short name.
first_name	character	Player first name.
last_name	character	Player last name.
name	character	Player full name.
phonetic_name	character	Phonetic spelling of the player name.
active	character	Whether the player is active.
height	character	Player height.
weight	character	Player weight.
last_years_club	character	Player's club in the previous season.
age	character	Player age.
shoots	character	Handedness the player shoots.
position	character	Player position.
suspension_games_remaining	character	Suspension games remaining.
suspension_indefinite	character	Whether the suspension is indefinite.
rookie	character	Whether the player is a rookie.
veteran	character	Whether the player is a veteran.
draft_eligible	character	Whether the player is draft eligible.

jersey_number	character	Jersey number.
team_name	character	Team name.
team_code	character	Team abbreviation.
team_id	character	Unique team identifier.
division	character	Team division.
birthdate	character	Player birthdate.
birthdate_year	character	Player birth year.
hometown	character	Player hometown.
homeprov	character	Player home province/state.
homecntry	character	Player home country.
birthtown	character	Player birth town.
birthprov	character	Player birth province/state.
birthcntry	character	Player birth country.
hometownprov	character	Player hometown and province/state.
homeplace	character	Player home place description.
games_played	numeric	Games played.
game_winning_goals	character	Game-winning goals.
game_tieing_goals	character	Game-tying goals.
first_goals	character	First goals of a game.
insurance_goals	character	Insurance goals.
unassisted_goals	character	Unassisted goals.
empty_net_goals	character	Empty-net goals.
overtime_goals	character	Overtime goals.
ice_time	character	Total ice time.
ice_time_avg	character	Average ice time.
goals	numeric	Goals scored.
shots	numeric	Shots on goal.
loose_ball_recoveries	character	Loose ball recoveries.
caused_turnovers	character	Turnovers caused.
turnovers	character	Turnovers committed.
hits	character	Hits delivered.
shots_blocked_by_player	character	Shots blocked by the player.
ice_time_minutes_seconds	character	Ice time in minutes and seconds.
shooting_percentage	numeric	Shooting percentage.
assists	numeric	Assists.
points	numeric	Total points (goals + assists).
points_per_game	numeric	Points per game.
plus_minus	numeric	Plus/minus rating.
penalty_minutes	numeric	Penalty minutes.
penalty_minutes_per_game	character	Penalty minutes per game.
ice_time_per_game_avg	character	Average ice time per game.
hits_per_game_avg	character	Average hits per game.
minor_penalties	character	Minor penalties.
major_penalties	character	Major penalties.
power_play_goals	numeric	Power-play goals.
power_play_assists	numeric	Power-play assists.
power_play_points	character	Power-play points.
short_handed_goals	numeric	Short-handed goals.

short_handed_assists	numeric	Short-handed assists.
short_handed_points	character	Short-handed points.
shootout_goals	character	Shootout goals.
shootout_attempts	character	Shootout attempts.
shootout_winning_goals	character	Shootout game-winning goals.
shootout_games_played	character	Games played that went to a shootout.
faceoff_attempts	character	Faceoff attempts.
faceoff_wins	character	Faceoffs won.
faceoff_pct	character	Faceoff win percentage.
faceoff_wa	character	Faceoff wins-to-attempts metric.
shots_on	character	Shots on goal count.
shootout_percentage	character	Shootout scoring percentage.
latest_team_id	character	Most recent team identifier.
num_teams	character	Number of teams the player has played for.
logo	character	URL to the team logo.
rank	numeric	Leader rank.
player_page_link	character	URL to the player page.
namelink	character	HTML link for the player name.
teamlink	character	HTML link for the team.
photo	character	URL to the player photo.
team_breakdown	character	Per-team statistical breakdown.
is_total	character	Whether the row is a season total.

Examples

```
try(pwhl_leaders(position = "skaters", season = 2025))
try(pwhl_leaders(position = "goalies", season = 2025))
```

`pwhl_loaders` **PWHL Data Loaders Overview**

Description

Loaders for season-level PWHL datasets published as GitHub releases on `sportsdataverse/sportsdataverse-data`. Each helper is a thin wrapper around `.pwhl_release_loader()` which validates seasons, builds the per-asset URLs from a `(release_tag, file_prefix)` pair, downloads in parallel with optional `progressr` progress + optional `DBI::DBIConnection` insertion, and tags the result with the `fastRhockey_data` S3 class. Adding a new dataset is one new row in the catalog table below.

Details

Loader catalog:

Function	Release tag	File prefix
load_pwhl_pbp()	pwhl_pbp	play_by_play

load_pwhl_player_box()	pwhl_player_boxscores	player_box
load_pwhl_skater_box()	pwhl_skater_boxscores	skater_box
load_pwhl_goalie_box()	pwhl_goalie_boxscores	goalie_box
load_pwhl_team_box()	pwhl_team_boxscores	team_box
load_pwhl_schedule()	pwhl_schedules	pwhl_schedule
load_pwhl_rosters()	pwhl_rosters	rosters
load_pwhl_game_rosters()	pwhl_game_rosters	game_rosters
load_pwhl_game_info()	pwhl_game_info	game_info
load_pwhl_scoring_summary()	pwhl_scoring_summary	scoring_summary
load_pwhl_penalty_summary()	pwhl_penalty_summary	penalty_summary
load_pwhl_three_stars()	pwhl_three_stars	three_stars
load_pwhl_officials()	pwhl_officials	officials
load_pwhl_shots_by_period()	pwhl_shots_by_period	shots_by_period
load_pwhl_shootout()	pwhl_shootout	shootout_summary

DB helper:

Function	Purpose
update_pwhl_db()	Idempotent loader -> DB writer (delta only)

Season Convention

PWHL loaders use the **end year** of the season (e.g. 2026 for the 2025-26 season), matching most_recent_pwhl_season().

---

pwhl_pbp **PWHL Play-by-play**

Description

PWHL Play-by-play

Usage

```
pwhl_pbp(game_id)
```

Arguments

game_id	Game ID that you want play-by-play for

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	numeric	Unique game identifier.
event	character	Event type (faceoff, shot, goal, penalty, blocked_shot, hit, etc.).
team_id	numeric	Unique team identifier for the event.
period_of_game	character	Period number within the game.
time_of_period	character	Elapsed time within the period (MM:SS).
player_id	integer	Primary player's unique identifier.
player_name_first	character	Primary player first name.
player_name_last	character	Primary player last name.
player_position	character	Primary player position.
player_two_id	integer	Second player's unique identifier.
player_two_name_first	character	Second player first name.
player_two_name_last	character	Second player last name.
player_two_position	character	Second player position.
x_coord	numeric	Transformed x-coordinate of the event (feet scale).
y_coord	numeric	Transformed y-coordinate of the event (feet scale).
home_win	numeric	Whether the home player won the faceoff.
player_team_id	numeric	Unique team identifier of the primary player.
event_type	character	Detailed event sub-type (shot type, penalty type).
shot_quality	character	Shot quality rating.
goal	logical	Whether the shot resulted in a goal.
goalie_id	integer	Goalie's unique identifier.
goalie_first	character	Goalie first name.
goalie_last	character	Goalie last name.
penalty_length	character	Penalty length in minutes.
power_play	numeric	Whether the event occurred on a power play.
player_three_id	integer	Third player's unique identifier.
player_three_name_first	character	Third player first name.
player_three_name_last	character	Third player last name.
player_three_position	character	Third player position.
empty_net	character	Whether the goal was scored on an empty net.
game_winner	character	Whether the goal was the game-winning goal.
penalty_shot	character	Whether the goal came on a penalty shot.
insurance	character	Whether the goal was an insurance goal.
short_handed	character	Whether the event occurred while short-handed.
plus_player_one_id	integer	On-ice plus player one unique identifier.
plus_player_one_first	character	On-ice plus player one first name.
plus_player_one_last	character	On-ice plus player one last name.
plus_player_one_position	character	On-ice plus player one position.
plus_player_two_id	integer	On-ice plus player two unique identifier.
plus_player_two_first	character	On-ice plus player two first name.
plus_player_two_last	character	On-ice plus player two last name.
plus_player_two_position	character	On-ice plus player two position.
plus_player_three_id	integer	On-ice plus player three unique identifier.
plus_player_three_first	character	On-ice plus player three first name.

plus_player_three_last	character	On-ice plus player three last name.
plus_player_three_position	character	On-ice plus player three position.
plus_player_four_id	integer	On-ice plus player four unique identifier.
plus_player_four_first	character	On-ice plus player four first name.
plus_player_four_last	character	On-ice plus player four last name.
plus_player_four_position	character	On-ice plus player four position.
plus_player_five_id	integer	On-ice plus player five unique identifier.
plus_player_five_first	character	On-ice plus player five first name.
plus_player_five_last	character	On-ice plus player five last name.
plus_player_five_position	character	On-ice plus player five position.
minus_player_one_id	integer	On-ice minus player one unique identifier.
minus_player_one_first	character	On-ice minus player one first name.
minus_player_one_last	character	On-ice minus player one last name.
minus_player_one_position	character	On-ice minus player one position.
minus_player_two_id	integer	On-ice minus player two unique identifier.
minus_player_two_first	character	On-ice minus player two first name.
minus_player_two_last	character	On-ice minus player two last name.
minus_player_two_position	character	On-ice minus player two position.
minus_player_three_id	integer	On-ice minus player three unique identifier.
minus_player_three_first	character	On-ice minus player three first name.
minus_player_three_last	character	On-ice minus player three last name.
minus_player_three_position	character	On-ice minus player three position.
minus_player_four_id	integer	On-ice minus player four unique identifier.
minus_player_four_first	character	On-ice minus player four first name.
minus_player_four_last	character	On-ice minus player four last name.
minus_player_four_position	character	On-ice minus player four position.
minus_player_five_id	integer	On-ice minus player five unique identifier.
minus_player_five_first	character	On-ice minus player five first name.
minus_player_five_last	character	On-ice minus player five last name.
minus_player_five_position	character	On-ice minus player five position.
game_date	character	Game date.
game_season	numeric	Season (concluding year, YYYY).
game_season_id	character	Season identifier.
home_team_id	integer	Home team unique identifier.
home_team	character	Home team name.
away_team_id	integer	Away team unique identifier.
away_team	character	Away team name.
x_coord_original	integer	Original raw x-coordinate from the feed.
y_coord_original	integer	Original raw y-coordinate from the feed.
x_coord_neutral	numeric	Neutral-zone-centered x-coordinate.
y_coord_neutral	numeric	Neutral-zone-centered y-coordinate.
x_coord_fixed	numeric	Fixed-projection x-coordinate.
y_coord_fixed	numeric	Fixed-projection y-coordinate.
x_coord_right	numeric	Right-oriented x-coordinate.
y_coord_right	numeric	Right-oriented y-coordinate.
x_coord_vertical	numeric	Vertical-projection x-coordinate.
y_coord_vertical	numeric	Vertical-projection y-coordinate.
minute_start	numeric	Minute mark of the period when the event started.

second_start	numeric	Second mark of the period when the event started.
clock	character	Game clock time remaining (MM:SS).
sec_from_start	numeric	Seconds elapsed since the start of the game.
shot_distance	numeric	Distance from the net in feet (shot/blocked_shot/goal events).
shot_angle	numeric	Angle from the net in degrees (shot/blocked_shot/goal events).
scoring_chance	logical	TRUE when event is a shot-type within 25 ft of the net.
on_ice_home	character	Comma-joined sorted player_ids on ice for the home team.
on_ice_away	character	Comma-joined sorted player_ids on ice for the away team.

Examples

```
try(pwhl_pbp(game_id = 27))
```

`pwhl_player_box` **PWHL Player Game Box Scores**

Description

PWHL Player Box Scores

Usage

```
pwhl_player_box(game_id)
```

Arguments

`game_id`	Game ID that you want play-by-play for

Value

A named list of data frames: `skaters`, `goalies`.

skaters

col_name	types	description
player_id	character	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
position	character	Player position.
team_id	integer	Unique team identifier.
game_id	integer	Unique game identifier.
league	character	League identifier ("pwhl").
toi	character	Time on ice (MM:SS).
time_on_ice	numeric	Time on ice in minutes.
goals	numeric	Goals scored.
assists	numeric	Assists.

points	numeric	Total points (goals + assists).
shots	numeric	Shots on goal.
hits	numeric	Hits.
blocked_shots	numeric	Blocked shots.
penalty_minutes	numeric	Penalty minutes.
plus_minus	numeric	Plus/minus rating.
faceoff_attempts	numeric	Faceoffs taken.
faceoff_wins	numeric	Faceoffs won.
faceoff_losses	numeric	Faceoffs lost.
faceoff_pct	numeric	Faceoff win percentage.
starting	character	Whether the player started the game.

goalies

col_name	types	description
player_id	character	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
position	character	Player position.
team_id	integer	Unique team identifier.
game_id	integer	Unique game identifier.
league	character	League identifier ("pwhl").
toi	character	Time on ice (MM:SS).
time_on_ice	numeric	Time on ice in minutes.
saves	numeric	Saves made.
goals_against	numeric	Goals against.
shots_against	numeric	Shots faced.
goals	numeric	Goals scored.
assists	numeric	Assists.
points	numeric	Total points (goals + assists).
penalty_minutes	numeric	Penalty minutes.
faceoff_attempts	numeric	Faceoffs taken.
faceoff_wins	numeric	Faceoffs won.
faceoff_losses	numeric	Faceoffs lost.
faceoff_pct	numeric	Faceoff win percentage.
starting	numeric	Whether the goalie started the game.

Examples

```
try(pwhl_player_box(game_id = 27))
```

pwhl_player_game_log PWHL Player Game Log

Description

Retrieves game-by-game statistics for a PWHL player in a given season.

Usage

```
pwhl_player_game_log(
  player_id,
  season = most_recent_pwhl_season(),
  game_type = "both"
)
```

Arguments

player_id	Numeric player ID
season	Season (YYYY) to pull the game log from, the concluding year in XXXX-YY format. Defaults to most_recent_pwhl_season().
game_type	Game type: "both" (default), "regular", "playoffs", or "preseason". When "both", the player's regular-season and playoff game logs are combined and labeled by a game_type column. Game types the player has no games in (e.g. playoffs for a non-qualifying team) are omitted rather than erroring.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
g_month	character	Month the game was played.
id	numeric	Unique game identifier.
home_team	character	Home team identifier.
visiting_team	character	Visiting team identifier.
date_played	character	Date the game was played.
home	numeric	Whether the player's team was home.
goalie	numeric	Whether the player was the goalie.
home_team_code	character	Home team abbreviation.
home_team_name	character	Home team name.
home_division	character	Home team division.
visiting_team_code	character	Visiting team abbreviation.
visiting_team_name	character	Visiting team name.
visiting_division	character	Visiting team division.
goals_against	numeric	Goals against (goalie).
seconds_played	character	Seconds played in the game.
win	numeric	Whether the game was a win (goalie).

tie	character	Whether the game was a tie (goalie).
loss	numeric	Whether the game was a loss (goalie).
total_losses	character	Total losses to date (goalie).
shutout	character	Whether the game was a shutout (goalie).
ot_loss	character	Whether the game was an overtime loss.
shootout_loss	character	Whether the game was a shootout loss.
saves	numeric	Saves made (goalie).
shots_against	numeric	Shots faced (goalie).
shootout_saves	character	Shootout saves made.
shootout_goals_against	character	Shootout goals against.
shootout_shots	character	Shootout shots faced.
goals	numeric	Goals scored.
assists	numeric	Assists.
pim	character	Penalty minutes.
points	numeric	Total points (goals + assists).
gaa	character	Goals against average (goalie).
svpct	character	Save percentage (goalie).
shootout_shots_percentage	character	Shootout save percentage.
penalty_minutes	numeric	Penalty minutes.
minutes	character	Minutes played.
player_team	character	The player's team.
player_id	numeric	Unique player identifier.
game_type	character	Game type the row belongs to ("regular"/"playoffs").

Examples

```
try(pwhl_player_game_log(player_id = 28, season = 2025))
```

`pwhl_player_info` **PWHL Player Info**

Description

Retrieves biographical and profile information for a PWHL player.

Usage

```
pwhl_player_info(player_id)
```

Arguments

`player_id`	Numeric player ID

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_id	numeric	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
name	character	Player full name.
jersey_number	character	Jersey number.
position	character	Player position.
shoots	character	Shooting hand.
catches	character	Catching hand (goalies).
birthdate	character	Date of birth.
height	character	Player height.
weight	character	Player weight.
birthtown	character	Town of birth.
birthprov	character	Province/state of birth.
birthcntry	character	Country of birth.
nationality	character	Player nationality.
team_id	numeric	Current team unique identifier.
team_name	character	Current team name.
team_code	character	Current team abbreviation.
image_url	character	Player headshot URL.
draft_info	character	Draft information.

Examples

```
try(pwhl_player_info(player_id = 28))
```

---

pwhl_player_search PWHL Player Search

Description

Search for PWHL players by name.

Usage

```
pwhl_player_search(search_term)
```

Arguments

search_term	Character string to search for (e.g., a player name or partial name).

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
player_id	numeric	Unique player identifier.
first_name	character	Player first name.
last_name	character	Player last name.
position	character	Player position.
team_id	numeric	Unique team identifier.
person_id	numeric	Unique person identifier.
team_name	character	Most recent team name.
team_code	character	Most recent team abbreviation.
jersey_number	character	Jersey number.
shoots	character	Shooting hand.
catches	character	Catching hand (goalies).
height	character	Player height.
weight	character	Player weight.
birthdate	character	Date of birth.
image_url	character	Player headshot URL.

Examples

```
try(pwhl_player_search(search_term = "Poulin"))
```

---

pwhl_player_stats PWHL Player Season Stats

Description

Retrieves career and season-by-season statistics for a PWHL player.

Usage

```
pwhl_player_stats(player_id)
```

Arguments

player_id	Numeric player ID

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
season_id	numeric	Season identifier.

season_name	character	Season name.
shortname	character	Short season name.
playoff	character	Whether the row is playoff statistics.
career	character	Whether the row is career totals.
max_start_date	character	Latest game start date for the season.
veteran_status	character	Player veteran status.
veteran	character	Whether the player is a veteran.
goals_against	numeric	Goals against (goalie).
shootout_goals_against	character	Shootout goals against.
shootout_saves	character	Shootout saves made.
goals_against_average	numeric	Goals against average (goalie).
games_played	numeric	Games played.
minutes_played	numeric	Minutes played.
seconds_played	character	Seconds played.
shots_against	numeric	Shots faced (goalie).
wins	numeric	Wins (goalie).
losses	numeric	Losses (goalie).
ties	character	Ties (goalie).
ot_losses	character	Overtime losses (goalie).
total_losses	character	Total losses (goalie).
shootout_losses	character	Shootout losses (goalie).
ot	character	Overtime results.
sosavepct	character	Shootout save percentage.
shootout_shots	character	Shootout shots faced.
shutouts	numeric	Shutouts recorded (goalie).
saves	numeric	Saves made (goalie).
savepct	numeric	Save percentage (goalie).
goals	numeric	Goals scored.
assists	numeric	Assists.
points	numeric	Total points (goals + assists).
penalty_minutes	numeric	Penalty minutes.
team_name	character	Team name.
team_code	character	Team abbreviation.
team_city	character	Team city.
team_nickname	character	Team nickname.
team_id	character	Unique team identifier.
division	character	Team division.
shotspct	character	Shooting percentage.
gaa	character	Goals against average (goalie).
player_id	numeric	Unique player identifier.
stat_type	character	Statistic type ("regular"/"playoff").

Examples

```
try(pwhl_player_stats(player_id = 28))
```

pwhl_player_toi **PWHL Player Time On Ice**

Description

Per-player time-on-ice totals for a PWHL game. Fetches all shift stints via pwhl_game_shifts() then aggregates them with the internal hockeytech_player_toi() helper.

Usage

```
pwhl_player_toi(game_id)
```

Arguments

game_id	PWHL game id (integer or character).

Value

A fastRhockey_data data frame with one row per player, sorted descending by toi_seconds:

col_name	types	description
player_id	numeric	Player unique identifier.
first_name	character	Player first name.
last_name	character	Player last name.
toi_seconds	integer	Total time on ice in seconds.
num_shifts	integer	Number of individual shift stints.
avg_shift_s	numeric	Average shift length in seconds.

Author(s)

Saiem Gilani

See Also

Other PWHL Functions: pwhl_game_corsi(), pwhl_game_shifts()

Examples

```
try(pwhl_player_toi(game_id = 42))
```

`pwhl_playoff_bracket` **PWHL Playoff Bracket**

Description

Retrieves the playoff bracket for a PWHL season.

Usage

```
pwhl_playoff_bracket(season = most_recent_pwhl_season())
```

Arguments

`season`	Season (YYYY) to pull the playoff bracket from. Defaults to `most_recent_pwhl_season()`.

Value

A data frame with playoff bracket / series data, or NULL if unavailable.

- `series_id` - Series identifier.
- `round` - Playoff round number.
- `series_name` - Series name or label.
- `team_1_id` - First team ID.
- `team_1_name` - First team name.
- `team_1_wins` - First team series wins.
- `team_2_id` - Second team ID.
- `team_2_name` - Second team name.
- `team_2_wins` - Second team series wins.
- `series_status` - Series completion status.
- `winner_id` - Winning team ID (if series is complete).

Examples

```
try(pwhl_playoff_bracket(season = 2024))
```

`pwhl_schedule` **PWHL Schedule**

Description

PWHL Schedule lookup

Usage

```
pwhl_schedule(season, game_type = "both")
```

Arguments

`season`	Season (YYYY) to pull the schedule from, the concluding year in XXXX-YY format
`game_type`	Game type: `"both"` (default), `"regular"`, `"playoffs"`, or `"preseason"`. When `"both"`, regular-season and playoff games for the season are combined into a single, chronologically ordered data frame (preseason is excluded from `"both"` – request it explicitly with `game_type = "preseason"`).

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
game_id	character	Unique game identifier.
season	numeric	Season (concluding year, YYYY).
game_date	character	Game date.
game_status	character	Status of the game.
home_team	character	Home team name.
home_team_id	character	Home team identifier.
away_team	character	Away team name.
away_team_id	character	Away team identifier.
home_score	character	Home team score.
away_score	character	Away team score.
winner	character	Winning team.
venue	character	Venue where the game was played.
venue_url	character	URL for the venue.
game_type	character	Game type the row belongs to.

Examples

```
try(pwhl_schedule(season = 2024))
try(pwhl_schedule(season = 2024, game_type = "playoffs"))
```

pwhl_scorebar **PWHL Scorebar**

Description

Retrieves recent and upcoming PWHL game scores.

Usage

```
pwhl_scorebar(days_back = 3, days_ahead = 3)
```

Arguments

days_back	Number of days back to include. Default 3.
days_ahead	Number of days ahead to include. Default 3.

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
game_id	numeric	Unique game identifier.
season_id	numeric	Season identifier.
date	character	Game date.
game_date	character	Game date.
status	character	Status of the game.
home_team	character	Home team name.
home_team_id	numeric	Home team identifier.
home_team_code	character	Home team abbreviation.
home_score	character	Home team score.
away_team	character	Away team name.
away_team_id	numeric	Away team identifier.
away_team_code	character	Away team abbreviation.
away_score	character	Away team score.
period	character	Current period for live/completed games.
clock	character	Current clock time for live games.

Examples

```
try(pwhl_scorebar(days_back = 7, days_ahead = 7))
```

pwhl_season_id PWHL Season IDs

Description

Retrieves PWHL season IDs from the HockeyTech API.

Usage

```
pwhl_season_id(season = NULL, game_type = "regular")
```

Arguments

season	Unused; kept for backwards compatibility.
game_type	Unused; kept for backwards compatibility. Defaults to "regular".

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
season_id	numeric	Season identifier used by the HockeyTech API.
season_name	character	Full season name (e.g., "2024-25 Regular Season").
season_short	character	Short season name.
career	character	Whether this is a career-stats season.
playoff	character	Whether this is a playoff season.
start_date	character	Season start date.
end_date	character	Season end date.
season_yr	numeric	Year derived from the season name (concluding year).
game_type_label	character	Game type: "preseason", "regular", or "playoffs".

Examples

```
try(pwhl_season_id())
```

pwhl_standings PWHL Standings

Description

PWHL Standings lookup

Usage

```
pwhl_standings(season = 2023, regular = TRUE)
```

Arguments

season	Season (YYYY) to pull the roster from, the concluding year in XXXX-YY format
regular	Bool for whether to pull regular or pre-season rosters

Value

A data frame (fastRhockey_data) with the following columns:

col_name	types	description
team_rank	integer	Team rank in the standings.
team	character	Team name.
team_code	character	Team abbreviation.
games_played	character	Games played.
points	character	Standings points.
wins	character	Wins.
non_reg_wins	character	Non-regulation wins.
losses	character	Losses.
non_reg_losses	character	Non-regulation losses.
goals_for	character	Goals scored.
goals_against	character	Goals against.
games_remaining	character	Games remaining in the season.
ot_wins	character	Overtime wins.
ot_losses	character	Overtime losses.
so_wins	character	Shootout wins.
so_losses	character	Shootout losses.
power_play_goals	character	Power-play goals scored.
power_play_goals_against	character	Power-play goals against.
power_plays	character	Power-play opportunities.
power_play_pct	character	Power-play percentage.
short_handed_goals	character	Short-handed goals scored.
short_handed_goals_against	character	Short-handed goals against.
times_short_handed	character	Times short-handed.
penalty_kill_pct	character	Penalty-kill percentage.

Examples

```
try(pwhl_standings(season = 2024, regular = TRUE))
```

`pwhl_stats` **PWHL Stats**

Description

PWHL Stats lookup

Usage

```
pwhl_stats(position = "goalie", team = "all", season = 2024, regular = TRUE)
```

Arguments

`position`	either goalie or skater.
`team`	Team abbreviation to filter skaters by (e.g., "BOS"). Ignored for goalies.
`season`	Season (YYYY) to pull the stats from, the concluding year in XXXX-YY format
`regular`	Bool for whether to pull regular or pre-season stats

Value

A data frame (`fastRhockey_data`) with player stats. Columns vary by position; the goalie variant returns the following columns:

col_name	types	description
player_id	character	Unique player identifier.
player_name	character	Player name.
team	character	Team name.
games_played	character	Games played.
minutes	character	Total minutes played.
minute	character	Minutes component of time on ice.
second	character	Seconds component of time on ice.
shots_faced	character	Shots faced.
goals_against	character	Goals against.
goals_against_avg	character	Goals-against average.
save_percentage	character	Save percentage.
shutouts	character	Shutouts.
wins	character	Wins.
losses	character	Losses.
so_att	character	Shootout attempts faced.
so_goals_against	character	Shootout goals against.
so_save_percentage	character	Shootout save percentage.

Examples

```
try(pwhl_stats(position = "goalie", season = 2024))
```

`pwhl_streaks` **PWHL Player Streaks**

Description

Retrieves player streak data for a PWHL season.

Usage

```
pwhl_streaks(season = most_recent_pwhl_season(), game_type = "both")
```

Arguments

`season`	Season (YYYY) to pull streaks from. Defaults to `most_recent_pwhl_season()`.
`game_type`	Game type: `"both"` (default), `"regular"`, `"playoffs"`, or `"preseason"`. When `"both"`, regular-season and playoff streaks are combined and labeled by a `game_type` column. Game types with no streak data for the season are omitted rather than erroring.

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
id	character	Unique streak identifier.
player_id	character	Unique player identifier.
rookie	character	Whether the player is a rookie.
first_game_date	character	Date of the streak's first game.
last_game_date	character	Date of the streak's last game.
first_name	character	Player first name.
last_name	character	Player last name.
name	character	Player full name.
length	character	Length of the streak in games.
goals	character	Goals scored during the streak.
assists	character	Assists during the streak.
has_split	character	Whether the streak spans teams.
games_played	character	Games played during the streak.
ongoing	character	Whether the streak is ongoing.
points	character	Total points during the streak.
streak_start_team_id	character	Team identifier at streak start.
streak_end_team_id	character	Team identifier at streak end.
num_teams	character	Number of teams during the streak.
division_short_name	character	Short division name.
division_long_name	character	Full division name.
rank	character	Rank of the streak.
team_name	character	Team name.
team_city	character	Team city.

team_code	character	Team abbreviation.
team_nickname	character	Team nickname.
game_type	character	Game type the row belongs to.

Examples

```
try(pwhl_streaks(season = 2025))
```

`pwhl_teams` **PWHL Teams**

Description

PWHL Teams lookup

Usage

```
pwhl_teams()
```

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
team_name	character	Full team name.
team_id	character	Unique team identifier.
team_code	character	Team abbreviation/code.
team_nickname	character	Team nickname.
team_label	character	Short city label.
division	character	Division identifier.
team_logo	character	URL to the team logo image.

Examples

```
try(pwhl_teams())
```

`pwhl_team_roster` **PWHL Rosters**

Description

PWHL Rosters lookup

Usage

```
pwhl_team_roster(team, season, regular = TRUE)
```

Arguments

`team`	Team to pull the roster data for
`season`	Season (YYYY) to pull the roster from, the concluding year in XXXX-YY format
`regular`	Bool for whether to pull regular or pre-season rosters

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
player_id	numeric	Unique player identifier.
team_id	numeric	Unique team identifier.
season	numeric	Season (concluding year, YYYY).
player_name	character	Full player name.
first_name	character	Player first name.
last_name	character	Player last name.
primary_hand	character	Player shooting/catching hand.
dob	character	Player date of birth.
height	logical	Player height.
position	character	Player position.
home_town	character	Player home town.
league	character	League identifier.
age	numeric	Player age.
player_headshot	character	URL to the player headshot image.
regular_season	logical	Whether the row is regular-season roster.
team	character	Team name.

Examples

```
try(pwhl_team_roster(season = 2023, team = "Toronto"))
```

`pwhl_transactions` **PWHL Transactions**

Description

Retrieves player transactions for a PWHL season.

Usage

```
pwhl_transactions(season = most_recent_pwhl_season(), game_type = "regular")
```

Arguments

`season`	Season (YYYY) to pull transactions from. Defaults to `most_recent_pwhl_season()`.
`game_type`	Game type: "regular" (default), "preseason", or "playoffs".

Value

A data frame (`fastRhockey_data`) with the following columns:

col_name	types	description
transaction_type	character	Type of transaction.
title	character	Transaction title/headline.
ttype	character	Transaction type code.
ttype_text	character	Transaction type description.
transaction_date	character	Transaction date.
transaction_time	character	Transaction time.
formatted_transaction_date	character	Human-readable transaction date.
timezone	character	Time zone of the transaction.
player_id	character	Unique player identifier.
response1	character	First response/detail field.
response2	character	Second response/detail field.
first_name	character	Player first name.
last_name	character	Player last name.
player_name	character	Full player name.
position	character	Player position.
team_id	character	Unique team identifier.
team_city	character	Team city.
team_name	character	Team name.
team_code	character	Team abbreviation/code.
division	character	Division identifier.
team_logo	character	URL to the team logo image.
detail	character	Additional transaction detail.

Examples

```
try(pwhl_transactions(season = 2025))
```

`qmjhl` **QMJHL (Quebec Maritimes Junior Hockey League) Endpoint Overview**

Description

Thin exported wrappers around the HockeyTech feeds for the QMJHL.

See Also

Other QMJHL Functions: `most_recent_qmjhl_season()`, `qmjhl_game_corsi()`, `qmjhl_game_shifts()`, `qmjhl_game_summary()`, `qmjhl_leaders()`, `qmjhl_pbp()`, `qmjhl_player_stats()`, `qmjhl_player_toi()`, `qmjhl_schedule()`, `qmjhl_season_id()`, `qmjhl_standings()`, `qmjhl_team_roster()`, `qmjhl_teams()`

`qmjhl_game_corsi` **QMJHL Game Corsi/Fenwick (player-level on-ice)**

Description

Player-level on-ice Corsi and Fenwick for a QMJHL game.

Usage

```
qmjhl_game_corsi(game_id)
```

Arguments

`game_id`	Numeric QMJHL game identifier.

Value

A `fastRhockey_data` data frame, one row per player.

See Also

Other QMJHL Functions: `most_recent_qmjhl_season()`, `qmjhl`, `qmjhl_game_shifts()`, `qmjhl_game_summary()`, `qmjhl_leaders()`, `qmjhl_pbp()`, `qmjhl_player_stats()`, `qmjhl_player_toi()`, `qmjhl_schedule()`, `qmjhl_season_id()`, `qmjhl_standings()`, `qmjhl_team_roster()`, `qmjhl_teams()`

Examples

```
try(qmjhl_game_corsi(game_id = 27225))
```

qmjhl_game_shifts QMJHL Game Shifts

Description

All player shift stints for a QMJHL game (one row per stint).

Usage

```
qmjhl_game_shifts(game_id)
```

Arguments

game_id	Numeric QMJHL game identifier.

Value

A fastRhockey_data data frame, one row per shift stint.

See Also

Other QMJHL Functions: most_recent_qmjhl_season(), qmjhl, qmjhl_game_corsi(), qmjhl_game_summary(), qmjhl_leaders(), qmjhl_pbp(), qmjhl_player_stats(), qmjhl_player_toi(), qmjhl_schedule(), qmjhl_season_id(), qmjhl_standings(), qmjhl_team_roster(), qmjhl_teams()

Examples

```
try(qmjhl_game_shifts(game_id = 27225))
```

qmjhl_game_summary QMJHL Game Summary

Description

QMJHL game summary – named list of data frames (details, scoring, penalties, shots_by_period, three_stars).

Usage

```
qmjhl_game_summary(game_id)
```

Arguments

game_id	Numeric QMJHL game identifier.

Value

A named list of data frames.

See Also

Other QMJHL Functions: most_recent_qmjhl_season(), qmjhl, qmjhl_game_corsi(), qmjhl_game_shifts(), qmjhl_leaders(), qmjhl_pbp(), qmjhl_player_stats(), qmjhl_player_toi(), qmjhl_schedule(), qmjhl_season_id(), qmjhl_standings(), qmjhl_team_roster(), qmjhl_teams()

Examples

```
try(qmjhl_game_summary(game_id = 27225))
```

---

qmjhl_leaders QMJHL Statistical Leaders

Description

QMJHL statistical leaders for a season from the HockeyTech feed.

Usage

```
qmjhl_leaders(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per player entry.

See Also

Other QMJHL Functions: most_recent_qmjhl_season(), qmjhl, qmjhl_game_corsi(), qmjhl_game_shifts(), qmjhl_game_summary(), qmjhl_pbp(), qmjhl_player_stats(), qmjhl_player_toi(), qmjhl_schedule(), qmjhl_season_id(), qmjhl_standings(), qmjhl_team_roster(), qmjhl_teams()

Examples

```
try(qmjhl_leaders())
```

qmjhl_pbp QMJHL Play-by-Play

Description

QMJHL play-by-play for a single game (one row per event, fully enriched with coordinate transforms, on-ice players, Corsi geometry).

Usage

```
qmjhl_pbp(game_id)
```

Arguments

game_id	Numeric QMJHL game identifier.

Value

A fastRhockey_data data frame, one row per play-by-play event.

See Also

Other QMJHL Functions: most_recent_qmjhl_season(), qmjhl, qmjhl_game_corsi(), qmjhl_game_shifts(), qmjhl_game_summary(), qmjhl_leaders(), qmjhl_player_stats(), qmjhl_player_toi(), qmjhl_schedule(), qmjhl_season_id(), qmjhl_standings(), qmjhl_team_roster(), qmjhl_teams()

Examples

```
try(qmjhl_pbp(game_id = 27225))
```

qmjhl_player_stats QMJHL Player Stats

Description

QMJHL player season stats across all seasons.

Usage

```
qmjhl_player_stats(player_id)
```

Arguments

player_id	Numeric or character QMJHL player identifier.

Value

A fastRhockey_data data frame, one row per season-stat entry.

See Also

Other QMJHL Functions: most_recent_qmjhl_season(), qmjhl, qmjhl_game_corsi(), qmjhl_game_shifts(), qmjhl_game_summary(), qmjhl_leaders(), qmjhl_pbp(), qmjhl_player_toi(), qmjhl_schedule(), qmjhl_season_id(), qmjhl_standings(), qmjhl_team_roster(), qmjhl_teams()

Examples

```
try(qmjhl_player_stats(player_id = 1))
```

---

qmjhl_player_toi QMJHL Player Time On Ice

Description

Per-player time-on-ice totals for a QMJHL game.

Usage

```
qmjhl_player_toi(game_id)
```

Arguments

game_id	Numeric QMJHL game identifier.

Value

A fastRhockey_data data frame, one row per player.

See Also

Other QMJHL Functions: most_recent_qmjhl_season(), qmjhl, qmjhl_game_corsi(), qmjhl_game_shifts(), qmjhl_game_summary(), qmjhl_leaders(), qmjhl_pbp(), qmjhl_player_stats(), qmjhl_schedule(), qmjhl_season_id(), qmjhl_standings(), qmjhl_team_roster(), qmjhl_teams()

Examples

```
try(qmjhl_player_toi(game_id = 27225))
```

qmjhl_schedule QMJHL Schedule

Description

QMJHL schedule from the HockeyTech feed (one row per game).

Usage

```
qmjhl_schedule(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional.
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per game.

See Also

Other QMJHL Functions: most_recent_qmjhl_season(), qmjhl, qmjhl_game_corsi(), qmjhl_game_shifts(), qmjhl_game_summary(), qmjhl_leaders(), qmjhl_pbp(), qmjhl_player_stats(), qmjhl_player_toi(), qmjhl_season_id(), qmjhl_standings(), qmjhl_team_roster(), qmjhl_teams()

Examples

```
try(qmjhl_schedule())
```

qmjhl_season_id QMJHL Season IDs

Description

All seasons for the QMJHL with end-year and game-type labels, from the HockeyTech modulekit/seasons feed.

Usage

```
qmjhl_season_id()
```

Value

A fastRhockey_data data frame with columns: season_id, season_name, season_short, career, playoff, start_date, end_date, season_yr, game_type_label.

See Also

Other QMJHL Functions: most_recent_qmjhl_season(), qmjhl, qmjhl_game_corsi(), qmjhl_game_shifts(), qmjhl_game_summary(), qmjhl_leaders(), qmjhl_pbp(), qmjhl_player_stats(), qmjhl_player_toi(), qmjhl_schedule(), qmjhl_standings(), qmjhl_team_roster(), qmjhl_teams()

Examples

```
try(qmjhl_season_id())
```

---

qmjhl_standings QMJHL Standings

Description

QMJHL standings from the HockeyTech feed (one row per team).

Usage

```
qmjhl_standings(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per team.

See Also

Other QMJHL Functions: most_recent_qmjhl_season(), qmjhl, qmjhl_game_corsi(), qmjhl_game_shifts(), qmjhl_game_summary(), qmjhl_leaders(), qmjhl_pbp(), qmjhl_player_stats(), qmjhl_player_toi(), qmjhl_schedule(), qmjhl_season_id(), qmjhl_team_roster(), qmjhl_teams()

Examples

```
try(qmjhl_standings())
```

qmjhl_teams QMJHL Teams

Description

QMJHL teams for a given season from the HockeyTech feed.

Usage

```
qmjhl_teams(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per team.

See Also

Other QMJHL Functions: most_recent_qmjhl_season(), qmjhl, qmjhl_game_corsi(), qmjhl_game_shifts(), qmjhl_game_summary(), qmjhl_leaders(), qmjhl_pbp(), qmjhl_player_stats(), qmjhl_player_toi(), qmjhl_schedule(), qmjhl_season_id(), qmjhl_standings(), qmjhl_team_roster()

Examples

```
try(qmjhl_teams())
```

qmjhl_team_roster QMJHL Team Roster

Description

QMJHL roster for a given team and season from the HockeyTech feed.

Usage

```
qmjhl_team_roster(team_id, season = NULL, season_id = NULL)
```

Arguments

team_id	Numeric or character QMJHL team identifier.
season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per player.

See Also

Other QMJHL Functions: most_recent_qmjhl_season(), qmjhl, qmjhl_game_corsi(), qmjhl_game_shifts(), qmjhl_game_summary(), qmjhl_leaders(), qmjhl_pbp(), qmjhl_player_stats(), qmjhl_player_toi(), qmjhl_schedule(), qmjhl_season_id(), qmjhl_standings(), qmjhl_teams()

Examples

```
try(qmjhl_team_roster(team_id = 1))
```

---

rds_from_url — Load .rds file from a remote connection

Description

Load .rds file from a remote connection

Usage

```
rds_from_url(url)
```

Arguments

url	a character url

Value

a dataframe as created by readRDS()

---

refresh_xg_models — *Force re-download of xG models*

Description

Clears the cached xG model files and re-downloads them from the fastRhockey-nhl-data repository. Use this after models have been retrained and pushed to GitHub.

Usage

```
refresh_xg_models()
```

Value

Invisible NULL. Models are reloaded into the package namespace.

Examples

```
## Not run:
  refresh_xg_models()

## End(Not run)
```

`update_nhl_db` **Update or create a fastRhockey NHL play-by-play database**

Description

update_nhl_db() updates or creates a database with `fastRhockey` play by play data of all completed and available games since 2011.

Usage

```
update_nhl_db(
  dbdir = ".",
  dbname = "fastRhockey_db",
  tblname = "fastRhockey_nhl_pbp",
  force_rebuild = FALSE,
  db_connection = NULL
)
```

Arguments

`dbdir`	Directory in which the database is or shall be located
`dbname`	File name of an existing or desired SQLite database within `dbdir`
`tblname`	The name of the play by play data table within the database
`force_rebuild`	Hybrid parameter (logical or numeric) to rebuild parts of or the complete play by play data table within the database (please see details for further information)
`db_connection`	A `DBIConnection` object, as returned by `DBI::dbConnect()` (please see details for further information)

Details

This function creates and updates a data table with the name `tblname` within a SQLite database (other drivers via `db_connection`) located in `dbdir` and named `dbname`. The data table combines all play by play data for every available game back to the 2010 season and adds the most recent completed games as soon as they are available for `fastRhockey`.

The argument `force_rebuild` is of hybrid type. It can rebuild the play by play data table either for the whole fastRhockey era (with `force_rebuild = TRUE`) or just for specified seasons (e.g. `force_rebuild = c(2019, 2020)`). Please note the following behavior:

- `force_rebuild = TRUE`: The data table with the name `tblname` will be removed completely and rebuilt from scratch. This is helpful when new columns are added during the Off-Season.

- `force_rebuild = c(2019, 2020)`: The data table with the name `tblname` will be preserved and only rows from the 2019 and 2020 seasons will be deleted and re-added. This is intended to be used for ongoing seasons because ESPN's data provider can make changes to the underlying data during the week.

The parameter `db_connection` is intended for advanced users who want to use other DBI drivers, such as MariaDB, Postgres or odbc. Please note that the arguments `dbdir` and `dbname` are dropped in case a `db_connection` is provided but the argument `tblname` will still be used to write the data table into the database.

Value

Logical TRUE/FALSE

`update_phf_db` **Update or create a fastRhockey PHF play-by-play database**

Description

update_phf_db() updates or creates a database with `fastRhockey` play by play data of all completed and available games since 2011.

[Deprecated]

The PHF has ceased operations. This function is deprecated and will be removed in a future release.

Usage

```
update_phf_db(
  dbdir = ".",
  dbname = "fastRhockey_db",
  tblname = "fastRhockey_phf_pbp",
  force_rebuild = FALSE,
  db_connection = NULL
)
```

Arguments

`dbdir`	Directory in which the database is or shall be located
`dbname`	File name of an existing or desired SQLite database within `dbdir`
`tblname`	The name of the play by play data table within the database
`force_rebuild`	Hybrid parameter (logical or numeric) to rebuild parts of or the complete play by play data table within the database (please see details for further information)
`db_connection`	A `DBIConnection` object, as returned by `DBI::dbConnect()` (please see details for further information)

Details

This function creates and updates a data table with the name `tblname` within a SQLite database (other drivers via `db_connection`) located in `dbdir` and named `dbname`. The data table combines all play by play data for every available game back to the 2016 season and adds the most recent completed games as soon as they are available for `fastRhockey`.

The argument `force_rebuild` is of hybrid type. It can rebuild the play by play data table either for the whole fastRhockey era (with `force_rebuild = TRUE`) or just for specified seasons (e.g. `force_rebuild = c(2019, 2020)`). Please note the following behavior:

- `force_rebuild = TRUE`: The data table with the name `tblname` will be removed completely and rebuilt from scratch. This is helpful when new columns are added during the Off-Season.
- `force_rebuild = c(2019, 2020)`: The data table with the name `tblname` will be preserved and only rows from the 2019 and 2020 seasons will be deleted and re-added. This is intended to be used for ongoing seasons because ESPN's data provider can make changes to the underlying data during the week.

The parameter `db_connection` is intended for advanced users who want to use other DBI drivers, such as MariaDB, Postgres or odbc. Please note that the arguments `dbdir` and `dbname` are dropped in case a `db_connection` is provided but the argument `tblname` will still be used to write the data table into the database.

Value

Logical TRUE/FALSE

`update_pwhl_db` **Update or create a fastRhockey PWHL play-by-play database**

Description

`update_pwhl_db()` updates or creates a database with `fastRhockey` play-by-play data of all completed and available PWHL games since the 2024 inaugural season.

Usage

```
update_pwhl_db(
  dbdir = ".",
  dbname = "fastRhockey_db",
  tblname = "fastRhockey_pwhl_pbp",
  force_rebuild = FALSE,
  db_connection = NULL
)
```

Arguments

dbdir	Directory in which the database is or shall be located
dbname	File name of an existing or desired SQLite database within dbdir
tblname	The name of the play-by-play data table within the database
force_rebuild	Hybrid parameter (logical or numeric) to rebuild parts of or the complete play-by-play data table within the database (please see details for further information)
db_connection	A DBIConnection object, as returned by DBI::dbConnect() (please see details for further information)

Details

This function creates and updates a data table with the name tblname within a SQLite database (other drivers via db_connection) located in dbdir and named dbname. The data table combines all play-by-play data for every available game back to the 2024 season and adds the most recent completed games as soon as they are available for fastRhockey.

The argument force_rebuild is of hybrid type. It can rebuild the play- by-play data table either for the whole fastRhockey PWHL era (with force_rebuild = TRUE) or just for specified seasons (e.g. force_rebuild = 2024). Please note the following behavior:

- force_rebuild = TRUE: The data table with the name tblname will be removed completely and rebuilt from scratch.
- force_rebuild = c(2024, 2025): The data table with the name tblname will be preserved and only rows from the specified seasons will be deleted and re-added.

The parameter db_connection is intended for advanced users who want to use other DBI drivers, such as MariaDB, Postgres or odbc. Please note that the arguments dbdir and dbname are dropped in case a db_connection is provided but the argument tblname will still be used to write the data table into the database.

Value

Invisible NULL. Side effect: updates the database.

Examples

```
## Not run:
  update_pwhl_db()

## End(Not run)
```

whl — WHL (Western Hockey League) Endpoint Overview

Description

Thin exported wrappers around the HockeyTech feeds for the WHL.

See Also

Other WHL Functions: most_recent_whl_season(), whl_game_corsi(), whl_game_shifts(), whl_game_summary(), whl_leaders(), whl_pbp(), whl_player_stats(), whl_player_toi(), whl_schedule(), whl_season_id(), whl_standings(), whl_team_roster(), whl_teams()

whl_game_corsi — WHL Game Corsi/Fenwick (player-level on-ice)

Description

Player-level on-ice Corsi and Fenwick for a WHL game.

Usage

```
whl_game_corsi(game_id)
```

Arguments

game_id	Numeric WHL game identifier.

Value

A fastRhockey_data data frame, one row per player.

See Also

Other WHL Functions: most_recent_whl_season(), whl, whl_game_shifts(), whl_game_summary(), whl_leaders(), whl_pbp(), whl_player_stats(), whl_player_toi(), whl_schedule(), whl_season_id(), whl_standings(), whl_team_roster(), whl_teams()

Examples

```
try(whl_game_corsi(game_id = 27225))
```

whl_game_shifts WHL Game Shifts

Description

All player shift stints for a WHL game (one row per stint).

Usage

```
whl_game_shifts(game_id)
```

Arguments

game_id	Numeric WHL game identifier.

Value

A fastRhockey_data data frame, one row per shift stint.

See Also

Other WHL Functions: most_recent_whl_season(), whl, whl_game_corsi(), whl_game_summary(), whl_leaders(), whl_pbp(), whl_player_stats(), whl_player_toi(), whl_schedule(), whl_season_id(), whl_standings(), whl_team_roster(), whl_teams()

Examples

```
try(whl_game_shifts(game_id = 27225))
```

whl_game_summary WHL Game Summary

Description

WHL game summary – named list of data frames (details, scoring, penalties, shots_by_period, three_stars).

Usage

```
whl_game_summary(game_id)
```

Arguments

game_id	Numeric WHL game identifier.

Value

A named list of data frames.

See Also

Other WHL Functions: most_recent_whl_season(), whl, whl_game_corsi(), whl_game_shifts(), whl_leaders(), whl_pbp(), whl_player_stats(), whl_player_toi(), whl_schedule(), whl_season_id(), whl_standings(), whl_team_roster(), whl_teams()

Examples

```
try(whl_game_summary(game_id = 27225))
```

---

whl_leaders WHL Statistical Leaders

Description

WHL statistical leaders for a season from the HockeyTech feed.

Usage

```
whl_leaders(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per player entry.

See Also

Other WHL Functions: most_recent_whl_season(), whl, whl_game_corsi(), whl_game_shifts(), whl_game_summary(), whl_pbp(), whl_player_stats(), whl_player_toi(), whl_schedule(), whl_season_id(), whl_standings(), whl_team_roster(), whl_teams()

Examples

```
try(whl_leaders())
```

whl_pbp — WHL Play-by-Play

Description

WHL play-by-play for a single game (one row per event, fully enriched with coordinate transforms, on-ice players, Corsi geometry).

Usage

```
whl_pbp(game_id)
```

Arguments

game_id	Numeric WHL game identifier.

Value

A fastRhockey_data data frame, one row per play-by-play event.

See Also

Other WHL Functions: most_recent_whl_season(), whl, whl_game_corsi(), whl_game_shifts(), whl_game_summary(), whl_leaders(), whl_player_stats(), whl_player_toi(), whl_schedule(), whl_season_id(), whl_standings(), whl_team_roster(), whl_teams()

Examples

```
try(whl_pbp(game_id = 27225))
```

whl_player_stats — WHL Player Stats

Description

WHL player season stats across all seasons.

Usage

```
whl_player_stats(player_id)
```

Arguments

player_id	Numeric or character WHL player identifier.

Value

A fastRhockey_data data frame, one row per season-stat entry.

See Also

Other WHL Functions: most_recent_whl_season(), whl, whl_game_corsi(), whl_game_shifts(), whl_game_summary(), whl_leaders(), whl_pbp(), whl_player_toi(), whl_schedule(), whl_season_id(), whl_standings(), whl_team_roster(), whl_teams()

Examples

```
try(whl_player_stats(player_id = 1))
```

---

whl_player_toi WHL Player Time On Ice

Description

Per-player time-on-ice totals for a WHL game.

Usage

```
whl_player_toi(game_id)
```

Arguments

game_id	Numeric WHL game identifier.

Value

A fastRhockey_data data frame, one row per player.

See Also

Other WHL Functions: most_recent_whl_season(), whl, whl_game_corsi(), whl_game_shifts(), whl_game_summary(), whl_leaders(), whl_pbp(), whl_player_stats(), whl_schedule(), whl_season_id(), whl_standings(), whl_team_roster(), whl_teams()

Examples

```
try(whl_player_toi(game_id = 27225))
```

whl_schedule WHL Schedule

Description

WHL schedule from the HockeyTech feed (one row per game).

Usage

```
whl_schedule(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional.
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per game.

See Also

Other WHL Functions: most_recent_whl_season(), whl, whl_game_corsi(), whl_game_shifts(), whl_game_summary(), whl_leaders(), whl_pbp(), whl_player_stats(), whl_player_toi(), whl_season_id(), whl_standings(), whl_team_roster(), whl_teams()

Examples

```
try(whl_schedule())
```

whl_season_id WHL Season IDs

Description

All seasons for the WHL with end-year and game-type labels, from the HockeyTech modulekit/seasons feed.

Usage

```
whl_season_id()
```

Value

A fastRhockey_data data frame with columns: season_id, season_name, season_short, career, playoff, start_date, end_date, season_yr, game_type_label.

See Also

Other WHL Functions: most_recent_whl_season(), whl, whl_game_corsi(), whl_game_shifts(), whl_game_summary(), whl_leaders(), whl_pbp(), whl_player_stats(), whl_player_toi(), whl_schedule(), whl_standings(), whl_team_roster(), whl_teams()

Examples

```
try(whl_season_id())
```

`whl_standings` **WHL Standings**

Description

WHL standings from the HockeyTech feed (one row per team).

Usage

```
whl_standings(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A `fastRhockey_data` data frame, one row per team.

See Also

Other WHL Functions: most_recent_whl_season(), whl, whl_game_corsi(), whl_game_shifts(), whl_game_summary(), whl_leaders(), whl_pbp(), whl_player_stats(), whl_player_toi(), whl_schedule(), whl_season_id(), whl_team_roster(), whl_teams()

Examples

```
try(whl_standings())
```

whl_teams WHL Teams

Description

WHL teams for a given season from the HockeyTech feed.

Usage

```
whl_teams(season = NULL, season_id = NULL)
```

Arguments

season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A fastRhockey_data data frame, one row per team.

See Also

Other WHL Functions: most_recent_whl_season(), whl, whl_game_corsi(), whl_game_shifts(), whl_game_summary(), whl_leaders(), whl_pbp(), whl_player_stats(), whl_player_toi(), whl_schedule(), whl_season_id(), whl_standings(), whl_team_roster()

Examples

```
try(whl_teams())
```

whl_team_roster WHL Team Roster

Description

WHL roster for a given team and season from the HockeyTech feed.

Usage

```
whl_team_roster(team_id, season = NULL, season_id = NULL)
```

Arguments

team_id	Numeric or character WHL team identifier.
season	End-year season (e.g. 2025); optional (defaults to most-recent).
season_id	Explicit HockeyTech season id; optional.

Value

A `fastRhockey_data` data frame, one row per player.

See Also

Other WHL Functions: `most_recent_whl_season()`, `whl`, `whl_game_corsi()`, `whl_game_shifts()`, `whl_game_summary()`, `whl_leaders()`, `whl_pbp()`, `whl_player_stats()`, `whl_player_toi()`, `whl_schedule()`, `whl_season_id()`, `whl_standings()`, `whl_teams()`

Examples

```
try(whl_team_roster(team_id = 1))
```

Index

* **AHL Functions**
  ahl, 11
  ahl_game_corsi, 11
  ahl_game_shifts, 12
  ahl_game_summary, 13
  ahl_leaders, 13
  ahl_pbp, 14
  ahl_player_stats, 15
  ahl_player_toi, 15
  ahl_schedule, 16
  ahl_season_id, 17
  ahl_standings, 17
  ahl_team_roster, 19
  ahl_teams, 18
  most_recent_ahl_season, 309
* **AHL**
  ahl, 11
* **API**
  nhl_web, 460
* **Aggregator**
  nhl_all_players_by_season, 313
  nhl_game_ids_by_season, 371
  nhl_goalie_summary_range, 378
  nhl_player_career_stats, 382
  nhl_skater_summary_range, 430
  nhl_team_summary_range, 458
* **Analytics**
  nhl_edge, 329
* **Appearances**
  nhl_records_franchise_playoff_appearances, 404
* **Attendance**
  nhl_records_attendance, 395
* **Award**
  nhl_records_award_details, 396
* **Bracket**
  nhl_playoff_bracket, 388
* **Calendar**
  nhl_schedule_calendar, 426
* **Career**
  nhl_records_goalie_career_stats, 409
  nhl_records_skater_real_time_stats_career, 420
* **Carousel**
  nhl_playoff_carousel, 389
* **Club**
  nhl_club_schedule, 315
  nhl_club_stats_season, 318
* **Combine**
  nhl_records_combine, 397
* **Conferences**
  nhl_conferences, 319
  nhl_conferences_info, 319
* **Config**
  nhl_stats_config, 434
* **Content**
  nhl_game_content, 369
  nhl_stats_content_module, 434
* **Country**
  nhl_stats_country, 435
* **Deprecated**
  phf, 473
* **Details**
  nhl_records_award_details, 396
* **Detail**
  nhl_records_franchise_detail, 403
* **Divisions**
  nhl_divisions, 321
* **Division**
  nhl_divisions_info, 322
* **Draft**
  nhl_draft, 323
  nhl_draft_prospects, 324
  nhl_draft_prospects_info, 325
  nhl_draft_rankings, 326
  nhl_draft_tracker, 327
  nhl_draft_year, 328

nhl_records_draft, 398
nhl_records_draft_lottery_odds, 399
nhl_records_draft_lottery_picks, 400
nhl_records_draft_prospect, 400
nhl_stats_draft, 435
∗ **ESPN NHL Functions**
espn_nhl_athletes_index, 21
espn_nhl_award, 23
espn_nhl_awards, 24
espn_nhl_calendar, 26
espn_nhl_calendar_offseason, 28
espn_nhl_calendar_ondays, 29
espn_nhl_calendar_postseason, 31
espn_nhl_calendar_regular_season, 32
espn_nhl_coach, 34
espn_nhl_coach_record, 37
espn_nhl_coach_season, 39
espn_nhl_coaches, 36
espn_nhl_conferences, 41
espn_nhl_countries, 42
espn_nhl_draft, 44
espn_nhl_franchise, 45
espn_nhl_franchises, 47
espn_nhl_game, 49
espn_nhl_game_all, 52
espn_nhl_game_broadcasts, 54
espn_nhl_game_competition, 56
espn_nhl_game_leaders, 58
espn_nhl_game_odds, 59
espn_nhl_game_official_detail, 63
espn_nhl_game_officials, 61
espn_nhl_game_play, 65
espn_nhl_game_play_personnel, 69
espn_nhl_game_plays, 67
espn_nhl_game_powerindex, 71
espn_nhl_game_predictor, 73
espn_nhl_game_probabilities, 74
espn_nhl_game_propbets, 76
espn_nhl_game_scoringplays, 78
espn_nhl_game_situation, 80
espn_nhl_game_status, 81
espn_nhl_game_team, 83
espn_nhl_game_team_leaders, 87
espn_nhl_game_team_linescores, 89
espn_nhl_game_team_record, 91
espn_nhl_game_team_roster, 93
espn_nhl_game_team_statistics, 95
espn_nhl_game_teams, 85
espn_nhl_games, 50
espn_nhl_injuries, 96
espn_nhl_leaders, 98
espn_nhl_leaders_core, 101
espn_nhl_league_notes, 102
espn_nhl_league_root, 104
espn_nhl_news, 106
espn_nhl_pbp, 107
espn_nhl_player_awards, 111
espn_nhl_player_bio, 113
espn_nhl_player_box, 115
espn_nhl_player_career_stats, 118
espn_nhl_player_contracts, 119
espn_nhl_player_core, 121
espn_nhl_player_eventlog, 123
espn_nhl_player_gamelog, 125
espn_nhl_player_info, 127
espn_nhl_player_injuries, 129
espn_nhl_player_news, 131
espn_nhl_player_notes, 132
espn_nhl_player_overview, 134
espn_nhl_player_records, 136
espn_nhl_player_seasons, 137
espn_nhl_player_splits, 139
espn_nhl_player_statistics, 141
espn_nhl_player_statisticslog, 143
espn_nhl_player_stats_v3, 144
espn_nhl_player_vs_player, 146
espn_nhl_players_index, 110
espn_nhl_position, 148
espn_nhl_positions, 149
espn_nhl_providers, 151
espn_nhl_schedule, 153
espn_nhl_scoreboard, 155
espn_nhl_season_athletes, 159
espn_nhl_season_awards, 161
espn_nhl_season_coaches, 162
espn_nhl_season_draft, 164
espn_nhl_season_draft_round_picks, 165
espn_nhl_season_freeagents, 167
espn_nhl_season_futures, 169
espn_nhl_season_group, 171
espn_nhl_season_group_children, 174

espn_nhl_season_group_teams, 176
espn_nhl_season_groups, 173
espn_nhl_season_info, 178
espn_nhl_season_players, 180
espn_nhl_season_pointer, 182
espn_nhl_season_powerindex, 183
espn_nhl_season_powerindex_leaders, 185
espn_nhl_season_team, 187
espn_nhl_season_teams, 189
espn_nhl_season_type, 190
espn_nhl_season_type_corrections, 194
espn_nhl_season_type_leaders, 196
espn_nhl_season_types, 192
espn_nhl_season_week, 197
espn_nhl_season_week_games, 201
espn_nhl_season_weeks, 199
espn_nhl_seasons, 157
espn_nhl_standings, 203
espn_nhl_standings_core, 205
espn_nhl_statistics_league, 207
espn_nhl_summary, 208
espn_nhl_talentpicks, 210
espn_nhl_team, 211
espn_nhl_team_box, 218
espn_nhl_team_core, 220
espn_nhl_team_depthcharts, 222
espn_nhl_team_history, 224
espn_nhl_team_injuries, 225
espn_nhl_team_leaders, 227
espn_nhl_team_news, 228
espn_nhl_team_record, 230
espn_nhl_team_roster, 231
espn_nhl_team_schedule, 234
espn_nhl_team_transactions, 236
espn_nhl_teams_core, 214
espn_nhl_teams_site, 216
espn_nhl_tournaments, 237
espn_nhl_transactions, 239
espn_nhl_venue, 240
espn_nhl_venues, 242

∗ **Edge**

nhl_cat_edge_goalie_detail, 314
nhl_cat_edge_skater_detail, 315
nhl_edge, 329
nhl_edge_goalie_5v5_detail, 330
nhl_edge_goalie_5v5_top_10, 331
nhl_edge_goalie_comparison, 332
nhl_edge_goalie_detail, 333
nhl_edge_goalie_edge_save_pctg_top_10, 334
nhl_edge_goalie_landing, 334
nhl_edge_goalie_save_percentage_detail, 335
nhl_edge_goalie_shot_location_detail, 336
nhl_edge_goalie_shot_location_top_10, 337
nhl_edge_skater_comparison, 338
nhl_edge_skater_detail, 339
nhl_edge_skater_distance_top_10, 340
nhl_edge_skater_landing, 342
nhl_edge_skater_shot_location_detail, 343
nhl_edge_skater_shot_location_top_10, 344
nhl_edge_skater_shot_speed_detail, 345
nhl_edge_skater_shot_speed_top_10, 346
nhl_edge_skater_skating_distance_detail, 347
nhl_edge_skater_skating_speed_detail, 348
nhl_edge_skater_speed_top_10, 350
nhl_edge_skater_zone_time, 350
nhl_edge_skater_zone_time_top_10, 351
nhl_edge_team_detail, 352
nhl_edge_team_landing, 353
nhl_edge_team_shot_location_detail, 354
nhl_edge_team_shot_location_top_10, 355
nhl_edge_team_shot_speed_detail, 356
nhl_edge_team_skating_distance_detail, 357
nhl_edge_team_skating_distance_top_10, 358
nhl_edge_team_skating_speed_detail, 360
nhl_edge_team_skating_speed_top_10, 361

nhl_edge_team_zone_time_details, 362
nhl_edge_team_zone_time_top_10, 363
* **Fame**
nhl_records_hof_players, 413
* **Feed**
nhl_game_feed, 370
* **Franchise**
nhl_records_franchise, 402
nhl_records_franchise_detail, 403
nhl_records_franchise_playoff_appearances, 404
nhl_records_franchise_season_results, 405
nhl_records_franchise_team_totals, 406
nhl_records_franchise_totals, 408
nhl_stats_franchise, 436
* **Gamecenter**
nhl_gamecenter_landing, 364
nhl_gamecenter_right_rail, 365
* **Game**
nhl_game_content, 369
nhl_game_feed, 370
nhl_game_pbp, 372
nhl_game_shifts, 375
nhl_game_story, 376
nhl_partner_game_odds, 382
nhl_player_game_log, 384
nhl_stats_game_listing, 437
* **Glossary**
nhl_stats_glossary, 438
* **Goalie**
nhl_cat_edge_goalie_detail, 314
nhl_edge_goalie_5v5_detail, 330
nhl_edge_goalie_5v5_top_10, 331
nhl_edge_goalie_comparison, 332
nhl_edge_goalie_detail, 333
nhl_edge_goalie_edge_save_pctg_top_10, 334
nhl_edge_goalie_landing, 334
nhl_edge_goalie_save_percentage_detail, 335
nhl_edge_goalie_shot_location_detail, 336
nhl_edge_goalie_shot_location_top_10, 337
nhl_goalie_stats_leaders, 377
nhl_records_goalie_career_stats, 409
nhl_records_goalie_season_stats, 410
nhl_records_goalie_shutout_streak, 412
nhl_stats_goalie_leaders, 440
nhl_stats_goalie_milestones, 441
nhl_stats_goalies, 439
* **Goal**
nhl_ppt_replay_goal, 393
* **Hall**
nhl_records_hof_players, 413
* **Helpers**
nhl_all_players_by_season, 313
nhl_game_ids_by_season, 371
nhl_goalie_summary_range, 378
nhl_player_career_stats, 382
nhl_skater_summary_range, 430
nhl_team_summary_range, 458
* **Info**
nhl_conferences_info, 319
nhl_divisions_info, 322
nhl_draft_prospects_info, 325
nhl_player_info, 385
nhl_teams_info, 452
* **Internal**
csv_from_url, 19
progressively, 483
rds_from_url, 522
* **Landing**
nhl_gamecenter_landing, 364
* **Leaders**
nhl_goalie_stats_leaders, 377
nhl_skater_stats_leaders, 428
nhl_stats_goalie_leaders, 440
nhl_stats_skater_leaders, 447
* **Links**
nhl_smartlinks, 431
* **Listing**
nhl_stats_game_listing, 437
nhl_stats_team_listing, 450
* **Loaders**
nhl_loaders, 379
pwhl_loaders, 492
* **Location**
nhl_location, 380

∗ **Log**
nhl_player_game_log, 384
∗ **Lookup**
nhl_postal_lookup, 392
∗ **Lottery**
nhl_records_draft_lottery_odds, 399
nhl_records_draft_lottery_picks, 400
∗ **Meta**
nhl_meta, 381
∗ **Milestones**
nhl_stats_goalie_milestones, 441
nhl_stats_skater_milestones, 448
∗ **Miscellaneous**
nhl_stats_misc, 442
∗ **Module**
nhl_stats_content_module, 434
∗ **NHL Edge**
nhl_edge, 329
∗ **NHL Loader Functions**
load_nhl_goalie_boxscores, 252
load_nhl_pbp_full, 258
load_nhl_player_boxscore, 263
load_nhl_player_boxscores, 263
load_nhl_schedules, 266
load_nhl_skater_boxscores, 274
load_nhl_team_boxscore, 276
load_nhl_team_boxscores, 277
∗ **NHL Loaders**
nhl_loaders, 379
∗ **NHL Records**
nhl_records, 394
∗ **NHL Stats REST**
nhl_stats_rest, 444
∗ **NHL Web API**
nhl_web, 460
∗ **NHL xG**
nhl_xg, 464
∗ **NHL**
espn_nhl_teams, 213
nhl_all_players_by_season, 313
nhl_cat_edge_goalie_detail, 314
nhl_cat_edge_skater_detail, 315
nhl_club_schedule, 315
nhl_club_stats_season, 318
nhl_conferences, 319
nhl_conferences_info, 319
nhl_divisions, 321
nhl_divisions_info, 322
nhl_draft, 323
nhl_draft_prospects, 324
nhl_draft_prospects_info, 325
nhl_draft_rankings, 326
nhl_draft_tracker, 327
nhl_draft_year, 328
nhl_edge, 329
nhl_edge_goalie_5v5_detail, 330
nhl_edge_goalie_5v5_top_10, 331
nhl_edge_goalie_comparison, 332
nhl_edge_goalie_detail, 333
nhl_edge_goalie_edge_save_pctg_top_10, 334
nhl_edge_goalie_landing, 334
nhl_edge_goalie_save_percentage_detail, 335
nhl_edge_goalie_shot_location_detail, 336
nhl_edge_goalie_shot_location_top_10, 337
nhl_edge_skater_comparison, 338
nhl_edge_skater_detail, 339
nhl_edge_skater_distance_top_10, 340
nhl_edge_skater_landing, 342
nhl_edge_skater_shot_location_detail, 343
nhl_edge_skater_shot_location_top_10, 344
nhl_edge_skater_shot_speed_detail, 345
nhl_edge_skater_shot_speed_top_10, 346
nhl_edge_skater_skating_distance_detail, 347
nhl_edge_skater_skating_speed_detail, 348
nhl_edge_skater_speed_top_10, 350
nhl_edge_skater_zone_time, 350
nhl_edge_skater_zone_time_top_10, 351
nhl_edge_team_detail, 352
nhl_edge_team_landing, 353
nhl_edge_team_shot_location_detail, 354
nhl_edge_team_shot_location_top_10,

355
nhl_edge_team_shot_speed_detail, 356
nhl_edge_team_skating_distance_detail, 357
nhl_edge_team_skating_distance_top_10, 358
nhl_edge_team_skating_speed_detail, 360
nhl_edge_team_skating_speed_top_10, 361
nhl_edge_team_zone_time_details, 362
nhl_edge_team_zone_time_top_10, 363
nhl_game_content, 369
nhl_game_feed, 370
nhl_game_ids_by_season, 371
nhl_game_pbp, 372
nhl_game_shifts, 375
nhl_game_story, 376
nhl_gamecenter_landing, 364
nhl_gamecenter_right_rail, 365
nhl_goalie_stats_leaders, 377
nhl_goalie_summary_range, 378
nhl_loaders, 379
nhl_location, 380
nhl_meta, 381
nhl_partner_game_odds, 382
nhl_player_career_stats, 382
nhl_player_game_log, 384
nhl_player_info, 385
nhl_player_spotlight, 386
nhl_player_stats, 387
nhl_playoff_bracket, 388
nhl_playoff_carousel, 389
nhl_playoff_schedule, 390
nhl_postal_lookup, 392
nhl_ppt_replay, 392
nhl_ppt_replay_goal, 393
nhl_records, 394
nhl_records_attendance, 395
nhl_records_award_details, 396
nhl_records_combine, 397
nhl_records_draft, 398
nhl_records_draft_lottery_odds, 399
nhl_records_draft_lottery_picks, 400
nhl_records_draft_prospect, 400
nhl_records_franchise, 402
nhl_records_franchise_detail, 403
nhl_records_franchise_playoff_appearances, 404
nhl_records_franchise_season_results, 405
nhl_records_franchise_team_totals, 406
nhl_records_franchise_totals, 408
nhl_records_goalie_career_stats, 409
nhl_records_goalie_season_stats, 410
nhl_records_goalie_shutout_streak, 412
nhl_records_hof_players, 413
nhl_records_officials, 414
nhl_records_player, 415
nhl_records_player_byteam, 417
nhl_records_player_stats, 419
nhl_records_skater_real_time_stats_career, 420
nhl_records_skater_real_time_stats_season, 421
nhl_records_trophy, 422
nhl_records_venue, 423
nhl_roster_season, 424
nhl_schedule, 424
nhl_schedule_calendar, 426
nhl_scoreboard, 427
nhl_scores, 427
nhl_seasons, 428
nhl_skater_stats_leaders, 428
nhl_skater_summary_range, 430
nhl_smartlinks, 431
nhl_standings, 432
nhl_standings_season, 433
nhl_stats_config, 434
nhl_stats_content_module, 434
nhl_stats_country, 435
nhl_stats_draft, 435
nhl_stats_franchise, 436
nhl_stats_game_listing, 437
nhl_stats_glossary, 438
nhl_stats_goalie_leaders, 440
nhl_stats_goalie_milestones, 441

nhl_stats_goalies, 439
nhl_stats_misc, 442
nhl_stats_ping, 443
nhl_stats_players, 443
nhl_stats_rest, 444
nhl_stats_seasons, 445
nhl_stats_skater_leaders, 447
nhl_stats_skater_milestones, 448
nhl_stats_skaters, 446
nhl_stats_team_listing, 450
nhl_stats_teams, 449
nhl_team_prospects, 456
nhl_team_scoreboard, 457
nhl_team_summary_range, 458
nhl_teams, 451
nhl_teams_info, 452
nhl_teams_roster, 453
nhl_teams_stats, 454
nhl_tv_schedule, 459
nhl_web, 460
nhl_where_to_watch, 462
nhl_wsc_pbp, 462
nhl_xg, 464
* **OHL Functions**
most_recent_ohl_season, 310
ohl, 465
ohl_game_corsi, 465
ohl_game_shifts, 466
ohl_game_summary, 466
ohl_leaders, 467
ohl_pbp, 468
ohl_player_stats, 468
ohl_player_toi, 469
ohl_schedule, 470
ohl_season_id, 470
ohl_standings, 471
ohl_team_roster, 472
ohl_teams, 472
* **OHL**
ohl, 465
* **Odds**
nhl_partner_game_odds, 382
nhl_records_draft_lottery_odds, 399
* **Officials**
nhl_records_officials, 414
* **PBP**
nhl_game_pbp, 372
nhl_wsc_pbp, 462
* **PHF**
phf, 473
* **PPT**
nhl_ppt_replay, 392
nhl_ppt_replay_goal, 393
* **PWHL Functions**
pwhl_game_corsi, 485
pwhl_game_shifts, 487
pwhl_player_toi, 503
* **PWHL Loader Functions**
load_pwhl_goalie_boxscores, 287
load_pwhl_player_boxscores, 294
load_pwhl_schedules, 297
load_pwhl_shifts, 300
load_pwhl_skater_boxscores, 304
load_pwhl_team_boxscores, 306
load_pwhl_xg_pbp, 308
* **PWHL Loaders**
pwhl_loaders, 492
* **PWHL**
pwhl, 484
pwhl_loaders, 492
* **Partner**
nhl_partner_game_odds, 382
* **Picks**
nhl_records_draft_lottery_picks, 400
* **Ping**
nhl_stats_ping, 443
* **Play-by-Play**
nhl_game_pbp, 372
* **Players**
nhl_records_hof_players, 413
nhl_stats_players, 443
* **Player**
nhl_player_game_log, 384
nhl_player_info, 385
nhl_player_spotlight, 386
nhl_player_stats, 387
nhl_records_player, 415
nhl_records_player_byteam, 417
nhl_records_player_stats, 419
* **Playoff**
nhl_playoff_bracket, 388
nhl_playoff_carousel, 389
nhl_playoff_schedule, 390
nhl_records_franchise_playoff_appearances,

404
* **Postal**
nhl_postal_lookup, 392
* **Prospects**
nhl_draft_prospects, 324
nhl_team_prospects, 456
* **Prospect**
nhl_draft_prospects_info, 325
nhl_records_draft_prospect, 400
* **QMJHL Functions**
most_recent_qmjhl_season, 312
qmjhl, 514
qmjhl_game_corsi, 514
qmjhl_game_shifts, 515
qmjhl_game_summary, 515
qmjhl_leaders, 516
qmjhl_pbp, 517
qmjhl_player_stats, 517
qmjhl_player_toi, 518
qmjhl_schedule, 519
qmjhl_season_id, 519
qmjhl_standings, 520
qmjhl_team_roster, 521
qmjhl_teams, 521
* **QMJHL**
qmjhl, 514
* **REST**
nhl_stats_rest, 444
* **Rail**
nhl_gamecenter_right_rail, 365
* **Rankings**
nhl_draft_rankings, 326
* **Real**
nhl_records_skater_real_time_stats_career, 420
nhl_records_skater_real_time_stats_season, 421
* **Records**
nhl_records, 394
nhl_records_attendance, 395
nhl_records_award_details, 396
nhl_records_combine, 397
nhl_records_draft, 398
nhl_records_draft_lottery_odds, 399
nhl_records_draft_lottery_picks, 400
nhl_records_draft_prospect, 400
nhl_records_franchise, 402
nhl_records_franchise_detail, 403
nhl_records_franchise_playoff_appearances, 404
nhl_records_franchise_season_results, 405
nhl_records_franchise_team_totals, 406
nhl_records_franchise_totals, 408
nhl_records_goalie_career_stats, 409
nhl_records_goalie_season_stats, 410
nhl_records_goalie_shutout_streak, 412
nhl_records_hof_players, 413
nhl_records_officials, 414
nhl_records_player, 415
nhl_records_player_byteam, 417
nhl_records_player_stats, 419
nhl_records_skater_real_time_stats_career, 420
nhl_records_skater_real_time_stats_season, 421
nhl_records_trophy, 422
nhl_records_venue, 423
* **Replay**
nhl_ppt_replay, 392
nhl_ppt_replay_goal, 393
* **Results**
nhl_records_franchise_season_results, 405
* **Right**
nhl_gamecenter_right_rail, 365
* **Roster**
nhl_roster_season, 424
nhl_teams_roster, 453
* **Schedule**
nhl_club_schedule, 315
nhl_playoff_schedule, 390
nhl_schedule, 424
nhl_schedule_calendar, 426
nhl_tv_schedule, 459
* **Scoreboard**
nhl_scoreboard, 427
nhl_team_scoreboard, 457
* **Scores**
nhl_scores, 427

∗ **Seasons**
nhl_seasons, 428
nhl_stats_seasons, 445
∗ **Season**
nhl_club_stats_season, 318
nhl_records_franchise_season_results, 405
nhl_records_goalie_season_stats, 410
nhl_records_skater_real_time_stats_season, 421
nhl_roster_season, 424
nhl_standings_season, 433
∗ **Shifts**
nhl_game_shifts, 375
∗ **Shutout**
nhl_records_goalie_shutout_streak, 412
∗ **Skater**
nhl_cat_edge_skater_detail, 315
nhl_edge_skater_comparison, 338
nhl_edge_skater_detail, 339
nhl_edge_skater_distance_top_10, 340
nhl_edge_skater_landing, 342
nhl_edge_skater_shot_location_detail, 343
nhl_edge_skater_shot_location_top_10, 344
nhl_edge_skater_shot_speed_detail, 345
nhl_edge_skater_shot_speed_top_10, 346
nhl_edge_skater_skating_distance_detail, 347
nhl_edge_skater_skating_speed_detail, 348
nhl_edge_skater_speed_top_10, 350
nhl_edge_skater_zone_time, 350
nhl_edge_skater_zone_time_top_10, 351
nhl_records_skater_real_time_stats_career, 420
nhl_records_skater_real_time_stats_season, 421
nhl_skater_stats_leaders, 428
nhl_stats_skater_leaders, 447
nhl_stats_skater_milestones, 448
nhl_stats_skaters, 446
∗ **Smart**
nhl_smartlinks, 431
∗ **Spotlight**
nhl_player_spotlight, 386
∗ **Standings**
nhl_standings, 432
nhl_standings_season, 433
∗ **Stats**
nhl_club_stats_season, 318
nhl_goalie_stats_leaders, 377
nhl_player_stats, 387
nhl_records_goalie_career_stats, 409
nhl_records_goalie_season_stats, 410
nhl_records_player_stats, 419
nhl_skater_stats_leaders, 428
nhl_stats_config, 434
nhl_stats_content_module, 434
nhl_stats_country, 435
nhl_stats_draft, 435
nhl_stats_franchise, 436
nhl_stats_game_listing, 437
nhl_stats_glossary, 438
nhl_stats_goalie_leaders, 440
nhl_stats_goalie_milestones, 441
nhl_stats_goalies, 439
nhl_stats_misc, 442
nhl_stats_ping, 443
nhl_stats_players, 443
nhl_stats_rest, 444
nhl_stats_seasons, 445
nhl_stats_skater_leaders, 447
nhl_stats_skater_milestones, 448
nhl_stats_skaters, 446
∗ **Story**
nhl_game_story, 376
∗ **Streak**
nhl_records_goalie_shutout_streak, 412
∗ **TV**
nhl_tv_schedule, 459
∗ **Teams**
espn_nhl_teams, 213

nhl_teams, 451
nhl_teams_info, 452
nhl_teams_stats, 454
* **Team**
nhl_edge_team_detail, 352
nhl_edge_team_landing, 353
nhl_edge_team_shot_location_detail, 354
nhl_edge_team_shot_location_top_10, 355
nhl_edge_team_shot_speed_detail, 356
nhl_edge_team_skating_distance_detail, 357
nhl_edge_team_skating_distance_top_10, 358
nhl_edge_team_skating_speed_detail, 360
nhl_edge_team_skating_speed_top_10, 361
nhl_edge_team_zone_time_details, 362
nhl_edge_team_zone_time_top_10, 363
nhl_records_franchise_team_totals, 406
nhl_stats_team_listing, 450
nhl_stats_teams, 449
nhl_team_prospects, 456
nhl_team_scoreboard, 457
* **Time**
nhl_records_skater_real_time_stats_career, 420
nhl_records_skater_real_time_stats_season, 421
* **Totals**
nhl_records_franchise_team_totals, 406
nhl_records_franchise_totals, 408
* **Tracker**
nhl_draft_tracker, 327
* **Trophy**
nhl_records_trophy, 422
* **Venue**
nhl_records_venue, 423
* **WHL Functions**
most_recent_whl_season, 312
whl, 527
whl_game_corsi, 527
whl_game_shifts, 528
whl_game_summary, 528
whl_leaders, 529
whl_pbp, 530
whl_player_stats, 530
whl_player_toi, 531
whl_schedule, 532
whl_season_id, 532
whl_standings, 533
whl_team_roster, 534
whl_teams, 534
* **WHL**
whl, 527
* **WSC**
nhl_wsc_pbp, 462
* **Watch**
nhl_where_to_watch, 462
* **Web**
nhl_web, 460
* **Where**
nhl_where_to_watch, 462
* **Year**
nhl_draft_year, 328
* **byTeam**
nhl_records_player_byteam, 417
* **data**
data, 20
* **of**
nhl_records_hof_players, 413
* **to**
nhl_where_to_watch, 462
* **xG**
nhl_xg, 464

ahl, 11, *12–19*, *309*
ahl_game_corsi, 11
ahl_game_corsi(), *11–19*, *309*
ahl_game_shifts, 12
ahl_game_shifts(), *11–19*, *309*
ahl_game_summary, 13
ahl_game_summary(), *11, 12*, *14–19*, *309*
ahl_leaders, 13
ahl_leaders(), *11–19*, *309*
ahl_pbp, 14
ahl_pbp(), *11–19*, *309*
ahl_player_stats, 15
ahl_player_stats(), *11–14*, *16–19*, *309*
ahl_player_toi, 15

ahl_player_toi(), *11–19*, *309*
ahl_schedule, 16
ahl_schedule(), *11–19*, *309*
ahl_season_id, 17
ahl_season_id(), *11–16*, *18, 19*, *309*
ahl_standings, 17
ahl_standings(), *11–19*, *309*
ahl_team_roster, 19
ahl_team_roster(), *11–18*, *309*
ahl_teams, 18
ahl_teams(), *11–19*, *309*

csv_from_url, 19

data, 20
data.table::fread(), *20*
DBI::dbConnect(), *249–251*, *253–255*, *259–261*, *264, 265*, *267*, *269–273*, *275*, *278–285*, *287–289*, *292, 293*, *295, 296*, *299–303*, *305*, *307, 308*, *523, 524*, *526*

espn_nhl_athletes_index, 21
espn_nhl_athletes_index(), *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *68*, *70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109–112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163, 164*, *166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*
espn_nhl_award, 23
espn_nhl_award(), *22*, *25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *68*, *70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163, 164*, *166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*
espn_nhl_awards, 24
espn_nhl_awards(), *22*, *24*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *68*, *70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163, 164*, *166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*
espn_nhl_calendar, 26
espn_nhl_calendar(), *22*, *24, 25*, *28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *68*, *70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163, 164*, *166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*
espn_nhl_calendar_offseason, 28
espn_nhl_calendar_offseason(), *22*, *24, 25*, *27*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*,

43, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *68*, *70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163, 164*, *166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*

espn_nhl_calendar_ondays, 29

espn_nhl_calendar_ondays(), *22*, *24, 25*, *27, 28*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *68*, *70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163, 164*, *166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*

espn_nhl_calendar_postseason, 31

espn_nhl_calendar_postseason(), *22*, *24, 25*, *27, 28*, *30*, *33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *68*, *70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163, 164*, *166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*

espn_nhl_calendar_regular_season, 32

espn_nhl_calendar_regular_season(), *22*, *24, 25*, *27, 28*, *30*, *32*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *68*, *70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163, 164*, *166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*

espn_nhl_coach, 34

espn_nhl_coach(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *68*, *70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163, 164*, *166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*

espn_nhl_coach_record, 37

espn_nhl_coach_record(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *68*, *70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137,*

138, *140*, *142*, *143*, *145*, *147*, *149*, *150*, *152*, *154*, *156*, *158*, *160*, *161*, *163*, *164*, *166*, *168*, *170*, *172*, *173*, *175*, *177*, *179*, *181*, *182*, *184*, *186*, *188*, *190*, *191*, *193*, *195*, *197*, *198*, *200*, *202*, *204*, *206*, *207*, *209*, *211*, *212*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *236*, *238*, *240*, *241*, *243*

espn_nhl_coach_season, 39

espn_nhl_coach_season(), *22*, *24*, *25*, *27*, *28*, *30*, *32*, *33*, *35*, *37*, *38*, *41*, *43*, *45*, *46*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *62*, *64*, *66*, *68*, *70*, *72*, *73*, *75*, *77*, *79*, *81*, *82*, *84*, *86*, *88*, *90*, *92*, *94*, *95*, *97*, *100*, *101*, *103*, *105*, *106*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *143*, *145*, *147*, *149*, *150*, *152*, *154*, *156*, *158*, *160*, *161*, *163*, *164*, *166*, *168*, *170*, *172*, *173*, *175*, *177*, *179*, *181*, *182*, *184*, *186*, *188*, *190*, *191*, *193*, *195*, *197*, *198*, *200*, *202*, *204*, *206*, *207*, *209*, *211*, *212*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *236*, *238*, *240*, *241*, *243*

espn_nhl_coaches, 36

espn_nhl_coaches(), *22*, *24*, *25*, *27*, *28*, *30*, *32*, *33*, *35*, *38*, *40*, *41*, *43*, *45*, *46*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *62*, *64*, *66*, *69*, *70*, *72*, *73*, *75*, *77*, *79*, *81*, *82*, *84*, *86*, *88*, *90*, *92*, *94*, *95*, *97*, *100*, *101*, *103*, *105*, *106*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *143*, *145*, *147*, *149*, *150*, *152*, *154*, *156*, *158*, *160*, *161*, *163*, *164*, *166*, *168*, *170*, *172*, *173*, *175*, *177*, *179*, *181*, *182*, *184*, *186*, *188*, *190*, *191*, *193*, *195*, *197*, *198*, *200*, *202*, *204*, *206*, *207*, *209*, *211*, *212*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *236*, *238*, *240*, *241*, *243*

espn_nhl_conferences, 41

espn_nhl_conferences(), *22*, *24*, *25*, *27*, *28*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *43*, *45*, *46*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *62*, *64*, *66*, *69*, *70*, *72*, *73*, *75*, *77*, *79*, *81*, *82*, *84*, *86*, *88*, *90*, *92*, *94*, *95*, *97*, *100*, *101*, *103*, *105*, *106*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *143*, *145*, *147*, *149*, *150*, *152*, *154*, *156*, *158*, *160*, *161*, *163*, *164*, *166*, *168*, *170*, *172*, *173*, *175*, *177*, *179*, *181*, *182*, *184*, *186*, *188*, *190*, *191*, *193*, *195*, *197*, *198*, *200*, *202*, *204*, *206*, *207*, *209*, *211*, *212*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *236*, *238*, *240*, *241*, *243*

espn_nhl_countries, 42

espn_nhl_countries(), *22*, *24*, *25*, *27*, *28*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *41*, *45*, *46*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *62*, *64*, *66*, *69*, *70*, *72*, *73*, *75*, *77*, *79*, *81*, *82*, *84*, *86*, *88*, *90*, *92*, *94*, *95*, *97*, *100*, *101*, *103*, *105*, *106*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *143*, *145*, *147*, *149*, *150*, *152*, *154*, *156*, *158*, *160*, *161*, *163*, *164*, *166*, *168*, *170*, *172*, *173*, *175*, *177*, *179*, *181*, *182*, *184*, *186*, *188*, *190*, *191*, *193*, *195*, *197*, *198*, *200*, *202*, *204*, *206*, *207*, *209*, *211*, *212*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *236*, *238*, *240*, *241*, *243*

espn_nhl_draft, 44

espn_nhl_draft(), *22*, *24*, *25*, *27*, *28*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *41*, *43*, *46*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *62*, *64*, *66*, *69*, *70*, *72*, *73*, *75*, *77*, *79*, *81*, *82*, *84*, *86*, *88*, *90*, *92*, *94*, *95*, *97*, *100*, *101*, *103*, *105*, *106*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *143*, *145*, *147*, *149*, *150*, *152*, *154*, *156*, *158*, *160*, *161*, *163*, *164*, *166*, *168*, *170*, *172*, *173*, *175*, *177*, *179*, *181*, *182*, *184*, *186*, *188*, *190*, *191*, *193*, *195*, *197*, *198*, *200*, *202*, *204*, *206*, *207*, *209*, *211*, *212*, *215*, *217*,

219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 236, 238, 240, 241, 243
espn_nhl_franchise, 45
espn_nhl_franchise(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41, 43, 45, 48, 50, 51, 53, 55, 57, 59, 61, 62, 64, 66, 69, 70, 72, 73, 75, 77, 79, 81, 82, 84, 86, 88, 90, 92, 94, 95, 97, 100, 101, 103, 105, 106, 109, 111, 112, 114, 117, 119, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 143, 145, 147, 149, 150, 152, 154, 156, 158, 160, 161, 163, 164, 166, 168, 170, 172, 173, 175, 177, 179, 181, 182, 184, 186, 188, 190, 191, 193, 195, 197, 198, 200, 202, 204, 206, 207, 209, 211, 212, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 236, 238, 240, 241, 243
espn_nhl_franchises, 47
espn_nhl_franchises(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41, 43, 45, 46, 50, 51, 53, 55, 57, 59, 61, 62, 64, 66, 69, 70, 72, 73, 75, 77, 79, 81, 82, 84, 86, 88, 90, 92, 94, 95, 97, 100, 101, 103, 105, 106, 109, 111, 112, 114, 117, 119, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 143, 145, 147, 149, 150, 152, 154, 156, 158, 160, 161, 163, 164, 166, 168, 170, 172, 173, 175, 177, 179, 181, 182, 184, 186, 188, 190, 191, 193, 195, 197, 198, 200, 202, 204, 206, 207, 209, 211, 212, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 236, 238, 240, 241, 243
espn_nhl_game, 49
espn_nhl_game(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41, 43, 45, 46, 48, 51, 53, 55, 57, 59, 61, 62, 64, 66, 69, 70, 72, 73, 75, 77, 79, 81, 82, 84, 86, 88, 90, 92, 94, 95, 97, 100, 101, 103, 105, 106, 109, 111, 112, 114, 117, 119, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 143, 145, 147, 149, 150, 152, 154, 156, 158, 160, 161, 163, 164, 166, 168, 170, 172, 173, 175, 177, 179, 181, 182, 184, 186, 188, 190, 191, 193, 195, 197, 198, 200, 202, 204, 206, 207, 209, 211, 212, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 236, 238, 240, 241, 243
espn_nhl_game_all, 52
espn_nhl_game_all(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41, 43, 45, 46, 48, 50, 51, 55, 57, 59, 61, 62, 64, 66, 69, 70, 72, 73, 75, 77, 79, 81, 82, 84, 86, 88, 90, 92, 94, 95, 97, 100, 101, 103, 105, 106, 109, 111, 112, 114, 117, 119, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 143, 145, 147, 149, 150, 152, 154, 156, 158, 160, 161, 163, 164, 166, 168, 170, 172, 173, 175, 177, 179, 181, 182, 184, 186, 188, 190, 191, 193, 195, 197, 198, 200, 202, 204, 206, 207, 209, 211, 212, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 236, 238, 240, 241, 243
espn_nhl_game_broadcasts, 54
espn_nhl_game_broadcasts(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41, 43, 45, 46, 48, 50, 51, 53, 57, 59, 61, 62, 64, 66, 69, 70, 72, 73, 75, 77, 79, 81, 82, 84, 86, 88, 90, 92, 94, 95, 97, 100, 101, 103, 105, 106, 109, 111, 112, 114, 117, 119, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 143, 145, 147, 149, 150, 152, 154, 156, 158, 160, 161, 163, 164, 166, 168, 170, 172, 173, 175, 177, 179, 181, 182, 184, 186, 188, 190, 191, 193, 195, 197, 198, 200, 202, 204, 206, 207, 209, 211, 212, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 236, 238, 240, 241, 243
espn_nhl_game_competition, 56
espn_nhl_game_competition(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41,

43, *45, 46*, *48*, *50, 51*, *53*, *55*, *59*, *61, 62*, *64*, *66*, *69, 70*, *72, 73*, *75*, *77*, *79, 81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163, 164*, *166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*

espn_nhl_game_leaders, 58

espn_nhl_game_leaders(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *61, 62*, *64*, *66*, *69, 70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105, 106*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163, 164*, *166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*

espn_nhl_game_odds, 59

espn_nhl_game_odds(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *62*, *64*, *66*, *69, 70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*

espn_nhl_game_official_detail, 63

espn_nhl_game_official_detail(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *66*, *69, 70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*

espn_nhl_game_officials, 61

espn_nhl_game_officials(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 64*, *66*, *69, 70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94, 95*, *97*, *100, 101*, *103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *145*, *147*, *149, 150*, *152*, *154*, *156*, *158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190, 191*, *193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235, 236*, *238*, *240, 241*, *243*

espn_nhl_game_play, 65

espn_nhl_game_play(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *69, 70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94*, *96, 97*, *100, 101*, *103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*,

140, *142, 143*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240, 241*, *243*

espn_nhl_game_play_personnel, 69

espn_nhl_game_play_personnel(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *69*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94*, *96, 97*, *100, 101*, *103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240, 241*, *243*

espn_nhl_game_plays, 67

espn_nhl_game_plays(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *70*, *72, 73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94*, *96, 97*, *100, 101*, *103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240, 241*, *243*

espn_nhl_game_powerindex, 71

espn_nhl_game_powerindex(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *69, 70*, *73*, *75*, *77*, *79*, *81, 82*, *84*, *86*, *88*, *90*, *92*, *94*, *96, 97*, *100, 101*, *103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190*, *192, 193*, *195*, *197, 198*, *200*, *202*, *204*, *206, 207*, *209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240, 241*, *243*

espn_nhl_game_predictor, 73

espn_nhl_game_predictor(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *69, 70*, *72*, *75*, *77*, *79*, *81*, *83, 84*, *86*, *88*, *90*, *92*, *94*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211, 212*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240, 241*, *243*

espn_nhl_game_probabilities, 74

espn_nhl_game_probabilities(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *69, 70*, *72, 73*, *77*, *79*, *81*, *83, 84*, *86*, *88*, *90*, *92*, *94*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142, 143*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181, 182*, *184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*,

211, 212, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 241, 243
espn_nhl_game_propbets, 76
espn_nhl_game_propbets(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41, 43, 45, 46, 48, 50, 51, 53, 55, 57, 59, 61, 62, 64, 66, 69, 70, 72, 73, 75, 79, 81, 83, 84, 86, 88, 90, 92, 94, 96, 97, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 143, 146, 147, 149, 150, 152, 154, 157, 158, 160, 161, 163, 165, 166, 168, 170, 172, 173, 175, 177, 179, 181, 182, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 212, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 241, 243
espn_nhl_game_scoringplays, 78
espn_nhl_game_scoringplays(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41, 43, 45, 46, 48, 50, 51, 53, 55, 57, 59, 61, 62, 64, 66, 69, 70, 72, 73, 75, 77, 81, 83, 84, 86, 88, 90, 92, 94, 96, 97, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 161, 163, 165, 166, 168, 170, 172, 173, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 212, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 241, 243
espn_nhl_game_situation, 80
espn_nhl_game_situation(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41, 43, 45, 46, 48, 50, 51, 53, 55, 57, 59, 61, 62, 64, 66, 69, 70, 72, 73, 75, 77, 79, 83, 84, 86, 88, 90, 92, 94, 96, 97, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 161, 163, 165, 166, 168, 170, 172, 173, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 212, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 241, 243
espn_nhl_game_status, 81
espn_nhl_game_status(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41, 43, 45, 46, 48, 50, 51, 53, 55, 57, 59, 61, 62, 64, 66, 69, 70, 72, 73, 75, 77, 79, 81, 84, 86, 88, 90, 92, 94, 96, 97, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 161, 163, 165, 166, 168, 170, 172, 173, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 212, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 241, 243
espn_nhl_game_team, 83
espn_nhl_game_team(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41, 43, 45, 46, 48, 50, 51, 53, 55, 57, 59, 61, 62, 64, 66, 69, 70, 72, 73, 75, 77, 79, 81, 83, 86, 88, 90, 92, 94, 96, 97, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 161, 163, 165, 166, 168, 170, 172, 173, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 212, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 241, 243
espn_nhl_game_team_leaders, 87
espn_nhl_game_team_leaders(), 22, 24, 25, 27, 28, 30, 32, 33, 35, 37, 38, 40, 41,

43, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *69, 70*, *72, 73*, *75*, *77*, *79*, *81*, *83, 84*, *86*, *90*, *92*, *94*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240, 241*, *243*

espn_nhl_game_team_linescores, 89

espn_nhl_game_team_linescores(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61, 62*, *64*, *66*, *69, 70*, *72, 73*, *75*, *77*, *79*, *81*, *83, 84*, *86*, *88*, *92*, *94*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240, 241*, *243*

espn_nhl_game_team_record, 91

espn_nhl_game_team_record(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40, 41*, *43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61*, *63, 64*, *66*, *69, 70*, *72, 73*, *75*, *77*, *79*, *81*, *83, 84*, *86*, *88*, *90*, *94*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160, 161*, *163*, *165, 166*, *168*, *170*, *172, 173*, *175*, *177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240, 241*, *243*

espn_nhl_game_team_roster, 93

espn_nhl_game_team_roster(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61*, *63, 64*, *66*, *69, 70*, *72, 73*, *75*, *77*, *79*, *81*, *83, 84*, *86*, *88*, *90*, *92*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160*, *162, 163*, *165, 166*, *168*, *170*, *172*, *174, 175*, *177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240, 241*, *243*

espn_nhl_game_team_statistics, 95

espn_nhl_game_team_statistics(), *22*, *24, 25*, *27, 28*, *30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45, 46*, *48*, *50, 51*, *53*, *55*, *57*, *59*, *61*, *63, 64*, *66*, *69, 70*, *72, 73*, *75*, *77*, *79*, *81*, *83*, *85, 86*, *88*, *90*, *92*, *94*, *97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160*, *162, 163*, *165, 166*, *168*, *170*, *172*, *174, 175*, *177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240, 241*, *243*

espn_nhl_game_teams, 85

espn_nhl_game_teams(), *22*, *24, 25*, *27*, *29, 30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45*, *47, 48*, *50, 51*, *53*, *55*, *57*, *59*, *61*, *63, 64*, *66*, *69, 70*, *72, 73*, *75*, *77*, *79*, *81*, *83*, *85*, *88*, *90*, *92*, *94*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *130*, *132, 133*, *135*, *137, 138*,

140, *142*, *144*, *146*, *147*, *149*, *150*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *166*, *168*, *170*, *172*, *174*, *175*, *177*, *179*, *181*, *183*, *184*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *237*, *238*, *240*, *241*, *243*

espn_nhl_games, 50

espn_nhl_games(), *22*, *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *53*, *55*, *57*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *73*, *75*, *77*, *79*, *81*, *83*, *85*, *86*, *88*, *90*, *92*, *94*, *96*, *97*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *150*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *166*, *168*, *170*, *172*, *174*, *175*, *177*, *179*, *181*, *183*, *184*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *237*, *238*, *240*, *241*, *243*

espn_nhl_injuries, 96

espn_nhl_injuries(), *22*, *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *73*, *75*, *77*, *79*, *81*, *83*, *85*, *86*, *88*, *90*, *92*, *94*, *96*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *150*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *166*, *168*, *170*, *172*, *174*, *175*, *177*, *179*, *181*, *183*, *184*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *237*, *238*, *240*, *241*, *243*

espn_nhl_leaders, 98

espn_nhl_leaders(), *22*, *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *86*, *88*, *90*, *92*, *94*, *96*, *97*, *102*, *103*, *105*, *107*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *150*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *166*, *168*, *170*, *172*, *174*, *175*, *177*, *179*, *181*, *183*, *184*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *237*, *238*, *240*, *241*, *243*

espn_nhl_leaders_core, 101

espn_nhl_leaders_core(), *22*, *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *63*, *64*, *66*, *69*, *70*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *86*, *88*, *90*, *92*, *94*, *96*, *97*, *100*, *103*, *105*, *107*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *150*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *166*, *168*, *170*, *172*, *174*, *175*, *177*, *179*, *181*, *183*, *184*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *237*, *238*, *240*, *241*, *243*

espn_nhl_league_notes, 102

espn_nhl_league_notes(), *22*, *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *63*, *64*, *67*, *69*, *70*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *86*, *88*, *90*, *92*, *94*, *96*, *97*, *100*, *102*, *105*, *107*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *150*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *166*, *168*, *170*, *172*, *174*, *175*, *177*, *179*, *181*, *183*, *184*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208*, *209*, *211*, *213*,

215, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *237*, *238*, *240*, *241*, *243*

espn_nhl_league_root, 104

espn_nhl_league_root(), *22*, *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *63*, *64*, *67*, *69*, *70*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *86*, *88*, *90*, *92*, *94*, *96*, *97*, *100*, *102*, *103*, *107*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *150*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *166*, *168*, *170*, *172*, *174*, *175*, *177*, *179*, *181*, *183*, *184*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *237*, *238*, *240*, *241*, *243*

espn_nhl_news, 106

espn_nhl_news(), *22*, *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *63*, *64*, *67*, *69*, *70*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *86*, *88*, *90*, *92*, *94*, *96*, *97*, *100*, *102*, *103*, *105*, *109*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *150*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *166*, *168*, *170*, *172*, *174*, *175*, *177*, *179*, *181*, *183*, *184*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *237*, *238*, *240*, *241*, *243*

espn_nhl_pbp, 107

espn_nhl_pbp(), *22*, *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *42*, *43*, *45*, *47*, *48*, *50–53*, *55*, *57*, *59*, *61*, *63*, *64*, *67*, *69*, *70*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *86*, *88*, *90*, *92*, *94*, *96*, *97*, *100*, *102*, *103*, *105*, *107*, *111*, *112*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *150*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *166*, *168*, *170*, *172*, *174*, *175*, *177*, *179*, *181*, *183*, *184*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *237*, *238*, *240*, *241*, *243*

espn_nhl_player_awards, 111

espn_nhl_player_awards(), *22*, *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *63*, *64*, *67*, *69*, *70*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *86*, *88*, *90*, *92*, *94*, *96*, *97*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *114*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *150*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *166*, *168*, *170*, *172*, *174*, *175*, *177*, *179*, *181*, *183*, *184*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *237*, *238*, *240*, *241*, *243*

espn_nhl_player_bio, 113

espn_nhl_player_bio(), *22*, *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *63*, *64*, *67*, *69*, *70*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *86*, *88*, *90*, *92*, *94*, *96*, *97*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *112*, *117*, *119*, *120*, *122*, *124*, *126*, *128*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *150*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *166*, *168*, *170*, *172*, *174*, *175*, *177*, *179*, *181*, *183*, *184*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *224*, *226*, *227*, *229*, *230*, *233*, *235*, *237*, *238*, *240*, *241*, *243*

espn_nhl_player_box, 115

espn_nhl_player_box(), *22*, *24*, *25*, *27*, *29*, *30*, *32*, *33*, *35*, *37*, *38*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *51*, *53*, *55*, *57*, *59*, *61*, *63*,

64, 67, 69, 70, 72, 74, 75, 77, 79, 81, 83, 85, 86, 88, 90, 92, 94, 96, 97, 100, 102, 103, 105, 107, 109, 111, 112, 114, 119, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 166, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 241, 243

espn_nhl_player_career_stats, 118

espn_nhl_player_career_stats(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 51, 53, 55, 57, 59, 61, 63, 64, 67, 69, 70, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 97, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 120, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 166, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 241, 243

espn_nhl_player_contracts, 119

espn_nhl_player_contracts(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 51, 53, 55, 57, 59, 61, 63, 64, 67, 69, 70, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 97, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 122, 124, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 166, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 241, 243

espn_nhl_player_core, 121

espn_nhl_player_core(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 51, 53, 55, 57, 59, 61, 63, 64, 67, 69, 70, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 97, 100, 102, 103, 105, 107, 109, 111–114, 117, 119, 120, 124, 126–128, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 242, 243

espn_nhl_player_eventlog, 123

espn_nhl_player_eventlog(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 51, 53, 55, 57, 59, 61, 63, 64, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 97, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 120, 122, 126, 128, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 242, 243

espn_nhl_player_gamelog, 125

espn_nhl_player_gamelog(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 51, 53, 55, 57, 59, 61, 63, 64, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 97, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 120, 122, 124, 128, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 150,

152, *154*, *157, 158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174, 175*, *177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240*, *242, 243*

espn_nhl_player_info, 127

espn_nhl_player_info(), *22*, *24, 25*, *27*, *29, 30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45*, *47, 48*, *50, 51*, *53*, *55*, *57*, *59*, *61*, *63, 64*, *67*, *69*, *71, 72*, *74, 75*, *77*, *79*, *81*, *83*, *85*, *87, 88*, *90*, *92*, *94*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *130*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174, 175*, *177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240*, *242, 243*

espn_nhl_player_injuries, 129

espn_nhl_player_injuries(), *22*, *24, 25*, *27*, *29, 30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74, 75*, *77*, *79*, *81*, *83*, *85*, *87, 88*, *90*, *92*, *94*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *122*, *124*, *126*, *128*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174, 175*, *177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240*, *242, 243*

espn_nhl_player_news, 131

espn_nhl_player_news(), *22*, *24, 25*, *27*, *29, 30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74, 75*, *77*, *79*, *81*, *83*, *85*, *87, 88*, *90*, *92*, *94*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *123, 124*, *126*, *128*, *130*, *133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174, 175*, *177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240*, *242, 243*

espn_nhl_player_notes, 132

espn_nhl_player_notes(), *22*, *24, 25*, *27*, *29, 30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74, 75*, *77*, *79*, *81*, *83*, *85*, *87, 88*, *90*, *92*, *94*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *123, 124*, *126*, *128*, *130*, *132*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174, 175*, *177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223, 224*, *226, 227*, *229, 230*, *233*, *235*, *237, 238*, *240*, *242, 243*

espn_nhl_player_overview, 134

espn_nhl_player_overview(), *22*, *24, 25*, *27*, *29, 30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74, 75*, *77*, *79*, *81*, *83*, *85*, *87, 88*, *90*, *92*, *94*, *96, 97*, *100*, *102, 103*, *105*, *107*, *109*, *111, 112*, *114*, *117*, *119, 120*, *123, 124*, *126*, *128*, *130*, *132, 133*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149, 150*, *152*, *154*, *157, 158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174, 175*, *177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223, 224*,

226, 227, 229, 230, 233, 235, 237, 238, 240, 242, 243
espn_nhl_player_records, 136
espn_nhl_player_records(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 120, 123, 124, 126, 128, 130, 132, 133, 135, 138, 140, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 242, 243
espn_nhl_player_seasons, 137
espn_nhl_player_seasons(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 140, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 242, 243
espn_nhl_player_splits, 139
espn_nhl_player_splits(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 142, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 242, 243
espn_nhl_player_statistics, 141
espn_nhl_player_statistics(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 112, 114, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 144, 146, 147, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 224, 226, 227, 229, 230, 233, 235, 237, 238, 240, 242, 243
espn_nhl_player_statisticslog, 143
espn_nhl_player_statisticslog(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 114, 117, 119, 121, 123–125, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 146, 147, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243
espn_nhl_player_stats_v3, 144
espn_nhl_player_stats_v3(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59,

61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 114, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 147, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243

espn_nhl_player_vs_player, 146

espn_nhl_player_vs_player(), 22, 24, 25, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 114, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 149, 150, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 175, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243

espn_nhl_players_index, 110

espn_nhl_players_index(), 22, 24, 26, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 176, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243

espn_nhl_position, 148

espn_nhl_position(), 22, 24, 26, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 176, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243

espn_nhl_positions, 149

espn_nhl_positions(), 22, 24, 26, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 176, 177, 179, 181, 183, 184, 186, 188, 190, 192, 193, 195, 197, 199, 200, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243

espn_nhl_providers, 151

espn_nhl_providers(), 22, 24, 26, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149,

151, *154*, *157, 158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174*, *176, 177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *233*, *235*, *237, 238*, *240*, *242, 243*

espn_nhl_schedule, 153

espn_nhl_schedule(), *22*, *24*, *26, 27*, *29, 30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74, 75*, *77*, *79*, *81*, *83*, *85*, *87, 88*, *90*, *92*, *94*, *96*, *98*, *100*, *102, 103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149*, *151, 152*, *157, 158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174*, *176, 177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *233–235*, *237, 238*, *240*, *242, 243*

espn_nhl_scoreboard, 155

espn_nhl_scoreboard(), *22*, *24*, *26, 27*, *29, 30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74, 75*, *77*, *79*, *81*, *83*, *85*, *87, 88*, *90*, *92*, *94*, *96*, *98*, *100*, *102, 103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149*, *151, 152*, *154*, *158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174*, *176, 177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *233*, *235*, *237, 238*, *240*, *242, 243*

espn_nhl_season_athletes, 159

espn_nhl_season_athletes(), *22*, *24*, *26, 27*, *29, 30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74, 75*, *77*, *79*, *81*, *83*, *85*, *87, 88*, *90*, *92*, *94*, *96*, *98*, *100*, *102, 103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149*, *151, 152*, *154*, *157, 158*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174*, *176, 177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199*, *200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *225*, *226*, *228, 229*, *231*, *233*, *235*, *237, 238*, *240*, *242, 243*

espn_nhl_season_awards, 161

espn_nhl_season_awards(), *22*, *24*, *26, 27*, *29, 30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74, 75*, *77*, *79*, *81*, *83*, *85*, *87, 88*, *90*, *92*, *94*, *96*, *98*, *100*, *102, 103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149*, *151, 152*, *154*, *157, 158*, *160*, *163*, *165*, *167, 168*, *170*, *172*, *174*, *176, 177*, *179*, *181*, *183, 184*, *186*, *188*, *190*, *192, 193*, *195*, *197*, *199, 200*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *233*, *235*, *237, 238*, *240*, *242, 243*

espn_nhl_season_coaches, 162

espn_nhl_season_coaches(), *22*, *24*, *26, 27*, *29, 30*, *32, 33*, *35*, *37, 38*, *40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74, 75*, *77*, *79*, *81*, *83*, *85*, *87, 88*, *90*, *92*, *94*, *96*, *98*, *100*, *102, 103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132, 133*, *135*, *137, 138*, *140*, *142*, *144*, *146, 147*, *149*, *151, 152*, *154*, *157, 158*, *160*, *162*, *165*, *167, 168*, *170*, *172*, *174*, *176, 177*, *179*, *181*, *183*, *185, 186*, *188*, *190*, *192, 193*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *208, 209*, *211*, *213*, *215*, *217*, *219*, *221*, *223*, *225, 226*,

228, 229, 231, 233, 235, 237, 238, 240, 242, 243
espn_nhl_season_draft, 164
espn_nhl_season_draft(), 22, 24, 26, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 167, 168, 170, 172, 174, 176, 177, 179, 181, 183, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243
espn_nhl_season_draft_round_picks, 165
espn_nhl_season_draft_round_picks(), 22, 24, 26, 27, 29, 30, 32, 33, 35, 37, 38, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 88, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 168, 170, 172, 174, 176, 177, 179, 181, 183, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 202, 204, 206, 208, 209, 211, 213, 215, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243
espn_nhl_season_freeagents, 167
espn_nhl_season_freeagents(), 22, 24, 26, 27, 29, 30, 32, 33, 35, 37, 39, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 89, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 170, 172, 174, 176, 177, 179, 181, 183, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 202, 204, 206, 208, 209, 211, 213, 216, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243
espn_nhl_season_futures, 169
espn_nhl_season_futures(), 22, 24, 26, 27, 29, 30, 32, 33, 35, 37, 39, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 89, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 172, 174, 176, 177, 179, 181, 183, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 202, 204, 206, 208, 209, 211, 213, 216, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243
espn_nhl_season_group, 171
espn_nhl_season_group(), 22, 24, 26, 27, 29, 30, 32, 33, 35, 37, 39, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 89, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 174, 176, 177, 179, 181, 183, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 202, 204, 206, 208, 209, 211, 213, 216, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243
espn_nhl_season_group_children, 174
espn_nhl_season_group_children(), 22, 24, 26, 27, 29, 30, 32, 34, 35, 37, 39, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55,

57, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *168*, *170*, *172*, *174*, *177*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *235*, *237*, *238*, *240*, *242*, *243*

espn_nhl_season_group_teams, 176

espn_nhl_season_group_teams(), *22*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *168*, *170*, *172*, *174*, *176*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *235*, *237*, *238*, *240*, *242*, *243*

espn_nhl_season_groups, 173

espn_nhl_season_groups(), *22*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *168*, *170*, *172*, *176*, *177*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *235*, *237*, *238*, *240*, *242*, *243*

espn_nhl_season_info, 178

espn_nhl_season_info(), *22*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *168*, *170*, *172*, *174*, *176*, *177*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *235*, *237*, *238*, *240*, *242*, *243*

espn_nhl_season_players, 180

espn_nhl_season_players(), *22*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *168*, *170*, *172*, *174*, *176*, *177*, *179*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *235*, *237*, *238*, *240*, *242*, *243*

espn_nhl_season_pointer, 182

espn_nhl_season_pointer(), *22*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *75*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *133*, *135*, *137*, *138*, *140*, *142*, *144*, *146*, *147*, *149*,

151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 176, 177, 179, 181, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 202, 204, 206, 208, 209, 211, 213, 216, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243

espn_nhl_season_powerindex, 183

espn_nhl_season_powerindex(), 22, 24, 26, 27, 29, 30, 32, 34, 35, 37, 39, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 89, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 138, 140, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 176, 177, 179, 181, 183, 186, 188, 190, 192, 193, 195, 197, 199, 201, 202, 204, 206, 208, 209, 211, 213, 216, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243

espn_nhl_season_powerindex_leaders, 185

espn_nhl_season_powerindex_leaders(), 22, 24, 26, 27, 29, 30, 32, 34, 35, 37, 39, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 89, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 139, 140, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 176, 177, 179, 181, 183, 185, 188, 190, 192, 193, 195, 197, 199, 201, 202, 204, 206, 208, 209, 211, 213, 216, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243

espn_nhl_season_team, 187

espn_nhl_season_team(), 22, 24, 26, 27, 29, 30, 32, 34, 35, 37, 39, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 89, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 139, 140, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 176, 177, 179, 181, 183, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 202, 204, 206, 208, 209, 211, 213, 216, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243

espn_nhl_season_teams, 189

espn_nhl_season_teams(), 22, 24, 26, 27, 29, 30, 32, 34, 35, 37, 39, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 75, 77, 79, 81, 83, 85, 87, 89, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 139, 140, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 176, 177, 179, 181, 183, 185, 186, 188, 192, 193, 195, 197, 199, 201, 202, 204, 206, 208, 209, 211, 213, 216, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 235, 237, 238, 240, 242, 243

espn_nhl_season_type, 190

espn_nhl_season_type(), 22, 24, 26, 27, 29, 30, 32, 34, 35, 37, 39, 40, 42, 43, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 76, 77, 79, 81, 83, 85, 87, 89, 90, 92, 94, 96, 98, 100, 102, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 133, 135, 137, 139, 140, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 168, 170, 172, 174, 176, 178, 179, 181, 183, 185, 186, 188, 190, 193, 195, 197, 199, 201, 202, 204, 206, 208, 209, 211, 213,

216, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *235*, *237*, *238*, *240*, *242*, *243*

espn_nhl_season_type_corrections, 194

espn_nhl_season_type_corrections(), *22*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *133*, *135*, *137*, *139*, *140*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *168*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *197*, *199*, *201*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *235*, *237*, *238*, *240*, *242*, *243*

espn_nhl_season_type_leaders, 196

espn_nhl_season_type_leaders(), *22*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100–103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *133*, *135*, *137*, *139*, *140*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *168*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *199*, *201*, *202*, *204*, *206*, *208*, *209*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *235*, *237*, *238*, *240*, *242*, *243*

espn_nhl_season_types, 192

espn_nhl_season_types(), *22*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *133*, *135*, *137*, *139*, *140*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *168*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *195*, *197*, *199*, *201*, *203*, *204*, *206*, *208*, *209*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *235*, *237*, *238*, *240*, *242*, *243*

espn_nhl_season_week, 197

espn_nhl_season_week(), *22*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *133*, *135*, *137*, *139*, *140*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *168*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *201*, *203*, *204*, *206*, *208*, *209*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *235*, *237*, *238*, *240*, *242*, *243*

espn_nhl_season_week_games, 201

espn_nhl_season_week_games(), *22*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *133*, *135*, *137*, *139*, *140*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *168*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *204*, *206*, *208*, *209*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *235*, *237*, *238*, *240*, *242*, *243*

espn_nhl_season_weeks, 199

espn_nhl_season_weeks(), *22*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*,

45, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74*, *76, 77*, *79*, *81*, *83*, *85*, *87*, *89, 90*, *92*, *94*, *96*, *98*, *100*, *102, 103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132, 133*, *135*, *137*, *139, 140*, *142*, *144*, *146, 147*, *149*, *151, 152*, *154*, *157, 158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174*, *176*, *178, 179*, *181*, *183*, *185, 186*, *188*, *190*, *192, 193*, *195*, *197*, *199*, *203, 204*, *206*, *208, 209*, *211*, *213*, *216, 217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *233*, *235*, *237, 238*, *240*, *242, 243*

espn_nhl_seasons, 157

espn_nhl_seasons(), *22*, *24*, *26, 27*, *29, 30*, *32*, *34, 35*, *37*, *39, 40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74*, *76, 77*, *79*, *81*, *83*, *85*, *87*, *89, 90*, *92*, *94*, *96*, *98*, *100*, *102, 103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132*, *134, 135*, *137*, *139*, *141, 142*, *144*, *146, 147*, *149*, *151, 152*, *154*, *157*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174*, *176*, *178, 179*, *181*, *183*, *185, 186*, *188*, *190*, *192, 193*, *195*, *197*, *199*, *201*, *203, 204*, *206*, *208, 209*, *211*, *213*, *216, 217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *233*, *236–238*, *240*, *242, 243*

espn_nhl_standings, 203

espn_nhl_standings(), *22*, *24*, *26, 27*, *29, 30*, *32*, *34, 35*, *37*, *39, 40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74*, *76, 77*, *79*, *81*, *83*, *85*, *87*, *89, 90*, *92*, *94*, *96*, *98*, *100*, *102, 103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132*, *134, 135*, *137*, *139*, *141, 142*, *144*, *146, 147*, *149*, *151, 152*, *154*, *157, 158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174*, *176*, *178, 179*, *181*, *183*, *185, 186*, *188*, *190*, *192, 193*, *195*, *197*, *199*, *201*, *203*, *206*, *208, 209*, *211*, *213*, *216, 217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *233*, *236–238*, *240*, *242, 243*

espn_nhl_standings_core, 205

espn_nhl_standings_core(), *22*, *24*, *26, 27*, *29, 30*, *32*, *34, 35*, *37*, *39, 40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74*, *76, 77*, *79*, *81*, *83*, *85*, *87*, *89, 90*, *92*, *94*, *96*, *98*, *100*, *102, 103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132*, *134, 135*, *137*, *139*, *141, 142*, *144*, *146, 147*, *149*, *151, 152*, *154*, *157, 158*, *160*, *162, 163*, *165*, *167, 168*, *170*, *172*, *174*, *176*, *178, 179*, *181*, *183*, *185, 186*, *188*, *190*, *192, 193*, *195*, *197*, *199*, *201*, *203, 204*, *208, 209*, *211*, *213*, *216, 217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *233*, *236–238*, *240*, *242, 243*

espn_nhl_statistics_league, 207

espn_nhl_statistics_league(), *22*, *24*, *26, 27*, *29, 30*, *32*, *34, 35*, *37*, *39, 40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74*, *76, 77*, *79*, *81*, *83*, *85*, *87*, *89, 90*, *92*, *94*, *96*, *98*, *100*, *102, 103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132*, *134, 135*, *137*, *139*, *141, 142*, *144*, *146, 147*, *149*, *151, 152*, *154*, *157, 158*, *160*, *162, 163*, *165*, *167*, *169, 170*, *172*, *174*, *176*, *178, 179*, *181*, *183*, *185, 186*, *188*, *190*, *192, 193*, *195*, *197*, *199*, *201*, *203, 204*, *206*, *209*, *211*, *213*, *216, 217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *233*, *236–238*, *240*, *242, 243*

espn_nhl_summary, 208

espn_nhl_summary(), *23, 24*, *26, 27*, *29, 30*, *32*, *34, 35*, *37*, *39, 40*, *42, 43*, *45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74*, *76, 77*, *79*, *81*, *83*, *85*, *87*, *89, 90*, *92*, *94*, *96*, *98*, *100*, *102, 103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132*, *134, 135*, *137*, *139*,

141, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *169*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *203*, *204*, *206*, *208*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *236–238*, *240*, *242*, *243*

espn_nhl_talentpicks, 210

espn_nhl_talentpicks(), *23*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *134*, *135*, *137*, *139*, *141*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *169*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *203*, *204*, *206*, *208*, *210*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *236–238*, *240*, *242*, *243*

espn_nhl_team, 211

espn_nhl_team(), *23*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *134*, *135*, *137*, *139*, *141*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *169*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *203*, *204*, *206*, *208*, *210*, *211*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *236–238*, *240*, *242*, *243*

espn_nhl_team_box, 218

espn_nhl_team_box(), *23*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *134*, *135*, *137*, *139*, *141*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *169*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *203*, *204*, *206*, *208–211*, *213*, *216*, *217*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *236–238*, *240*, *242*, *243*

espn_nhl_team_core, 220

espn_nhl_team_core(), *23*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *43*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *103*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *134*, *135*, *137*, *139*, *141*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *169*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *203*, *204*, *206*, *208*, *210*, *211*, *213*, *216*, *217*, *219*, *221*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *236–238*, *240*, *242*, *243*

espn_nhl_team_depthcharts, 222

espn_nhl_team_depthcharts(), *23*, *24*, *26*, *27*, *29*, *30*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *44*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *90*, *92*, *94*, *96*, *98*, *100*, *102*, *104*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *124*, *127*, *129*, *130*, *132*, *134*, *136*, *137*, *139*, *141*, *142*, *144*, *146*, *147*, *149*, *151*, *152*, *154*, *157*, *158*, *160*, *162*, *163*, *165*, *167*, *169*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *193*, *195*, *197*, *199*, *201*, *203*, *204*, *206*, *208*, *210*, *211*, *213*, *216*, *217*, *219*, *221*, *225*, *226*, *228*, *229*, *231*, *233*, *236–238*,

240, 242, 243
espn_nhl_team_history, 224
espn_nhl_team_history(), 23, 24, 26, 27, 29, 30, 32, 34, 35, 37, 39, 40, 42, 44, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 76, 77, 79, 81, 83, 85, 87, 89, 90, 92, 94, 96, 98, 100, 102, 104, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 134, 136, 137, 139, 141, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 169, 170, 172, 174, 176, 178, 179, 181, 183, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 203, 204, 206, 208, 210, 211, 213, 216, 217, 219, 221, 223, 226, 228, 229, 231, 233, 236–238, 240, 242, 243
espn_nhl_team_injuries, 225
espn_nhl_team_injuries(), 23, 24, 26, 27, 29, 30, 32, 34, 35, 37, 39, 40, 42, 44, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 76, 77, 79, 81, 83, 85, 87, 89, 90, 92, 94, 96, 98, 100, 102, 104, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 134, 136, 137, 139, 141, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 169, 170, 172, 174, 176, 178, 179, 181, 183, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 203, 204, 206, 208, 210, 211, 213, 216, 217, 219, 221, 223, 225, 226, 228, 229, 231, 233, 236–238, 240, 242, 243
espn_nhl_team_leaders, 227
espn_nhl_team_leaders(), 23, 24, 26, 27, 29, 30, 32, 34, 35, 37, 39, 40, 42, 44, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 76, 77, 79, 81, 83, 85, 87, 89, 90, 92, 94, 96, 98, 100, 102, 104, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 134, 136, 137, 139, 141, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 169, 170, 172, 174, 176, 178, 179, 181, 183, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 203, 204, 206, 208, 210, 211, 213, 216, 217, 219, 221, 223, 225, 226, 229, 231, 233, 236–238, 240, 242, 243
espn_nhl_team_news, 228
espn_nhl_team_news(), 23, 24, 26, 27, 29, 31, 32, 34, 35, 37, 39, 40, 42, 44, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 76, 77, 79, 81, 83, 85, 87, 89, 91, 92, 94, 96, 98, 100, 102, 104, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 134, 136, 137, 139, 141, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 169, 170, 172, 174, 176, 178, 179, 181, 183, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 203, 204, 206, 208, 210, 211, 213, 216, 217, 219, 221, 223, 225, 226, 228, 231, 233, 236, 237, 239, 240, 242, 243
espn_nhl_team_record, 230
espn_nhl_team_record(), 23, 24, 26, 27, 29, 31, 32, 34, 35, 37, 39, 40, 42, 44, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 76, 77, 79, 81, 83, 85, 87, 89, 91, 92, 94, 96, 98, 100, 102, 104, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 124, 127, 129, 130, 132, 134, 136, 137, 139, 141, 142, 144, 146, 147, 149, 151, 152, 154, 157, 158, 160, 162, 163, 165, 167, 169, 170, 172, 174, 176, 178, 179, 181, 183, 185, 186, 188, 190, 192, 193, 195, 197, 199, 201, 203, 204, 206, 208, 210, 211, 213, 216, 217, 219, 221, 223, 225, 226, 228, 229, 233, 236, 237, 239, 240, 242, 243
espn_nhl_team_roster, 231
espn_nhl_team_roster(), 23, 24, 26, 27, 29, 31, 32, 34, 35, 37, 39, 40, 42, 44, 45, 47, 48, 50, 52, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 72, 74, 76, 77, 79, 81,

83, *85*, *87*, *89*, *91, 92*, *94*, *96*, *98*, *100*, *102*, *104, 105*, *107*, *109*, *111*, *113*, *115*, *117–119*, *121*, *123–125*, *127*, *129–132*, *134*, *136, 137*, *139*, *141, 142*, *144*, *146*, *148, 149*, *151, 152*, *155*, *157, 158*, *160*, *162*, *164, 165*, *167*, *169, 170*, *172*, *174*, *176*, *178, 179*, *181*, *183*, *185, 186*, *188*, *190*, *192, 193*, *195*, *197*, *199*, *201*, *203, 204*, *206*, *208*, *210, 211*, *213*, *216, 217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *236, 237*, *239, 240*, *242, 243*

espn_nhl_team_schedule, 234

espn_nhl_team_schedule(), *23, 24*, *26, 27*, *29*, *31, 32*, *34, 35*, *37*, *39, 40*, *42*, *44, 45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74*, *76, 77*, *79*, *81*, *83*, *85*, *87*, *89*, *91, 92*, *94*, *96*, *98*, *100*, *102*, *104, 105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123, 124*, *127*, *129, 130*, *132*, *134*, *136, 137*, *139*, *141, 142*, *144*, *146*, *148, 149*, *151, 152*, *155*, *157, 158*, *160*, *162*, *164, 165*, *167*, *169, 170*, *172*, *174*, *176*, *178, 179*, *181*, *183*, *185, 186*, *188*, *190*, *192, 193*, *195*, *197*, *199*, *201*, *203, 204*, *206*, *208*, *210, 211*, *213*, *216, 217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *233*, *237*, *239, 240*, *242, 243*

espn_nhl_team_transactions, 236

espn_nhl_team_transactions(), *23, 24*, *26, 27*, *29*, *31, 32*, *34, 35*, *37*, *39, 40*, *42*, *44, 45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74*, *76, 77*, *79*, *81*, *83*, *85*, *87*, *89*, *91, 92*, *94*, *96*, *98*, *100*, *102*, *104, 105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *125*, *127*, *129, 130*, *132*, *134*, *136, 137*, *139*, *141, 142*, *144*, *146*, *148, 149*, *151, 152*, *155*, *157*, *159, 160*, *162*, *164, 165*, *167*, *169, 170*, *172*, *174*, *176*, *178, 179*, *181*, *183*, *185, 186*, *188*, *190*, *192, 194, 195*, *197*, *199*, *201*, *203, 204*, *206*, *208*, *210, 211*, *213*, *216, 217*, *219*, *221*, *223*, *225, 226*, *228, 229*, *231*, *233*, *236*, *239, 240*, *242*, *244*

espn_nhl_teams, 213

espn_nhl_teams(), *216, 217*

espn_nhl_teams_core, 214

espn_nhl_teams_core(), *23, 24*, *26, 27*, *29*, *31, 32*, *34, 35*, *37*, *39, 40*, *42*, *44, 45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74*, *76, 77*, *79*, *81*, *83*, *85*, *87*, *89*, *91, 92*, *94*, *96*, *98*, *100*, *102*, *104, 105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *125*, *127*, *129, 130*, *132*, *134*, *136, 137*, *139*, *141, 142*, *144*, *146*, *148, 149*, *151, 152*, *155*, *157*, *159, 160*, *162*, *164, 165*, *167*, *169, 170*, *172*, *174*, *176*, *178, 179*, *181*, *183*, *185, 186*, *188*, *190*, *192*, *194, 195*, *197*, *199*, *201*, *203, 204*, *206*, *208*, *210, 211*, *213*, *217*, *219*, *222, 223*, *225, 226*, *228, 229*, *231*, *233*, *236, 237*, *239, 240*, *242*, *244*

espn_nhl_teams_site, 216

espn_nhl_teams_site(), *23, 24*, *26, 27*, *29*, *31, 32*, *34, 35*, *37*, *39, 40*, *42*, *44, 45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74*, *76, 77*, *79*, *81*, *83*, *85*, *87*, *89*, *91, 92*, *94*, *96*, *98*, *100*, *102*, *104, 105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *125*, *127*, *129, 130*, *132*, *134*, *136, 137*, *139*, *141, 142*, *144*, *146*, *148, 149*, *151, 152*, *155*, *157*, *159, 160*, *162*, *164, 165*, *167*, *169, 170*, *172*, *174*, *176*, *178, 179*, *181*, *183*, *185, 186*, *188*, *190*, *192*, *194, 195*, *197*, *199*, *201*, *203, 204*, *206*, *208*, *210, 211*, *213*, *216*, *219*, *222, 223*, *225, 226*, *228, 229*, *231*, *233*, *236, 237*, *239, 240*, *242*, *244*

espn_nhl_tournaments, 237

espn_nhl_tournaments(), *23, 24*, *26, 27*, *29*, *31, 32*, *34, 35*, *37*, *39, 40*, *42*, *44, 45*, *47, 48*, *50*, *52, 53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71, 72*, *74*, *76, 77*, *79*, *81*, *83*, *85*, *87*, *89*, *91, 92*, *94*, *96*, *98*, *100*, *102*, *104, 105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *125*, *127*, *129, 130*, *132*, *134*, *136, 137*,

139, *141*, *142*, *144*, *146*, *148*, *149*, *151*, *152*, *155*, *157*, *159*, *160*, *162*, *164*, *165*, *167*, *169*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *203*, *204*, *206*, *208*, *210*, *211*, *213*, *216*, *217*, *219*, *222*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *236*, *237*, *240*, *242*, *244*

espn_nhl_transactions, 239

espn_nhl_transactions(), *23*, *24*, *26*, *27*, *29*, *31*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *44*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *91*, *92*, *94*, *96*, *98*, *100*, *102*, *104*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *125*, *127*, *129*, *130*, *132*, *134*, *136*, *137*, *139*, *141*, *142*, *144*, *146*, *148*, *149*, *151*, *152*, *155*, *157*, *159*, *160*, *162*, *164*, *165*, *167*, *169*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *203*, *204*, *206*, *208*, *210*, *211*, *213*, *216*, *217*, *219*, *222*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *236*, *237*, *239*, *240*, *242*, *244*

espn_nhl_venue, 240

espn_nhl_venue(), *23*, *24*, *26*, *27*, *29*, *31*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *44*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *91*, *92*, *94*, *96*, *98*, *100*, *102*, *104*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *125*, *127*, *129*, *130*, *132*, *134*, *136*, *137*, *139*, *141*, *142*, *144*, *146*, *148*, *149*, *151*, *152*, *155*, *157*, *159*, *160*, *162*, *164*, *165*, *167*, *169*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *203*, *204*, *206*, *208*, *210*, *211*, *213*, *216*, *217*, *219*, *222*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *236*, *237*, *239*, *240*, *244*

espn_nhl_venues, 242

espn_nhl_venues(), *23*, *24*, *26*, *27*, *29*, *31*, *32*, *34*, *35*, *37*, *39*, *40*, *42*, *44*, *45*, *47*, *48*, *50*, *52*, *53*, *55*, *57*, *59*, *61*, *63*, *65*, *67*, *69*, *71*, *72*, *74*, *76*, *77*, *79*, *81*, *83*, *85*, *87*, *89*, *91*, *92*, *94*, *96*, *98*, *100*, *102*, *104*, *105*, *107*, *109*, *111*, *113*, *115*, *117*, *119*, *121*, *123*, *125*, *127*, *129*, *130*, *132*, *134*, *136*, *137*, *139*, *141*, *142*, *144*, *146*, *148*, *149*, *151*, *152*, *155*, *157*, *159*, *160*, *162*, *164*, *165*, *167*, *169*, *170*, *172*, *174*, *176*, *178*, *179*, *181*, *183*, *185*, *186*, *188*, *190*, *192*, *194*, *195*, *197*, *199*, *201*, *203*, *204*, *206*, *208*, *210*, *211*, *213*, *216*, *217*, *219*, *222*, *223*, *225*, *226*, *228*, *229*, *231*, *233*, *236*, *237*, *239*, *240*, *242*

fastRhockey_xg *(*nhl_xg*)*, 464

fox_nhl_boxscore, 244

fox_nhl_league_leaders, 244

fox_nhl_odds, 245

fox_nhl_pbp, 246

fox_nhl_standings, 246

fox_nhl_team_gamelog, 247

fox_nhl_team_roster, 247

fox_nhl_team_stats, 248

helper_nhl_calculate_xg, 248

helper_nhl_calculate_xg(), *464*

load_nhl *(*nhl_loaders*)*, 379

load_nhl_game_info, 249

load_nhl_game_info(), *380*

load_nhl_game_rosters, 250

load_nhl_game_rosters(), *380*

load_nhl_goalie_box, 251

load_nhl_goalie_box(), *252*, *253*, *380*

load_nhl_goalie_boxscores, 252

load_nhl_goalie_boxscores(), *258*, *263*, *264*, *267*, *274*, *276*, *277*

load_nhl_linescore, 253

load_nhl_linescore(), *380*

load_nhl_officials, 254

load_nhl_officials(), *380*

load_nhl_pbp, 255

load_nhl_pbp(), *258*, *259*, *380*

load_nhl_pbp_full, 258

load_nhl_pbp_full(), *253*, *263*, *264*, *267*, *274*, *276*, *277*

load_nhl_pbp_lite, 259

load_nhl_pbp_lite(), *258*, *380*
load_nhl_penalties, 260
load_nhl_penalties(), *380*
load_nhl_player_box, 261
load_nhl_player_box(), *263*, *264*, *380*
load_nhl_player_boxscore, 263
load_nhl_player_boxscore(), *253*, *258*, *264*, *267*, *274*, *276*, *277*
load_nhl_player_boxscores, 263
load_nhl_player_boxscores(), *253*, *258*, *263*, *267*, *274*, *276*, *277*
load_nhl_rosters, 264
load_nhl_rosters(), *380*
load_nhl_schedule, 265
load_nhl_schedule(), *266*, *267*, *380*
load_nhl_schedules, 266
load_nhl_schedules(), *253*, *258*, *263*, *264*, *274*, *276*, *277*
load_nhl_scoring, 267
load_nhl_scoring(), *380*
load_nhl_scratches, 268
load_nhl_scratches(), *380*
load_nhl_shifts, 269
load_nhl_shifts(), *380*
load_nhl_shootout, 270
load_nhl_shootout(), *380*
load_nhl_shots_by_period, 271
load_nhl_shots_by_period(), *380*
load_nhl_skater_box, 273
load_nhl_skater_box(), *274*, *380*
load_nhl_skater_boxscores, 274
load_nhl_skater_boxscores(), *253*, *258*, *263*, *264*, *267*, *276*, *277*
load_nhl_team_box, 275
load_nhl_team_box(), *276*, *277*, *380*
load_nhl_team_boxscore, 276
load_nhl_team_boxscore(), *253*, *258*, *263*, *264*, *267*, *274*, *277*
load_nhl_team_boxscores, 277
load_nhl_team_boxscores(), *253*, *258*, *263*, *264*, *267*, *274*, *276*
load_nhl_three_stars, 277
load_nhl_three_stars(), *380*
load_phf_pbp, 279
load_phf_player_box, 280
load_phf_rosters, 281
load_phf_schedule, 282
load_phf_team_box, 283
load_pwhl *(*pwhl_loaders*)*, 492
load_pwhl_game_info, 284
load_pwhl_game_info(), *493*
load_pwhl_game_rosters, 285
load_pwhl_game_rosters(), *493*
load_pwhl_goalie_box, 286
load_pwhl_goalie_box(), *287*, *288*, *493*
load_pwhl_goalie_boxscores, 287
load_pwhl_goalie_boxscores(), *295*, *298*, *300*, *304*, *306*, *308*
load_pwhl_officials, 288
load_pwhl_officials(), *493*
load_pwhl_pbp, 289
load_pwhl_pbp(), *492*
load_pwhl_penalty_summary, 292
load_pwhl_penalty_summary(), *493*
load_pwhl_player_box, 293
load_pwhl_player_box(), *294*, *295*, *493*
load_pwhl_player_boxscores, 294
load_pwhl_player_boxscores(), *288*, *298*, *300*, *304*, *306*, *308*
load_pwhl_rosters, 295
load_pwhl_rosters(), *285*, *493*
load_pwhl_schedule, 296
load_pwhl_schedule(), *297*, *298*, *493*
load_pwhl_schedules, 297
load_pwhl_schedules(), *288*, *295*, *300*, *304*, *306*, *308*
load_pwhl_scoring_summary, 298
load_pwhl_scoring_summary(), *493*
load_pwhl_shifts, 300
load_pwhl_shifts(), *288*, *295*, *298*, *304*, *306*, *308*
load_pwhl_shootout, 301
load_pwhl_shootout(), *493*
load_pwhl_shots_by_period, 302
load_pwhl_shots_by_period(), *493*
load_pwhl_skater_box, 303
load_pwhl_skater_box(), *304*, *493*
load_pwhl_skater_boxscores, 304
load_pwhl_skater_boxscores(), *288*, *295*, *298*, *300*, *306*, *308*
load_pwhl_team_box, 305
load_pwhl_team_box(), *306*, *493*
load_pwhl_team_boxscores, 306
load_pwhl_team_boxscores(), *288*, *295*, *298*, *300*, *304*, *308*
load_pwhl_three_stars, 307

load_pwhl_three_stars(), *493*
load_pwhl_xg_pbp, 308
load_pwhl_xg_pbp(), *288*, *295*, *298*, *300*, *304*, *306*

most_recent_ahl_season, 309
most_recent_ahl_season(), *11–19*
most_recent_nhl_season, 309
most_recent_nhl_season(), *316*, *425*
most_recent_nhl_season_api_param, 310
most_recent_ohl_season, 310
most_recent_ohl_season(), *465–473*
most_recent_phf_season, 311
most_recent_pwhl_season, 311
most_recent_pwhl_season(), *485*
most_recent_qmjhl_season, 312
most_recent_qmjhl_season(), *514–522*
most_recent_whl_season, 312
most_recent_whl_season(), *527–535*

nhl *(*update_nhl_db*)*, 523
nhl_all_players_by_season, 313
nhl_all_players_by_season(), *461*
nhl_cat_edge *(*nhl_edge*)*, 329
nhl_cat_edge_goalie_detail, 314
nhl_cat_edge_goalie_detail(), *330*
nhl_cat_edge_skater_detail, 315
nhl_cat_edge_skater_detail(), *329*
nhl_club_schedule, 315
nhl_club_schedule(), *371*, *372*, *460*
nhl_club_stats_season, 318
nhl_conferences, 319
nhl_conferences(), *461*
nhl_conferences_info, 319
nhl_conferences_info(), *461*
nhl_db *(*update_nhl_db*)*, 523
nhl_divisions, 321
nhl_divisions(), *461*
nhl_divisions_info, 322
nhl_divisions_info(), *461*
nhl_draft, 323
nhl_draft(), *327*
nhl_draft_prospects, 324
nhl_draft_prospects_info, 325
nhl_draft_rankings, 326
nhl_draft_tracker, 327
nhl_draft_year, 328
nhl_edge, 329
nhl_edge_goalie *(*nhl_edge*)*, 329
nhl_edge_goalie_5v5_detail, 330
nhl_edge_goalie_5v5_detail(), *330*
nhl_edge_goalie_5v5_top_10, 331
nhl_edge_goalie_5v5_top_10(), *330*
nhl_edge_goalie_comparison, 332
nhl_edge_goalie_comparison(), *330*
nhl_edge_goalie_detail, 333
nhl_edge_goalie_detail(), *330*
nhl_edge_goalie_edge_save_pctg_top_10, 334
nhl_edge_goalie_edge_save_pctg_top_10(), *330*
nhl_edge_goalie_landing, 334
nhl_edge_goalie_landing(), *330*
nhl_edge_goalie_save_percentage_detail, 335
nhl_edge_goalie_save_percentage_detail(), *330*
nhl_edge_goalie_shot_location_detail, 336
nhl_edge_goalie_shot_location_detail(), *330*
nhl_edge_goalie_shot_location_top_10, 337
nhl_edge_goalie_shot_location_top_10(), *330*
nhl_edge_skater *(*nhl_edge*)*, 329
nhl_edge_skater_comparison, 338
nhl_edge_skater_comparison(), *329*
nhl_edge_skater_detail, 339
nhl_edge_skater_detail(), *329*
nhl_edge_skater_distance_top_10, 340
nhl_edge_skater_distance_top_10(), *329*
nhl_edge_skater_landing, 342
nhl_edge_skater_landing(), *329*
nhl_edge_skater_shot_location_detail, 343
nhl_edge_skater_shot_location_detail(), *329*
nhl_edge_skater_shot_location_top_10, 344
nhl_edge_skater_shot_location_top_10(), *329*
nhl_edge_skater_shot_speed_detail, 345
nhl_edge_skater_shot_speed_detail(), *329*
nhl_edge_skater_shot_speed_top_10, 346
nhl_edge_skater_shot_speed_top_10(),

329
nhl_edge_skater_skating_distance_detail, 347
nhl_edge_skater_skating_distance_detail(), *329*
nhl_edge_skater_skating_speed_detail, 348
nhl_edge_skater_skating_speed_detail(), *329*
nhl_edge_skater_speed_top_10, 350
nhl_edge_skater_speed_top_10(), *329*
nhl_edge_skater_zone_time, 350
nhl_edge_skater_zone_time(), *329*
nhl_edge_skater_zone_time_top_10, 351
nhl_edge_skater_zone_time_top_10(), *329*
nhl_edge_team *(*nhl_edge*)*, 329
nhl_edge_team_detail, 352
nhl_edge_team_detail(), *330*
nhl_edge_team_landing, 353
nhl_edge_team_landing(), *330*
nhl_edge_team_shot_location_detail, 354
nhl_edge_team_shot_location_detail(), *330*
nhl_edge_team_shot_location_top_10, 355
nhl_edge_team_shot_location_top_10(), *330*
nhl_edge_team_shot_speed_detail, 356
nhl_edge_team_shot_speed_detail(), *330*
nhl_edge_team_skating_distance_detail, 357
nhl_edge_team_skating_distance_detail(), *330*
nhl_edge_team_skating_distance_top_10, 358
nhl_edge_team_skating_distance_top_10(), *330*
nhl_edge_team_skating_speed_detail, 360
nhl_edge_team_skating_speed_detail(), *330*
nhl_edge_team_skating_speed_top_10, 361
nhl_edge_team_skating_speed_top_10(), *330*
nhl_edge_team_zone_time_details, 362
nhl_edge_team_zone_time_details(), *330*
nhl_edge_team_zone_time_top_10, 363
nhl_edge_team_zone_time_top_10(), *330*
nhl_game *(*nhl_web*)*, 460
nhl_game_boxscore, 366
nhl_game_boxscore(), *460*
nhl_game_content, 369
nhl_game_content(), *460*
nhl_game_feed, *249*, 370
nhl_game_feed(), *460*
nhl_game_ids_by_season, 371
nhl_game_ids_by_season(), *461*
nhl_game_pbp, *249*, 372
nhl_game_pbp(), *370*, *462*
nhl_game_shifts, 375
nhl_game_shifts(), *460*
nhl_game_story, 376
nhl_game_story(), *460*, *462*
nhl_gamecenter_landing, 364
nhl_gamecenter_landing(), *460*
nhl_gamecenter_right_rail, 365
nhl_goalie_stats_leaders, 377
nhl_goalie_summary_range, 378
nhl_goalie_summary_range(), *461*
nhl_loaders, 379
nhl_location, 380
nhl_meta, 381
nhl_meta(), *461*
nhl_partner_game_odds, 382
nhl_pbp_db *(*update_nhl_db*)*, 523
nhl_player_career_stats, 382
nhl_player_family *(*nhl_web*)*, 460
nhl_player_game_log, 384
nhl_player_game_log(), *461*
nhl_player_info, 385
nhl_player_info(), *461*
nhl_player_spotlight, 386
nhl_player_spotlight(), *461*
nhl_player_stats, 387
nhl_playoff_bracket, 388
nhl_playoff_carousel, 389
nhl_playoff_carousel(), *460*
nhl_playoff_schedule, 390
nhl_playoff_schedule(), *461*
nhl_postal_lookup, 392
nhl_postal_lookup(), *461*
nhl_ppt_replay, 392
nhl_ppt_replay(), *460*

nhl_ppt_replay_goal, 393
nhl_ppt_replay_goal(), *460*
nhl_records, 394
nhl_records_attendance, 395
nhl_records_attendance(), *395*
nhl_records_award_details, 396
nhl_records_award_details(), *395*
nhl_records_combine, 397
nhl_records_combine(), *394*
nhl_records_draft, 398
nhl_records_draft(), *394*
nhl_records_draft_lottery_odds, 399
nhl_records_draft_lottery_odds(), *394*
nhl_records_draft_lottery_picks, 400
nhl_records_draft_lottery_picks(), *394*
nhl_records_draft_prospect, 400
nhl_records_draft_prospect(), *394*
nhl_records_franchise, 402
nhl_records_franchise(), *394*
nhl_records_franchise_detail, 403
nhl_records_franchise_detail(), *394*
nhl_records_franchise_playoff_appearances, 404
nhl_records_franchise_playoff_appearances(), *394*
nhl_records_franchise_season_results, 405
nhl_records_franchise_season_results(), *394*
nhl_records_franchise_team_totals, 406
nhl_records_franchise_team_totals(), *394*
nhl_records_franchise_totals, 408
nhl_records_franchise_totals(), *394*
nhl_records_goalie *(*nhl_records*)*, 394
nhl_records_goalie_career_stats, 409
nhl_records_goalie_career_stats(), *394*
nhl_records_goalie_season_stats, 410
nhl_records_goalie_season_stats(), *394*
nhl_records_goalie_shutout_streak, 412
nhl_records_goalie_shutout_streak(), *394*
nhl_records_hof_players, 413
nhl_records_hof_players(), *395*
nhl_records_officials, 414
nhl_records_officials(), *395*
nhl_records_player, 415
nhl_records_player(), *394*
nhl_records_player_byteam, 417
nhl_records_player_byteam(), *394*
nhl_records_player_stats, 419
nhl_records_player_stats(), *394*
nhl_records_skater *(*nhl_records*)*, 394
nhl_records_skater_real_time_stats_career, 420
nhl_records_skater_real_time_stats_career(), *394*
nhl_records_skater_real_time_stats_season, 421
nhl_records_skater_real_time_stats_season(), *394*
nhl_records_trophy, 422
nhl_records_trophy(), *395*
nhl_records_venue, 423
nhl_records_venue(), *395*
nhl_roster_season, 424
nhl_roster_season(), *461*
nhl_schedule, 424
nhl_schedule(), *460*
nhl_schedule_calendar, 426
nhl_schedule_calendar(), *460*
nhl_schedule_family *(*nhl_web*)*, 460
nhl_scoreboard, 427
nhl_scoreboard(), *460*
nhl_scores, 427
nhl_scores(), *460*
nhl_seasons, 428
nhl_seasons(), *460*
nhl_skater_stats_leaders, 428
nhl_skater_summary_range, 430
nhl_skater_summary_range(), *461*
nhl_smartlinks, 431
nhl_smartlinks(), *461*
nhl_standings, 432
nhl_standings(), *460*
nhl_standings_season, 433
nhl_standings_season(), *460*
nhl_stats *(*nhl_stats_rest*)*, 444
nhl_stats_config, 434
nhl_stats_config(), *445*
nhl_stats_content_module, 434
nhl_stats_content_module(), *445*
nhl_stats_country, 435
nhl_stats_country(), *445*
nhl_stats_draft, 435
nhl_stats_draft(), *442*

nhl_stats_franchise, 436
nhl_stats_franchise(), *444*
nhl_stats_game_listing, 437
nhl_stats_game_listing(), *445*
nhl_stats_glossary, 438
nhl_stats_glossary(), *445*
nhl_stats_goalie_leaders, 440
nhl_stats_goalie_leaders(), *444*
nhl_stats_goalie_milestones, 441
nhl_stats_goalie_milestones(), *444*
nhl_stats_goalies, 439
nhl_stats_goalies(), *378*, *442*, *444*
nhl_stats_misc, 442
nhl_stats_misc(), *444*
nhl_stats_ping, 443
nhl_stats_ping(), *445*
nhl_stats_players, 443
nhl_stats_players(), *445*
nhl_stats_rest, 444
nhl_stats_seasons, 445
nhl_stats_seasons(), *442*
nhl_stats_skater_leaders, 447
nhl_stats_skater_leaders(), *444*
nhl_stats_skater_milestones, 448
nhl_stats_skater_milestones(), *444*
nhl_stats_skaters, 446
nhl_stats_skaters(), *430*, *442*, *444*
nhl_stats_team_listing, 450
nhl_stats_team_listing(), *445*
nhl_stats_teams, 449
nhl_stats_teams(), *442*, *444*, *450*, *458*
nhl_team_family *(*nhl_web*)*, 460
nhl_team_logos *(*data*)*, 20
nhl_team_prospects, 456
nhl_team_prospects(), *461*
nhl_team_scoreboard, 457
nhl_team_scoreboard(), *461*
nhl_team_summary_range, 458
nhl_team_summary_range(), *461*
nhl_teams, 451, *452*
nhl_teams(), *461*
nhl_teams_info, 452
nhl_teams_info(), *461*
nhl_teams_roster, 453
nhl_teams_roster(), *313*, *461*
nhl_teams_stats, 454
nhl_tv_schedule, 459
nhl_tv_schedule(), *460*
nhl_web, 460
nhl_where_to_watch, 462
nhl_where_to_watch(), *460*
nhl_wsc_pbp, 462
nhl_wsc_pbp(), *460*
nhl_xg, 464

ohl, *310*, *465*, 465, *466–473*
ohl_game_corsi, 465
ohl_game_corsi(), *310*, *465–473*
ohl_game_shifts, 466
ohl_game_shifts(), *310*, *465*, *467–473*
ohl_game_summary, 466
ohl_game_summary(), *310*, *465–473*
ohl_leaders, 467
ohl_leaders(), *310*, *465–473*
ohl_pbp, 468
ohl_pbp(), *310*, *465–467*, *469–473*
ohl_player_stats, 468
ohl_player_stats(), *310*, *465–473*
ohl_player_toi, 469
ohl_player_toi(), *310*, *465–473*
ohl_schedule, 470
ohl_schedule(), *310*, *465–469*, *471–473*
ohl_season_id, 470
ohl_season_id(), *310*, *465–473*
ohl_standings, 471
ohl_standings(), *310*, *465–473*
ohl_team_roster, 472
ohl_team_roster(), *310*, *465–472*
ohl_teams, 472
ohl_teams(), *310*, *465–471*, *473*

phf, 473
phf_db *(*update_phf_db*)*, 524
phf_deprecated *(*phf*)*, 473
phf_game_all, 474
phf_game_all(), *473*
phf_game_details, 475
phf_game_details(), *473*
phf_game_raw, 475
phf_game_raw(), *473*
phf_game_summary, 476
phf_game_summary(), *473*
phf_leaders, 476
phf_leaders(), *473*
phf_league_info, 477
phf_league_info(), *474*
phf_pbp, 478

phf_pbp(), *473*
phf_pbp_db *(*update_phf_db*)*, 524
phf_player_box, 478
phf_player_box(), *473*
phf_player_stats, 479
phf_player_stats(), *473*
phf_schedule, 480
phf_schedule(), *473*
phf_standings, 480
phf_standings(), *473*
phf_team_box, 481
phf_team_box(), *473*
phf_team_logos *(*data*)*, 20
phf_team_roster, 482
phf_team_roster(), *473*
phf_team_stats, 482
phf_team_stats(), *473*
progressively, 483
pwhl, *474*, 484
pwhl_db *(*update_pwhl_db*)*, 525
pwhl_game *(*pwhl*)*, 484
pwhl_game_corsi, 485
pwhl_game_corsi(), *487*, *503*
pwhl_game_info, 486
pwhl_game_info(), *484*
pwhl_game_shifts, 487
pwhl_game_shifts(), *485*, *486*, *503*
pwhl_game_summary, 488
pwhl_game_summary(), *484*
pwhl_leaders, 490
pwhl_leaders(), *484*
pwhl_league *(*pwhl*)*, 484
pwhl_loaders, 492
pwhl_overview *(*pwhl*)*, 484
pwhl_pbp, 493
pwhl_pbp(), *484*
pwhl_pbp_db *(*update_pwhl_db*)*, 525
pwhl_player *(*pwhl*)*, 484
pwhl_player_box, 496
pwhl_player_box(), *484*
pwhl_player_game_log, 498
pwhl_player_game_log(), *484*
pwhl_player_info, 499
pwhl_player_info(), *484*
pwhl_player_search, 500
pwhl_player_search(), *484*
pwhl_player_stats, 501
pwhl_player_stats(), *484*
pwhl_player_toi, 503
pwhl_player_toi(), *486*, *487*
pwhl_playoff_bracket, 504
pwhl_playoff_bracket(), *485*
pwhl_schedule, 505
pwhl_schedule(), *484*
pwhl_scorebar, 506
pwhl_scorebar(), *484*
pwhl_season_id, 507
pwhl_season_id(), *485*
pwhl_standings, 507
pwhl_standings(), *484*
pwhl_stats, 509
pwhl_stats(), *484*
pwhl_streaks, 510
pwhl_streaks(), *484*
pwhl_team *(*pwhl*)*, 484
pwhl_team_logos *(*data*)*, 20
pwhl_team_roster, 512
pwhl_team_roster(), *484*
pwhl_teams, 511
pwhl_teams(), *484*
pwhl_transactions, 513
pwhl_transactions(), *485*

qmjhl, *312*, *514*, 514, *515–522*
qmjhl_game_corsi, 514
qmjhl_game_corsi(), *312*, *514–522*
qmjhl_game_shifts, 515
qmjhl_game_shifts(), *312*, *514*, *516–522*
qmjhl_game_summary, 515
qmjhl_game_summary(), *312*, *514–522*
qmjhl_leaders, 516
qmjhl_leaders(), *312*, *514–522*
qmjhl_pbp, 517
qmjhl_pbp(), *312*, *514–516*, *518–522*
qmjhl_player_stats, 517
qmjhl_player_stats(), *312*, *514–522*
qmjhl_player_toi, 518
qmjhl_player_toi(), *312*, *514–522*
qmjhl_schedule, 519
qmjhl_schedule(), *312*, *514–518*, *520–522*
qmjhl_season_id, 519
qmjhl_season_id(), *312*, *514–522*
qmjhl_standings, 520
qmjhl_standings(), *312*, *514–522*
qmjhl_team_roster, 521
qmjhl_team_roster(), *312*, *514–521*
qmjhl_teams, 521

qmjhl_teams(), *312*, *514–520*, *522*

rds_from_url, 522
readRDS(), *522*
refresh_xg_models, 522

update_nhl_db, 523
update_nhl_db(), *380*
update_phf_db, 524
update_pwhl_db, 525
update_pwhl_db(), *493*

whl, *312*, *527*, 527, *528–535*
whl_game_corsi, 527
whl_game_corsi(), *312*, *527–535*
whl_game_shifts, 528
whl_game_shifts(), *312*, *527*, *529–535*
whl_game_summary, 528
whl_game_summary(), *312*, *527–535*
whl_leaders, 529
whl_leaders(), *312*, *527–535*
whl_pbp, 530
whl_pbp(), *312*, *527–529*, *531–535*
whl_player_stats, 530
whl_player_stats(), *312*, *527–535*
whl_player_toi, 531
whl_player_toi(), *312*, *527–535*
whl_schedule, 532
whl_schedule(), *312*, *527–531*, *533–535*
whl_season_id, 532
whl_season_id(), *312*, *527–535*
whl_standings, 533
whl_standings(), *312*, *527–535*
whl_team_roster, 534
whl_team_roster(), *312*, *527–534*
whl_teams, 534
whl_teams(), *312*, *527–533*, *535*

xg *(*nhl_xg*)*, 464