

Package ‘ggraptR’

June 24, 2020

Type Package

Title Allows Interactive Visualization of Data Through a Web Browser GUI

Version 1.3

Description Intended for both technical and non-technical users to create interactive data visualizations through a web browser GUI without writing any code.

License GPL (>= 2)

Suggests knitr, markdown

Depends dplyr (>= 0.7.5), ggplot2 (>= 2.2.0), pacman (>= 0.4.6), purrr(>= 0.2.4), shiny (>= 0.12.2)

BugReports <https://github.com/cargomoose/raptR/issues>

VignetteBuilder knitr

RoxygenNote 6.0.1

NeedsCompilation no

Author Eugene Dubossarsky [aut, cph, cre],
Julius Neggo [ctb] (Lead Developer),
Howard Song [aut] (Developer),
Susan Wang [ctb] (Project Manager),
Jason Widjaja [ctb] (Vignette),
Jose Magana [ctb] (Package Manager and Developer),
Sergey Skripko [ctb] (Developer)

Maintainer Eugene Dubossarsky <eugene@prescient.com>

Repository CRAN

Date/Publication 2020-06-24 05:00:03 UTC

R topics documented:

ggraptR	2
Index	3

`ggraptR`*Launch ggraptR in the default browser*

Description

Launch ggraptR in the default browser

Usage

```
ggraptR(initialDf = ggplot2::diamonds, ...)
```

Arguments

<code>initialDf</code>	initial dataframe to plot
<code>...</code>	extra arguments. Possible options are: <code>initialPlot</code> - a vector of plot names <code>externalRun</code> - a boolean to run ggraptR in a separate process any <code>shiny::runApp</code> arguments

Details

See <http://github.com/cargomoose/raptR> for documentation and tutorials

Examples

```
if (interactive()) {  
  ggraptR(initialDf='mtcars', initialPlot=c('Scatter', 'Line'), appDir='inst/ggraptR')  
}
```

Index

ggraptR, [2](#)