

Package ‘webexercises’

September 15, 2021

Version 1.0.0

Date 2021-09-06

Title Create Interactive Web Exercises in 'R Markdown' (Formerly 'webex')

Description Functions for easily creating interactive web pages using 'R Markdown' that students can use in self-guided learning.

URL <https://github.com/psyteachr/webexercises>

Depends R (>= 3.1.2)

Imports jsonlite, knitr, yaml, utils, rmarkdown (>= 2.2)

License CC BY-SA 4.0

RoxygenNote 7.1.1

Suggests testthat, bookdown, xfun

Encoding UTF-8

NeedsCompilation no

Author Dale Barr [aut, cre],
Lisa DeBruine [aut]

Maintainer Dale Barr <dalejbarr@protonmail.com>

Repository CRAN

Date/Publication 2021-09-15 08:40:02 UTC

R topics documented:

add_to_bookdown	2
escape_regex	3
fitb	3
hide	4
longmcq	5
mcq	6
round2	7
strip_lzero	7

style_widgets	8
torf	9
total_correct	9
unhide	10
webexercises_default	11

Index	12
--------------	-----------

add_to_bookdown	<i>Add webexercises helper files to bookdown</i>
-----------------	--

Description

Adds the necessary helper files to an existing bookdown project and edits the `_output.yml` and `_bookdown.yml` files accordingly. If the directory does not have a bookdown project in it, a template project will be set up.

Usage

```
add_to_bookdown(
  bookdown_dir = ".",
  include_dir = "include",
  script_dir = "R",
  output_format = c("bs4_book", "gitbook", "html_book", "tufte_html_book"),
  render = FALSE
)
```

Arguments

<code>bookdown_dir</code>	The base directory for your bookdown project
<code>include_dir</code>	The directory where you want to put the css and js files (defaults to "include")
<code>script_dir</code>	The directory where you want to put the .R script (defaults to "R")
<code>output_format</code>	The bookdown format you want to add webexercises to (defaults to "bs4_book") This is typically your default HTML format in the <code>_output.yml</code> file.
<code>render</code>	Whether to render the book after updating (defaults to FALSE).

Value

No return value, called for side effects.

escape_regex	<i>Escape a string for regex</i>
--------------	----------------------------------

Description

Escape a string for regex

Usage

```
escape_regex(string)
```

Arguments

string A string to escape.

Value

A string with escaped characters.

Examples

```
escape_regex("library(tidyverse)")
```

fitb	<i>Create a fill-in-the-blank question</i>
------	--

Description

Create a fill-in-the-blank question

Usage

```
fitb(  
  answer,  
  width = calculated_width,  
  num = NULL,  
  ignore_case = FALSE,  
  tol = NULL,  
  ignore_ws = TRUE,  
  regex = FALSE  
)
```

Arguments

answer	The correct answer (can be a vector if there is more than one correct answer).
width	Width of the input box in characters. Defaults to the length of the longest answer.
num	Whether the input is numeric, in which case allow for leading zeroes to be omitted. Determined from the answer data type if not specified.
ignore_case	Whether to ignore case (capitalization).
tol	The tolerance within which numeric answers will be accepted; i.e. if $\text{abs}(\text{response} - \text{true.answer}) < \text{tol}$, the answer is correct (implies <code>num=TRUE</code>).
ignore_ws	Whether to ignore whitespace.
regex	Whether to use regex to match answers (concatenates all answers with 'l' before matching).

Details

Writes html code that creates an input box widget. Call this function inline in an RMarkdown document. See the Web Exercises RMarkdown template for examples of its use in RMarkdown.

Value

A character string with HTML code to generate an input box.

Examples

```
# What is 2 + 2?
fitb(4, num = TRUE)

# What was the name of the Beatles drummer?
fitb(c("Ringo", "Ringo Starr"), ignore_case = TRUE)

# What is pi to three decimal places?
fitb(pi, num = TRUE, tol = .001)
```

hide

Create button revealing hidden content

Description

Create button revealing hidden content

Usage

```
hide(button_text = "Solution")
```

Arguments

button_text	Text to appear on the button that reveals the hidden content.
-------------	---

Details

Writes HTML to create a content that is revealed by a button press. Call this function inline in an RMarkdown document. Any content appearing after this call up to an inline call to `unhide()` will only be revealed when the user clicks the button. See the Web Exercises RMarkdown Template for examples.

Value

A character string containing HTML code to create a button that reveals hidden content.

See Also

`unhide`

Examples

```
# default behavior is to generate a button that says "Solution"
hide()

# or the button can display custom text
hide("Click here for a hint")
```

`longmcq`*Longer MCQs with Radio Buttons*

Description

Longer MCQs with Radio Buttons

Usage

```
longmcq(opts)
```

Arguments

<code>opts</code>	Vector of alternatives. The correct answer is the element(s) of this vector named 'answer'.
-------------------	---

Details

Writes html code that creates a radio button widget, with a single correct answer. This is more suitable for longer answers. Call this function inline in an RMarkdown document. See the Web Exercises RMarkdown template for further examples.

Value

A character string containing HTML code to create a set of radio buttons.

Examples

```
# What is a p-value?
opts <- c(
  "the probability that the null hypothesis is true",
  answer = paste("the probability of the observed, or more extreme, data",
    "under the assumption that the null-hypothesis is true"),
  "the probability of making an error in your conclusion"
)

longmcq(opts)
```

mcq

Create a multiple-choice question

Description

Create a multiple-choice question

Usage

```
mcq(opts)
```

Arguments

`opts` Vector of alternatives. The correct answer is the element(s) of this vector named 'answer'.

Details

Writes html code that creates an option box widget, with one or more correct answers. Call this function inline in an RMarkdown document. See the Web Exercises RMarkdown template for further examples.

Value

A character string with HTML code to generate a pull-down menu.

Examples

```
# How many planets orbit closer to the sun than the Earth?
mcq(c(1, answer = 2, 3))

# Which actor played Luke Skywalker in the movie Star Wars?
mcq(c("Alec Guinness", answer = "Mark Hamill", "Harrison Ford"))
```

round2	<i>Round up from .5</i>
--------	-------------------------

Description

Round up from .5

Usage

```
round2(x, digits = 0)
```

Arguments

x	A vector of numeric values.
digits	Integer indicating the number of decimal places ('round') or significant digits ('signif') to be used.

Details

Implements rounding using the "round up from .5" rule, which is more conventional than the "round to even" rule implemented by R's built-in `round` function. This implementation was taken from <https://stackoverflow.com/a/12688836>.

Value

A vector of rounded numeric values.

Examples

```
round2(c(2, 2.5))  
  
# compare to:  
round(c(2, 2.5))
```

strip_lzero	<i>Strip leading zero from numeric string</i>
-------------	---

Description

Strip leading zero from numeric string

Usage

```
strip_lzero(x)
```

Arguments

x A numeric string (or number that can be converted to a string).

Value

A string with leading zero removed.

Examples

```
strip_lzero("0.05")
```

style_widgets	<i>Change webexercises widget style</i>
---------------	---

Description

Change webexercises widget style

Usage

```
style_widgets(default = "red", correct = "blue")
```

Arguments

default The colour of the widgets when the correct answer is not filled in (defaults to blue).

correct The colour of the widgets when the correct answer not filled in (defaults to red).

Details

Call this function inline in an RMarkdown document to change the default and correct colours using any valid CSS colour word (e.g., red, rgb(255,0,0), hsl(0, 100

Value

A character string containing HTML code to change the CSS style values for widgets.

Examples

```
# change to green when correct
style_widgets(correct = "green")
```

```
# yellow when unfilled, pink when correct
style_widgets("#FFFF00", "#FF3399")
```

torf	<i>Create a true-or-false question</i>
------	--

Description

Create a true-or-false question

Usage

```
torf(answer)
```

Arguments

answer Logical value TRUE or FALSE, corresponding to the correct answer.

Details

Writes html code that creates an option box widget with TRUE or FALSE as alternatives. Call this function inline in an RMarkdown document. See the Web Exercises RMarkdown template for further examples.

Value

A character string with HTML code to generate a pull-down menu with elements TRUE and FALSE.

Examples

```
# True or False? 2 + 2 = 4
torf(TRUE)

# True or False? The month of April has 31 days.
torf(FALSE)
```

total_correct	<i>Display total correct</i>
---------------	------------------------------

Description

Display total correct

Usage

```
total_correct(elem = "span", args = "")
```

Arguments

elem The html element to display (e.g., div, h3, p, span)
args Optional arguments for css classes or styles

Value

A string with the html for displaying a total correct element.

Examples

```
total_correct()    # <div id="total_correct"></div>  
total_correct("h3") # <h3 id="total_correct"></h3>  
total_correct("p", "style='color: red;'")  
total_correct("div", "class='customclass'")
```

unhide

End hidden HTML content

Description

End hidden HTML content

Usage

```
unhide()
```

Details

Call this function inline in an RMarkdown document to mark the end of hidden content (see the Web Exercises RMarkdown Template for examples).

Value

A character string containing HTML code marking the end of hidden content.

See Also

hide

Examples

```
# just produce the closing </div>  
unhide()
```

webexercises_default *Create default webexercises document*

Description

This function wraps `rmarkdown::html_document` to configure compilation to embed the default webexercises CSS and JavaScript files in the resulting HTML.

Usage

```
webexercises_default(...)
```

Arguments

... Additional function arguments to pass to [html_document](#).

Details

Call this function as the `output_format` argument for the [render](#) function when compiling HTML documents from RMarkdown source.

Value

R Markdown output format to pass to 'render'.

See Also

[render](#), [html_document](#)

Examples

```
# copy the webexercises 'R Markdown' template to a temporary file
## Not run:
my_rmd <- tempfile(fileext = ".Rmd")
rmarkdown::draft(my_rmd, "webexercises", "webexercises")

# compile it
rmarkdown::render(my_rmd, webexercises::webexercises_default())

# view the result
browseURL(sub("\\.Rmd$", ".html", my_rmd))

## End(Not run)
```

Index

`add_to_bookdown`, [2](#)

`escape_regex`, [3](#)

`fitb`, [3](#)

`hide`, [4](#)

`html_document`, [11](#)

`longmcq`, [5](#)

`mcq`, [6](#)

`render`, [11](#)

`round`, [7](#)

`round2`, [7](#)

`strip_lzero`, [7](#)

`style_widgets`, [8](#)

`torf`, [9](#)

`total_correct`, [9](#)

`unhide`, [10](#)

`webexercises_default`, [11](#)